

STORAGE and SHIPPING of MIL ELECTRONICS GEAR

Date: Fri, 23 Nov 2001 04:34:21 -0800
From: Dan Arney <hankarn@pacbell.net>
Subject: [R-390] Re: Shipping boatanchors safely

YOU MUST BE AWARE that UPS/Fed-EX and all of the small package companies have NO SPECIAL HANDLING in the tariff filings. This means that all labels, Tip-N-Tell and shock indicators mean ZIP. They are conveyor mass handling operations. The main point is the requirement of 2" of packing on all sides. Claims are based on proper packing not labels. The package must be capable of falling off of the conveyor 30" high and a 70 pound package to fall on it at any angle. Packages over 70 pounds are "SUPPOSED TO BE MAN HANDLED" do not hold your breath.

Shipments by common carriage (motor/air/sea freight) have the special handling in their tariffs and THEY require proper labels and marking. With such labeling they are more than likely to honor a claim. In most cases they use MTI for damage claim assessment.

They hate the Tip-N-Tell and Shock-Guard as they have handle them properly. YOU MUST ATTACH the self adhesive label on the Bill of Lading. We arm each as they are placed on the truck and we also staple them in a protected corner to prevent them from being inadvertently ripped off.

If the item can move inside the box/crate then it WILL BE DAMAGED.

Packaging peanuts (foam) should be outlawed for the packing of any item weighing more than 10 pounds. If all sides are prevented from moving, peanuts can be used as a void filler if the item is in a plastic bag or internal box. MBE is a firm believer in using peanuts and they have the highest damage claims in the industry.

I have been in the commercial packing and shipping business for over 20 years and speak with experience learned the hard way. I refuse to pack and ship an item unless it will survive the gorilla handling. Cost more YES arrive safely YES.

Double box all Boatanchors or crate properly and maintain 2" of foam or proper dunnage on all sides.

Wadded up newspaper is by far better than peanuts any day of the week and is cheaper and above all it does not get down in all of the nooks and crannies. If tubes are not secured by tube shields or other means, they should be wrapped in paper or bubble.

The use of bubble pack should be used for light items only. What do you have when you place the heavy item in the box and the bubble pops, then it drops and a few more bubbles pop. OH you have two thin pieces of plastic rubbing together. Cheap bubble will also pop in air transports in some cases.

The proper packing and shipping of boatanchors is not to be practiced by the cheap and frugal person. Just look at your packing job as if you are on the receiving end and would you be happy to receive it, would it survive being thrown into the pick up vans and all of the related handling. Think about dropping it 15 or 20 times and do not forget vibration. The UPS testing lab uses 100,000 CPS as a road test in their package approval process.

Date: Mon, 14 Jan 2002 23:33:56 -0500
From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] R-388 knobs, etc

> OK, here is another horror story courtesy of UPS. The R-388 that I purchased was sent to me via UPS. The box was apparently dropped and the front panel was impacted. That's why the rigs should be braced at their corners or other strong points.

The result was that the two large knobs for
> tuning and band switch were cracked and one of the
> small knobs for selecting selectivity was also
> cracked. Can anyone tell me where replacements may be
> obtained? I get the impression that they are hard to
> find. I hope not.

They should be the standard fluted knobs which are not hard to find. Does that small knob have a metal pointer at its base? (Like the filament voltage knob on a TV-7.)

The scary thing is that the PTO shaft may have also been bent.

That is scary -- though probably fixable. Was the PTO damaged? It's bad enough when knobs break or there's other front end cosmetic damage. But the shafts and the switches and pots were not built to take the weight of the radio driving them backward. Imagine what would happen to the typical Hallicrafters bandswitch that goes right straight through from front to back PTO's don't like to be jammed either.

The man who shipped the

- > R-388 to me told me that he would double box it.
- > However, he ended up putting it in a heavy cloth wrap
- > and surrounding it with peanuts in one box. Of course,
- > the receiver shifted in shipment and the panel was
- > apparently quite close to one side when it was dropped
- > or hit.

Why is this so blankety-blank familiar, along with "I've shipped many of these things, with no problems, yadda yadda." I've had a few misfires come my way. Try an SP-600 with the bottom corner square inch of panel broken off and a 2 inch crease in the rear apron for fun in the evening. Many, many near misses -- stuff arrived OK by the grace of the chief engineer in the sky -- not packed as advertised. Beanbag box syndrome -- UPS people can hardly pick the thing up because it has no corners or edges. Then, on top of being inadequately protected, it's more drop-prone.

- So much for my dream of being able to open up
- > this box and behold a beautiful, ready to go Collins.
 - > Also, has anyone had any dealings with UPS as to
 - > filing for damages?

I've had no direct experience. Reason: The few times there was damage, it was the fault of the packing, or at least the packing was so clearly inadequate it wasn't presentable to the authorities. That SP-600 came in a U-Haul box made for light duty use -- not even a true shipping box and said so in six inch high letters so the UPS claims guy could see before he got out of his car. They will want to see what it was shipped in - y'know, the thing with the UPS label, bar code and tracking number stuck right on it. If it's as bad as it sounds, you may not have a chance. I'm told the fact they accepted the parcel for shipment means nada.

The man who shipped it said he would call and make a claim. It was insured for \$400.

The knobs, when you find them, won't cost much. Check the usual sources. I'll check later on a couple and let you know. PTO is another matter. One of the problems though, in making these claims, is establishing cost to repair. You can't very well trot down to the nearest Collins authorized repair center for a quote - not unless you have a way-back machine. If the PTO is bad, that could be expensive and difficult to find. The R-388 units are not as plentiful as the Cosmos's for the '390A's. Once the total climbs past a certain point -- and the packing was OK -- they may offer to pay the full amount -- but they take the merchandise. It's like collision insurance with a car. At some level, it's "totaled" even if it still runs. Chances are, the claim will be refused outright, but that will establish officially that the fault was in the packing. (If UPS has any standard,

from what I've heard, it's "original packing" (yeah, right) or in-place foam.) So you may be out of luck from the get-go. However, you then should seek compensation from the seller.

- > I would appreciate any comments about those knobs and
- > UPS. I have no plans to turn it on now. I'm going to
- > test the tubes first and give it a close going over
- > before that.

Yup -- work around it for now, and look for other concealed damage. Hopefully there will be none, but it took a bad hit in the worst place. Incidentally, those old knobs are Bakelite and may be decently repairable. I've repaired the fluted knobs like those with epoxy. Don't use crazy glue. Mix up the epoxy well and apply quickly before it starts to set up so it will flow as you press the pieces firmly together. Don't worry about the excess right away. After it sets, take a razor or Xacto knife and trim away the excess glue flush with the surfaces. Don't try to take it all. Let them cure at least a day, maybe two. Then you can sand them smooth with very fine sandpaper or emery -- or those abrasive pads. What this approach does is to fill any voids from crumbling around the cracks or tiny missing pieces. Re-shine with Brasso, plastic polish or auto compound. You can stop at this point, or do some more detailing with hard shoe polish. There are a bunch of other ways to restore the finish. Some paint them gloss or satin black and bake to harden the finish. (Of course, then they'll eventually chip like '390 knobs.)

If it's just the knobs and no damage to the PTO or anything else, I suggest you "settle out of court". Ask the seller to repay you for the knobs.

Date: Tue, 26 Feb 2002 07:24:51 -0500
From: Michael Crestohl <mc@sover.net>
Subject: [R-390] Boatanchor Storage - Some questions???

I've been lurking in the shadows for quite some time now and have enjoyed reading much of the traffic on here. I'd like to pose a question to the group that may become an interesting thread for all. My family and I recently moved into a house here in the Upper Valley region of Vermont/New Hampshire. We have a nice two-car garage which has new electric doors that lock and a cement floor, basement (with cement floor) and an attic. All three places are unheated.

My question is about equipment storage. I would like to know what is the best place to store my "Boatanchors" and manuals collection that are not being used at this time. I have kept them in a temperature and humidity controlled storage facility for the past three and a half years (don't ask what it has cost me!) but now is the time to move them.

My concerns are the heat of the attic in the summer and the potential of high humidity and of flooding of the basement. I would also like to know the best way to test the basement for humidity and what is an acceptable level. If this is relevant the house is heated by forced air from an oil-burning furnace less than a year old. The house itself is about 85 years old and is located at the top of a 100 foot embankment. My manuals are boxed in USPS Priority Mail boxes (the older ones with the non-sticky flaps) which serve as a filing system as well as keeping them flat and on order.

So basically I'm asking about the best place to store vacuum tube-based electronic equipment and paper manuals in an 85 year-old house with an attic, basement and two-car garage in Central Vermont.

Date: Tue, 26 Feb 2002 08:58:17 -0500
From: Jim Brannigan <jbrannig@optonline.net>
Subject: Re: [R-390] Boatanchor Storage - Some questions???
To: Michael Crestohl <mc@sover.net>, R-390@mailman.qth.net

I don't know what the environment is like in Vermont. Here on Long Island we have dry cold winters and damp hot summers. I store most of my radios in the basement, on open shelves, at least a foot off the floor. (if I get more than a foot of water in the basement, I have bigger problems than wet radios) The basement is heated, humidified in the winter and a dehumidifier or Air conditioning is used during the warmer months. The space is also used for radio station, home office and playroom.

Other radios, parts, etc. are stored in the attic of the garage. They are subject to drastic changes in temperature and humidity and don't fare as well. hope this helps. Jim

Date: Tue, 26 Feb 2002 10:19:57 -0500
From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] Boatanchor Storage - Some questions???

I'm also on Long Island and the climate should be similar to Vermont, though probably gets a bit warmer and humid in summer here and our winters aren't as extreme. (We get a few inches of snow when you get a foot or more).

I'd think a lot would depend on how you use the garage and basement. My basement is finished, but the electric heating is never used or needed as the oil burner and hot water heater keep it warm during the winter. The fact that your oil burner is new is important -- there was always a thin

layer of soot with the old one. But be sure to have it checked regularly -- if it "bangs" when it goes on, may need adjustment to avoid a blow-back, which you don't want to know about. I have a hot water/radiator system. Yours might benefit from the air ducting keeping air circulating down there. Is it air conditioned? Mine isn't, but the cold air from the wall units tends to fall downstairs and keeps the basement reasonably cool.

My garage is a single, but very deep. Have a snowblower, but not used so far this year, no lawnmower. It is unheated, but part of the house with two flights -- bedrooms and attic over it. It is not used for cars, has an old wooden rollup door with a good seal at the bottom but not the sides or top. I suppose it would be better with a modern insulated door. Things hold up well toward the middle and back, not as good at the front, near the door. A lot would depend on whether the garage is attached and how you use it. Cars generate gasses on startup, frequent opening, etc.; stored lawnmowers with grass, etc. would not be good, or bringing in a wet snowblower, etc.

I have a big attic with high roof. The floor has been toughened up with a layer of 3/4" plywood screwed down, not nailed, to help support it. However, the floors of attics -- at least on this 50 year old house -- are done with 2 X 6's, not the 2 X 8's or better used for load bearing floors. OK to walk, but not run or jump and probably not OK to stack tons of boatanchors. If the floor of your attic is really more simply the ceiling of the rooms downstairs, there may not be sufficient load bearing in the wall setup. In mine, there are extreme temperature swings and periodic visits of birds and squirrels. I do have a couple of BA's up there -- a BC-312 and a Hallicrafters S-29 -- haven't checked up on 'em lately.

On a 100 ft. ridge, sounds like the basement is the best bet -- unlikely to flood.

From: "Bill Hawkins" <bill@iaxs.net>
Subject: RE: [R-390] Boatanchor Storage - Some questions???
Date: Tue, 26 Feb 2002 09:20:50 -0600

As far as I'm concerned, the biggest problem is mold. This happens long before something gets rusty. When you are sensitive to mold, you get to learn about dewpoint. This is the temperature where moisture just begins to condense from the air, like the moisture on the outside of a cold drink in summertime. You can calculate dewpoint from %RH (relative humidity) and vice versa if you know the air temperature. Radio Shack and others sell \$20 digital meters for temperature and relative humidity. Weather stations, like Oregon Scientific, will calculate dew point for you.

The trick is to store paper and easily rusted gear in an area where the

temperature never gets below the dewpoint. With no condensed water, there is no mildew and no rust. If you have other allergies, dust mites go dormant when the RH is below 50%. You need to know that dewpoint remains pretty much the same in an area with air circulation, but that RH increases in the vicinity of cold surfaces like concrete or glass that has cold temperatures on the other side of it. If water floods the floor, dewpoint will rise to at least the temperature of the water. I don't have anything expensive less than a foot off the floor.

Here in Minneapolis (dewpoint range -20 to 80) I finally got the basement under control by installing heating air intakes near floor level in the basement and blocking off the ones upstairs. The circulating air fan is on all of the time. Those with radiant heat would need to circulate air between basement main floors. I also installed an UltraAire dehumidifier developed for use in dairy barns. It cost \$3000, but it maintains 35% at 72 degrees spring and fall. Two \$300 standard dehumidifiers could not hold 60% some days. The basement never smells moldy, so it can be used all year around. I think it was worth it. All of my good stuff and >1000 books are in the basement. Nothing is in the vented attic. Paper stuff in the garage is in sealed plastic containers.

In summer, the basement will not be a high temperature problem. Forget the attic. The garage will also get hot, but military gear can handle it. Wax capacitors and liquid electrolyte era stuff is best kept in the basement (or living room :-).

With an older house, you should make an effort to seal major outdoor air leaks, especially through the attic. When we bought this house 20 years ago, the unfinished walkout basement had neither insulation nor vapor barrier on the outside wooden wall. The attic runs 50% RH when it is 10 degrees out, attic 23 deg. BTW, dewpoint is never higher than air temperature. When it tries to be, you get rain (or snow).

From: "Helmut Usbeck" <vze2gmp4@verizon.net>
To: "r-390 list" <r-390@mailman.qth.net>
Date: Mon, 25 Feb 2002 11:54:15 -0500
Subject: [R-390] storage

Keep in cool, dry, dark place. I've never been able to find one those places in my house. The closest I've come is the refrigerator.(not the freezer). I keep film and some of my tubes in there, boxed and wrapped in aluminium foil. I store larger radios and stuff in my garage which is attached to the house so in the winter it never freezes. Do not place items on a cement floor! Place radio on a layer of plastic. Then use two pieces of wood to raise radio off the plastic. Cover with a cotton cloth completely. I use an old bed sheet. Do NOT cover with plastic.

From: "Jim Amos" <jimamos@cisco.com>
Subject: RE: [R-390] storage
Date: Tue, 26 Feb 2002 13:22:10 -0500

What does the cement floor do to the radios? I know it will ruin a car battery as well, but would like to know what the failure mode is. Does it cause additoinal corrosion? Also, if the radio is setting on rubber feet, is it OK? My Drakes have rubber feet under them, but of course the 390's don't (and some of the parts sitting next to it).

From: "Biddle, Richard" <s-biddle@ti.com>
To: "R-390@mailman.qth.net" <R-390@mailman.qth.net>
Subject: RE: [R-390] Boatanchor Storage - Some questions???
Date: Tue, 26 Feb 2002 15:52:53 -0600

The military guys use something known as prime pack to keep things forever. I recently bought a set of 1960 vintage headphones that came in the prime pack bag. Thirty plus years old and the rubber cord was as flexible as the day it was made and the cloth headband cover was perfect. (From Antique Electronics)

When we prime pack military/JAN integrated circuits, we put the parts and a desiccant (to getter residual moisture) in a special aluminized plastic bag and evacuate as much air as possible with a vacuum pump, then heat seal the bag while holding vacuum.

I recently opened an R-390A RF deck that I had stored about five years ago. I used an industrial heavy duty trash bag, some desiccant I picked up from the gun store, and a vacuum cleaner. I made sure the bag was well sealed by rolling the end over and securely taped. It was then put in a cardboard box that was stored in a non-environmentally controlled storage unit we rented. Came out looking fine.

I have seen TV adds for some bags that are used to store clothes. These appear to have a check valve to make the vacuum cleaner part a little easier.

My large gun safe keeps things pretty dry and rust free. I use a BIG can of desiccant but you can get electric dryers. With the prices boatanchor stuff is fetching at auction, maybe that is the right place to keep them anyway :)

Date: Tue, 26 Feb 2002 18:56:02 -0800
From: Jerry Kincade <w5kp@swbell.net>
Subject: Re: [R-390] Boatanchor Storage - Some questions???
To: "Biddle, Richard" <s-biddle@ti.com>, R-390@mailman.qth.net

Brownell's Gunsmithing supplies sells some specially treated vapor type paper for long term packing of guns called Gun Wrap that works like a champ. It's actually not a "wrap" per se, because you only need to enclose it with the item, not fully wrap it in the stuff. Info is at

<http://www.brownells.com/Product/index.asp>

I used this stuff to store several long guns for as long as 6 years in a non-controlled warehouse environment, and it worked perfectly. I'd not be afraid to use it on radios, but have no info on that application. Maybe Brownell's could provide more details.

Date: Tue, 26 Feb 2002 19:01:40 -0800
From: Jerry Kincade <w5kp@swbell.net>
To: R-390@mailman.qth.net
Subject: [R-390] Boatanchor Storage

A closer look at Gun Wrap revealed warnings about brass/aluminum, etc., I presume from tarnishing. This IS a chemical product, and not a dessicant. Maybe not such a good idea for old radios. I'd hate to see somebody's prize BA ruined.

From: "Kenneth Crips" <w7itc@hotmail.com>
Subject: RE: [R-390] Boatanchor Storage - Some questions???
Date: Tue, 26 Feb 2002

Hands down the best way of storing documents is by vacuum sealing them into storage bags.

Go to <http://www.foodsaverforless.com/> for an example of what I mean.

Once a TM, Op Manual, or magazine is sealed into one of these vacuum sealed bag they are absolutely water proof. If I am not mistaken doesn't the Manual have a section on how to package and store such equipment.

From: "Helmut Usbeck" <vze2gmp4@verizon.net>
Subject: Re: [R-390] storage
Date: Mon, 25 Feb 2002 10:16:40 -0500

> What does the cement floor do to the radios?

Cement never really dries and mousture evaporating from the floor cause a corrosion problem. Which is why I place the equipment on a sheet or two of plastic

Date: Sat, 24 Aug 2002 11:40:52 -0700
From: Dan Arney <hankarn@pacbell.net>
Subject: [R-390] Re: HSN Packing article

Barry your article in the current issue of HSN on packing hits the nail square on the head. If the people that are shipping would adhere to your guide lines then we could use the BW for other subjects. I make up custom 500#DW Stapled boxes for shipping the R-39XX etc. using polyethylene foam. and I have one box that has made 4 round trips to Ft. Worth plus 3 local RT`s and is still very serviceable. UPS says a 500#DW RSC is good for 150 pounds. Most guys cry like a wet baby with the price. The ones that have used them, love them. REF: UPS Claims. I have lost one claim to UPS in 22 years and that lady has been gone for over 20 years. Be firm with a REP. not a gum chewer on the 800 number. Follow all of their guidelines and they will pay promptly out of Ft. Worth. All claims are filed by FAX.

THE SHIPPER IS THE ONLY ONE THAT CAN FILE THE CLAIM "PERIOD"
FYI UPS NOW CONTROLS THE CRUMMY MBE PACKING FRANCHISE
COMPANY. DO NOT EXPECT ANY BETTER SERVICE OR PRICING THEY
ARE STILL BEHIND THE EIGHT BALL.

From: "Michael Melland" <w9wis@charter.net>
Subject: Re: [R-390] UPS is Garbage
Date: Thu, 31 Oct 2002 10:36:06 -0500

>Always avoid UPS if possible. They have lousy customer
>service and insolate themselves ...

My experience as well. I spent \$120 for a custom FastPak shipping box for the very few trips my R-390A will ever make. The FastPak is the only way to go.... about 4-6" of foam surrounds the whole radio and the inner box is about 1/2" thick and hard as plywood. The outer box is just a "covering" and it takes the dings, dents and labels. BTW the FastPak is designed for 50 uses. I learned about these boxes from Rick Mish who told me he got tired of dealing with shipping damage claims. He has them made up for himself and uses them to ship radios worldwide.

From: "Barry Hauser" <barry@hausernet.com>
Subject: Re: [R-390] UPS is Garbage
Date: Thu, 31 Oct 2002 11:07:24 -0500

A bit pricey, but cheaper than the alternative. Could you tell us where to get them? Also, Hank Arney makes a heck of a shipping container. I don't know if he's offering these to other than his commercial customers -- Hank -- time to chime in.

From: "Michael Melland" <w9wis@charter.net>
Subject: Re: [R-390] UPS is Garbage
Date: Thu, 31 Oct 2002 11:35:39 -0500

>A bit pricey, but cheaper than the alternative. Could you tell us where to get them?

Well... like everything else quantity brings lower pricing. I got my box via Rick at the time he was ordering more for himself. The Government (read: military) has contracts with the "Light House For The Blind" organizations that employ blind workers.... they apparently manufacture the boxes. There are "stock" NSN numbered fast packs that I'm sure are also available in a size to fit. These appear to be able to be ordered in all the usual mil sizes via the Light House in Fort Worth. I suspect that the prices of these more "standard" versions of the boxes would be much cheaper.(an example):

<http://www.lighthousefw.org/boxinfo.html>

There is a picture of one of the inner type boxes. These are quite similar to the one I have except mine has the egg cratre foam facing each other so it's smooth side out and very tight to the radio, in fact I had to remove about 2" or one section of foam to enable the radio to fit properly (my measurements didn't take into account the handles <grin>).. There is also foam in the lid so the radios are surrounded by foam. I also have an outer box that exactly fits that inner box to absorb all the labels etc. that is easily replaceable. These boxes ... like I mentioned are resusable many times.

Date: Thu, 31 Oct 2002 09:26:36 -0800
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] UPS is Garbage

Fast packs are mil-spec and they use soft ether foams that are convoluted in V3C type boxes and they are very durable if used for the correct size weight. The ILD is light for heavy items meaning the drop recovering of the foam memory is in some cases marginal. Mean foam needs to be thicker for a given weight. Price wise cheaper ??????????

From: Richard.McClung@Dielectric.spx.com
Date: Thu, 31 Oct 2002 09:25:58 -0800
Subject: [R-390] Packing and Packing Materials

You might want to look here:

<<http://www.supply.dla.mil/PDFs/wgte22e.pdf>>
<<http://smpt.apg.army.mil/news/EXPENDABLE%20Packing%20Materials.doc>>
<<http://www.adtdl.army.mil/cgi-bin/atdl.dll/fm/38-700/ch1.htm>>
<<http://www.dlaps.hq.dla.mil/dlai/i4145.12.htm>>
<<http://w4.pica.army.mil/paladin/news/3qfy02.pdf>>
<http://www.moea.state.mn.us/berc/tp_dir.pdf>
<http://docs.usapa.belvoir.army.mil/jw2/xmldemo/r700_15/main.asp>

This should keep you busy for awhile.....

Date: Sun, 22 Dec 2002 05:42:16 -0800
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] Packing and shipping for the R-390A

I make a 500# DW stapled box with custom cut polyethylene to fit all of the radios shipped complete. The boxes ship as UPS oversize 1, meaning they are charged as 30 # empty, Weight is about 15#. The RSC is a 24x22x15 which gets it under oversize 2 charges. They are \$60.00 plus UPS. I have one box that has had 6 trips out and back with no damage to R-390, 391 and several 390-A`s. I also make custom fit boxes for the S-line or whatever, just need the Dims. and weight. The big problem is most hams want a Rolls Royce on a Echo/beatle budget. But never want to pay the price. The ones on the reflectors that have paid the price have no complaints. NEVER USE PEANUT FOAM FOR BA`S. WADDED NEWSPAPER IS FAR SUPERIOR FOR FILLING AND AS DUNNAGE. Been there done it for 22 years in the packing shipping business.

Date: Sat, 21 Dec 2002 19:01:37 +0100
From: Fabio Liberatori <liber.fab@iol.it>
Subject: Re: [R-390] Packing and shipping for the R-390A

Hello, just my "5 cents worth" message, hoping it can be useful... I have sent and received several 390s, 32V (heavy !!) rigs using "FastPack" boxes, they are not cheap but re-usable many times, no needs to remove power supplies, just packed and shipped, never had any damage. Our colleague Hank (hankarn@pacbell.net) has them and will help anybody, he's a very kind person.

Date: Sun, 25 May 2003 20:12:16 -0700 (PDT)
From: Rodney Bunt <rodney_bunt@yahoo.com>
Subject: [R-390] Re: [Collins] R390A FS (packing a R390 for mailing)

USPS wont ship anything weighing more than 40lbs.

Date: Sun, 25 May 2003 20:17:50 -0700 (PDT)
From: kwylow zinjanthropus <catman351@yahoo.com>
Subject: [R-390] Re: [Collins] R390A FS

It may behoove you to split the rx into separate modules for shipment. In that way, you'll reduce any possible inertial damage from a combined package. FWiW. Cal.

From: "GEORGE MORTON" <n7hr@teleport.com>
Date: Mon, 26 May 2003 05:53:08 -0700
Subject: [R-390] Re: [Collins] R390A FS

That is 140 lbs!!!

From: "k5jv" <k5jv@kingwoodcable.com>
Date: Mon, 26 May 2003 07:58:10 -0500
Subject: [R-390] Re: [Collins] R390A FS

This must be something because I have shipped many R-390/A's via UPS. Don't get me wrong, I am not recommending UPS, but we really do not have many other choices.

From: "Jim Miller" <jamesmiller20@worldnet.att.net>
Subject: Re: [R-390] Re: [Collins] R390A FS
Date: Mon, 26 May 2003 11:57:11 -0400

If you pack it correctly, it will arrive OK. That means double boxing as a minimum. Recently shipped a 75A4 via UPS no problem. Wrap the radio in several layers of bubble wrap all around. Then wrap in a foam mattress pad (you can get them from WalMart for 9 bucks.

Tape the "blob" good with duck tape. Then put that in a sturdy cardboard box that fits snug. Tape that up, then get another box about 5 inches larger all around and put first box in it surrounded with popcorn. Over stuff the popcorn so you have to apply a degree of pressure to close it.

Tape it well on all seams and corners. Some people buy the blue foam wall board from Home Deput and ut it in sheets to pack around all sides of the raadio also. It will arrive OK.

In the case of the 75A4 I removed the large spinner knob first and wrapped it separately, as well as any "loose" modules internally. The 390 was made to take a beating however. Bottom line if you spend less than 4-5 hours packing the radio, and anyhting less than double boxing, expect damage..

Never Never ever use a 3rd party Mom/Pop mailbox outlet.

From: "federico" <l.baldi@dottorbaldi.it>
Subject: Re: [R-390] Re: [Collins] R390A FS
Date: Mon, 26 May 2003 17:20:28 +0100

I surely agree with Jim, I bought an R-390/URR from Rick Mish of MILTRONIX, he sent the R-390/URR in a MILITARY FASTPACK (re-usable) and I got it in ITALY without any problem. The MILITARY FASTPACK isn't cheap but worth every dime paid, it is a non-sense to save money on the box and having the risk of a shipment damage. That's my opinion. Federico IZ1FID

Date: Mon, 26 May 2003 09:52:32 -0700
From: hankarn <hankarn@pacbell.net>
Subject: Re: [R-390] Re: [Collins] R390A FS

I furnish a custom 24x22x15 500#DW stapled box with custom cut polyethylene foam to fit for \$50.00 plus UPS charges for a 30# box. I have one that I have used 5 times for R-390, R-391 and R-390A and have provided close to 50 to other hams and have had no damage to any of the radios. DO NOT USE FOAM PEANUTS/POPCORN OR BUBBLE PACK FOR THESE HEAVY RADIOS..... The peanuts WILL shift with heavy loads. Wad up old newspaper in the corners to preevent shifting if you are going use them. What do you have when the bubble breaks on bubble pack? 2 pieces of plastic with a total thickness of .006 mils. The bubbles always break on the load bearing points first. It you want the radio damaged take it to MBS etc/UPS Store and get a dummy pack job. UPS limit is 150 pounds. FedEx heavy has no limit, just your wallet limit. I think USPS Domestic is 140 # not sure as I do not use them for heavy items for several reasons.

Date: Fri, 04 Jun 2004 18:55:41 -0400
From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] Shipper Packing

Tell me about it! Some people like to sell & ship whatever without a care about packing. Some use all new (but inadequate) materials and charge for it. Some use trash. Before a seller ships me something delicate, I send an email describing how it should be packed. If I get "bubble wrap and peanuts" back, I then go into my routine. Once in a while I get something like "don't worry -- I pack very well -- sent plenty of this stuff...." etc. Good packing is in the eye of the beholder, I guess.

There's another issue for many pieces of gear -- prepping the unit itself. Wobbly tubes, like 5U4's with only 5 pins of the octal? Right next to the

transformer? Chassis loose in cases? Fine if it's kept rightside up and not moved. Other missing screws? Heavy transformers and chokes held down with small screws... into aluminum? (Gets dropped sideways or upside-down, heads shear off and then it's loose-cannonball-in-the-china-shop-time. Big dial glass -- loose? (Crackaroonies are in order.) Even if super packed with foam sheet, double boxed, etc. some radios are prone to damage from an "inside job". Here's an example of something otherwise innocuous:

Anyone familiar with tube type Zenith Transoceanics? A major feature affecting their value is that big clear plastic front panel. Many have developed a few stress cracks from vibration around the screws, or worse, from slamming the front door closed. The chassis are fastened to the wooden center shelf of the cabinet with just two screws. If they're missing or loose, the whole chassis can shift -- then it does a number on the panel - - through the control shaft holes or whatever. Those panels are all clear plastic -- painted in black, grey and gold on the reverse side -- (or brown, tan, gold for the leather models) -- so virtually impossible to detail out.

R-390's are more rugged, but there are plenty of opportunities. If a tube shield is not fully twisted down, a bounce will activate the spring and -- according to Mr. Murphy -- it will head straight for the ballast tube which will have no shield. If there are loose or missing screws all over the place, the H-frame can twist a bit.

Sounds like you got what I call a "beanbag" shipment there. That's when the carton is flimsy and the stuffing is inadequate. Got one of those a few years ago with an SP-600 in it. Bottom right corner of the front panel was broken right off -- and the roughly 1 inch square piece was still in the box -- so it wasn't that way before. Packed in an oblong U-Haul box with a trick/quick setup (criss-cross bottom), clearly emblazoned "for lightweight items" -- stuffed with rags. Didn't bother going to UPS claims with that one. The seller did settle privately, though. More often, one gets stonewalled or told to send the thing back -- right -- lay out double shipping and keep your fingers crossed.

Oh, there's the other thing -- well-intentioned folk who fashion themselves as crate-builders. This was an SP-600-VLF (read @RARE@). The guy put a labor of love into top and bottom plywood, with furring strips and even used a router to groove out where the front panel set in. Then he wrapped really good foam all around it and then put four steel strapping bands (nevermind plastic) around the bundle. That whole assembly went into a sturdy, but too-tall box. Built a perfect SP-600 Destructo-Wrench. SP-600 panels aren't fastened to the chassis all that well -- eight self tapping screws into stamped "combs" at the edges of the side panels. These weren't regular screws, but threaded studs with acorn nuts on the panel -- some

loose. The box must have twisted a bit and the plywoods were flush with the box, so ... ripped the upper right corner of the panel forward, wrecking the crystal osc. switch -- yanked the shaft forward, breaking the wafers and rotors. So, sometimes the road to Heck is also paved with good packing intentions.

Avoid crating, unless the guy knows what he's doing (hard to tell) and it's going truck freight -- palletized. Otherwise, the crate has to be built just so and then padded and put into an oversized box with more padding -- to protect the crate, so it doesn't break and wreck the radio. Someone can be a pretty good carpenter/cabinet maker, but not really know how to crate things. Otherwise, you're putting a stronger immovable object in close proximity to the delicate goods. It's like that game -- paper, rock, scissors or whatever -- plywood can break aluminum - and even steel on a bad day. If a good corrugated box package gets dropped a foot on its corner, it should dent and absorb the shock and compression. How about a wooden box? About a half-dozen ways to go wrong.

Finally, some parts should be braced at the strong points -- not padded over, like the front panel of a scope. I guess that one was missing it's front cover, which might have helped. Without that, it needed a block of styrofoam with indentations for the controls or similar -- like a modified foam insert from a computer case so that the front was supported by the edges. Even if heavily padded with bubblewrap or polyurethane foam, the controls can work their way through -- and sometimes, air ain't so soft, if you know what I mean.

Y'see, here I've been quiet and you got me started ... ;-) Well, keep up the ol' caveat emptor-ing. I think I've beat this dead horse enough, right?

----- Original Message -----

From: "B Riches" <bill.riches@verizon.net>

Sent: Friday, June 04, 2004 4:44 PM

Subject: [R-390] Shipper Packing

A heads up!! When you purchase a piece of equipment from someone make sure that the seller agrees to refund your money if it arrives damaged due to

poor packing and the Post Office or other carrier refuses to honor a claim because of poor packing. I purchased a Tek 465 scope from a person that used shredded paper along with a very beat up carton. The scope took a hit on the face and bent a few controls and ruined the attenuator. The postal inspector laughed when I tried to file a damage claim. I now have an expensive parts unit. This person sells a bit of equipment - contact me off list if you wish more info. Buyer beware. 73, Bill Riches, WA2DVU Cape May, NJ

Date: Fri, 4 Jun 2004 19:38:58 -0400
From: "David C. Hallam" <dhallam@rapidsys.com>
Subject: Re: [R-390] Shipper Packing

I agree that you have to be careful. It's tough to ship these heavy pieces of electronic gear. UPS says that if the packing can't withstand a fall from their conveyors, they don't want to take. I shipped a Johnson Invader once. UPS just about took the package apart to see how it was packed. I have bought and sold things on eBay for several years now. In the beginning I used a commercial packer, who said they specialized in electronic and heavy stuff, to prepare and ship some heavy items. He told me he used foamed in place and other methods to protect the items. His foamed in place turned out to be several layers of bubble wrap. I dropped him as soon as I found out what he was doing. Now I try to stay away from things that are difficult to pack. I bought a capacitor checker a couple of weeks ago on eBay. When I got the package from FedEx, it rattled, opened it up, and piece of broken tube fell out of the holes in the bottom of the case. The exterior was fine, but the chassis inside had broken loose. I will have to admit that the seller handled it very well. He refunded my money within a day or two and said he would file a claim with FedEx. Companies have packaging engineers on staff to design shipping packages. Even then some things get broken. Nothing is absolutely bullet proof. If you are buying an irreplaceable piece of equipment, you are better off to arrange for pick up.

Date: Sat, 05 Jun 2004 19:12:44 -0400
From: Bob Camp <ham@cq.nu>
Subject: Re: [R-390] FW: R-390 Digest, Vol 2, Issue 4

The biggest thing to watch out for are the "wings" on the radio. The edges of the front panel, the edges of the back panel and the edges of the top and bottom of the radio are all vulnerable to damage if the radio is not tight in the box.

That does not mean that you need a fancy box or exotic packing. You do need something that is dense enough to support the radio and a box that is heavy enough to take the weight. More or less, loose wadded up news paper probably isn't good enough, rolled up news paper may be better or tightly pack wads.

Normal packing peanuts won't do the trick, heavy bubble wrap works ok. Foam sheet from Home Depot usually is heavy enough to do the trick (the blue stuff not the light tan kind). The boxes U-Haul sells are too light, they shred during shipping. Plywood boxes work fine but they are overkill. Double wall military cardboard boxes are a good choice if you can get

them.

UPS will tell you that you need a couple of inches of padding on all sides of a shipped item. They also have some maximum dimensions that they will ship. The USPS has a different set of dimensions and a different maximum weight. I seem to recall that UPS will go up to 150 pounds and USPS stops at 75 or 100 pounds. Not a bad thing to check on before you go to the trouble of figuring out a box.

If you want to go a little nuts then pull the power supply out and ship it in a separate box. I have never done it that way or seen it done that way. It is pretty heavy though and the idea makes some sense. The best way to look at it is you want a stiff heavy duty box and you want to wedge the radio in the middle of it with strong stuff. If you put it in peanuts or loose stuff the radio will just pound them to dust and then rattle around inside the box. Even with a decent box the radio banging around will create trouble pretty quick.

Fair Radio probably has the most experience of anybody in packing and shipping these radios. They pack them tight in newspaper in a heavy box.

Date: Sat, 05 Jun 2004 19:07:23 -0700
From: "Kenneth G. Gordon" <kgordon@moscow.com>
Subject: [R-390] Re: Shipping R-390s

> Well, how does one properly pack an R-390A for shipment?

Blue (not tan) 2 1/2" thick hard foam insulation from Moscow Building Supply here in Moscow, Idaho, then a custom fitted crate built of 3/4" plywood. I use glue and deck screws for bottom and three sides, then, double the deck screws on the "front" and "top". Then cut hand-holds so that it is most likely going to be picked up only one way. Haven't lost one yet. I've shipped SRR-11s, SRR-13s, R-390s, RALs and RAKs this way. I charge the person to whom I am shipping it an extra \$35.00, refundable on the return of the crate. So far, I haven't lost any... Ya pays yer money and ya takes yer choice.

Date: Sat, 5 Jun 2004 22:25:33 EDT
From: Commtekman@aol.com
Subject: [R-390] Shipping R-390's

Comment on using boxes with "hand-holes". I recently received an R-388 that was shipped in a box with 'hand-holes', apparently since it was a heavy box, someone thought the handhole was a convenient location to pick it up with a forklift, of course it ruined the front of the R-388.

Date: Sat, 5 Jun 2004 22:53:19 EDT
From: ToddRoberts2001@aol.com
Subject: Re: [R-390] Re: Shipping R-390s

I haven't had an R-390A damaged yet when it was properly double-boxed and using dense foam as packing material. I have had good luck with styrofoam sheet in the past but dense foam sheeting is even better as it has a little more "give" and will cushion better in the event of a hard knock. First surround the radio on all sides with about 2 or 3 inches thickness of dense foam packing inside an inner box. The radio should be firm inside the inner box. Then pack this inside an outer box with another 2 or 3 inches of dense foam between all sides. It is also good insurance to use double-wall cardboard boxes for the containers, not single-wall. Also recommended to remove the power supply and ship separately to reduce weight-stress on the radio during shipping. Only problem with that is most people don't know how to pack a heavy dense object like a transformer for shipping. Best way is to get a long sheet of stiff cardboard a few inches wider than the power supply and literally roll up the power supply inside the cardboard sheet and secure it with strong tape. There should be an inch or two of overlap of cardboard around the edges of the power supply module. Then surround this with about 3 inches thickness of dense foam or 4 inches of styrofoam sheet on all sides inside a double-wall cardboard box. Make double-sure the power supply is firm inside the box. If it can shift around then it could be headed for trouble, as the heavy weight can pound around and damage styrofoam sheeting. I have found that bubble wrap is almost worthless around edges and sharp corners of heavy items. It is okay around light items like tubes but for heavy items dense foam works the best that I have seen. Noodles can work for filler between the inner box and outer box but if the box is torn or a flap opens up during shipping then the noodles can leak out leaving the radio more vulnerable to damage. Plus you have to pack very tightly with noodles to avoid having them drift around or settle to one side during shipping. That is why it is best to use dense foam. Dense foam is available in sheets of varying thickness and is easy to cut with a knife. Also best to use fiberglass reinforced shipping tape, not the cheap clear plastic tape and be generous with the tape when sealing the cardboard boxes. 73 Todd Roberts WD4NGG.

Date: Sun, 6 Jun 2004 00:10:36 -0400
From: "Barry Hauser" <barry@hausernet.com>
Subject: Re: [R-390] Re: Shipping R-390s

Yes 'n no. There's filament tape and there's filament tape. The original kind which comes in 1 to 1.5 inch widths with the threads running lengthwise can cause problems. That type should be run at right angles to the seams only while the clear stuff should run along all the

seams -- up the middle and the edges. The burst strength ratings of the cartons usually assume all seams are taped. One problem -- the lengthwise filament tape can come loose at the end, then it has a tendency to form a "tail" that can get caught in the conveyor equipment.

UPS doesn't like it -- but in addition to causing them some inconvenience, that tail is strong enough to get the package flung off the conveyor if it catches on something. Yes, it's a long shot, but Murphy's Law postulates that -- if in the rare event that should happen -- it will be on a hair pin turn on the 30 ft. high conveyor.

Solution -- first use some of that filament tape at 90 degrees to each seam - - two pieces on each flap and two or three pieces across the middle seam -- top and bottom. Then, do the usual with clear tape -- but get the heavier clear tape. In addition, cover the filament tape with clear, overlapping and extending well beyond it to prevent any "tails" from developing. The clear tape generally has better adhesion and doesn't tend to catch.

There is a relatively new kind of plastic tape that is similar to the clear, 2 inches wide, but has filament running in both directions -- lengthwise and crosswise. This is a good alternative and can be used by itself. That gets applied along the seams. Another extra step that adds strength to the package -- glue the flaps down with a bit of hot melt glue -- not too much or there will be a heck of a time getting it opened. In addition to keeping the box closed it also forms a more solid top and bottom and the carton is more resistant to twisting. Some UPS centers will refuse a carton with exposed lengthwise-filament reinforced tape. In addition, it is not suitable for running along seams. As with plain plastic tape, once it splits up the middle at one point, that's it. My 2 cents. Barry

Date: Sun, 6 Jun 2004 08:47:13 -0400
From: "Walter Wilson" <wewilson@knology.net>
Subject: Re: [R-390] Re: Shipping R-390s

I've also had good luck with a single box (double corrugated material) if I cut two pieces of 1/4 to 3/8 inch plywood to just fit inside the box; insert the first piece into the bottom of the box, wrap the receiver in bubble wrap or whatever, cut the dense foam padding and insert all around for a tight fit, and lay the second piece of plywood on top before sealing. The plywood is great at preventing corner damage for those boxes that "fall off" the conveyor. BTW, FedEx Ground has not damaged anything since I switched to them a few years ago.

Date: Sun, 6 Jun 2004 10:55:43 -0400
From: "Bill Marx" <bmarx@bellsouth.net>
Subject: Re: [R-390] Re: Shipping R-390s

Me Too! FedEx is my shipping company for heavy items. The US Postal service is great for light items under 10 pounds but FedEx Ground works great for me. My packing style is similar to Barry's. Leave nothing to chance. Assume the shipper will throw your box several feet. If you do not feel confident about your radio surviving that toss, then revise your shipping techniques. Several inches of foam around your radio in a box and then inside another box with several inches of foam. I use foam insulation material purchased at Home Depot but there are several kinds.

Date: Sun, 6 Jun 2004 11:59:20 -0400
From: "Barry Hauser" <barry@hausernet.com>
Subject: Re: [R-390] Re: Shipping R-390s

Me three! Fedex is also significantly cheaper than UPS, particularly on heavier packages going longer distances. A heavy package going Coast to Coast can run \$20 cheaper. They sometimes beat their scheduled delivery by a day. UPS never does and is sometimes a day late ("rescheduled") Packages seem to arrive "crisper" with less signs of rough handling. But, you can still have damage if the thing isn't packed right. Something to know about Fedex "Ground" vs "Home Delivery". While rates are about the same, there are important differences. Home delivers Tuesday to Saturday and there's a limit of 70 lbs. If you indicate "residential" as the shipping address, their website (and shipping points) will reject anything over 70 lbs. and/or the dimensional weight equivalent which is 108 inches -- same as UPS (1 X length plus girth -- which is 2X the sum of width and height). However, if you DON'T indicate residential -- even when it is a home address, it will go Ground with a limit of 130 lbs and delivery Monday-Friday. I've had plenty of "Ground" shipments come to my home -- no problem -- including a mil power supply that was right at 130 lb. limit for that service.

While UPS will pick up (for a one stop fee), I don't think Fedex has started doing that for Ground yet. You have to go to a Fedex staffed depot. Some "retailers" handle Fedex Ground, but may mark up the rates. Their web site is pretty good in terms of finding the closest place that handles Ground/Home. There are lots of dropoff places that only handle small express packages. I've had as many as 4 different Fedex trucks show up in one day -- an Express letter delivery in the AM, a "Home Delivery" truck, then a "Fedex Ground" and way later in the evening, an unmarked cube van (probably subcontracted or a rental) batting cleanup.

Do get the sense that widespread experience is less incidence of damage -- even allowing for the fact that they're number two with less volume.

Date: Sun, 06 Jun 2004 09:23:51 -0700

From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] Shipper Packing

I have done this a few times and what has been suggested is/has fallen on deaf ears/blind minds. "IF IT CAN MOVE IN THE BOX IT WILL GET DAMAGED" PERIOD. I have been in the professional packing and shipping business since 1980 and have shipped 1,000s of pieces of FRAGILE equipment. My loss ratio is zilch compared to what I have shipped.

What I designed is a box that meets UPS requirements for 150 pounds. This box is a 500 pound DW test stapled carton 24x22x15 lined with polyethylene foam cut to fit the particular radio. A few of these have been shipped 5 or 6 times and still serviceable. They have been 32V-3 down to 75A series in weight with no damage. The big problem is the cost \$55.00 for the box and shipping a 13 pound box OS1 for \$25.00 plus is most hams are to frugal to protect their goods and revert to peanuts or bubble pack.

A question? what happens when a bubble breaks in bubble pack, you have 2 pieces os plastic rubbing together, etc. etc. Yeah I know you have all done it and lucked out. I pack paper, bubble or soft foam in tube areas to keep them in place.

The 2" requirement is needed for the Parcel handling Union Phd's assigned to handling, as they cannot be held responsible for anything. We also only use 3 "Kraft reinforced paper tape for sealing. Plastic tape is OK for lighter boxes. Peanuts should be illegal, although I sell over 100 bags a month to some of my customers, and in all cases they are wrapping small items in bubble then filling with peanuts.

We use UPS Worldship for processing and can process 10 to 12 shipments in the the time to do 4 or 5 using FEDEX system. In the long run I find UPS cheaper. We have had 2 inbound lost shipments on FEDEX recently and they are still not paying the shipper.

Date: Sun, 6 Jun 2004 17:34:33 EDT
From: DCrespy@aol.com
Subject: Re: [R-390] Shipper Packing

Maybe I missed it, but ... I am surprised no one has mentioned separating the power supply and audio modules for shipping. Mass is not your friend when a package gets dropped (and it will be dropped). The package stops and the radio tries to keep going. The more it weighs, the harder it tries to keep going!

The easiest way to get the mass down is to send the radio in three

different packages. Of course the other suggestions still apply (now to 3 packages). Also, if the radio comes with a rack cabinet, I always ask for the radio to be removed from it. The only thing holding up all that mass is the 8 #10 screws between the front panel and the cabinet. The cabinet (and likely the panel) WILL be damaged in shipment. It is almost guaranteed.

Date: Sun, 06 Jun 2004 21:48:25 -0700
From: "Kenneth G. Gordon" <kgordon@moscow.com>
Subject: Re: [R-390] Shipping R-390's

That is why I build the crates a little bigger, put a "plate" about 3 " down from the top to hold the receiver in, and put the hand-holds ABOVE that plate so that if some idiot uses a fork lift there he can't hit anything.

Date: Mon, 7 Jun 2004 06:38:36 -0500
From: mikea <mikea@mikea.ath.cx>
Subject: Re: [R-390] Re: Shipping R-390s

Rich Mish (Miltronics) will sell you a shipping container for an R-390. He used one to ship the R-390 he sold me, and that machine got here in flawlessly-perfect condition. I seem to recall a price of about \$50, but I could be wrong. You'll still want to use cardboard tubes around the knobs on the front panel and the RF connectors on the back. Mine was shipped with all the tubes and shields in place.

Date: Mon, 7 Jun 2004 08:13:07 -0400
From: "Barry Hauser" <barry@hausernet.com>
Subject: Re: [R-390] Re: Shipping R-390s

One problem with buying a prefabbed shipping container -- and Hank Arney has them also -- Depending on the exact size of it, you'll pay "dimensional weight" rates of probably at least 43 lbs, and, if the length plus two times the sum of the width and height comes to 108 inches or more, you'll pay the 70 lb. rate, even though the empty container weighs a good deal less -- maybe 10-15 lbs. if the carton is really heavy-duty. That applies to UPS and Fedex Ground -- something similar applies to the USPS. It may be well worth it, but just bear that in mind -- it doesn't go like a 10 lb. package.

Date: Mon, 7 Jun 2004 09:03:41 -0400
From: "Barry Hauser" <barry@hausernet.com>
Subject: Re: [R-390] Re: Shipping R-390s

Ted asked where to buy good cartons, Todd supplied a list of some packaging sellers. However, suppliers like U-Line, etc. generally require

you to buy a bale of 15 or usually 25 minimum and the bales of sizes needed for R-390's and other similar sized boatanchors have to go truck freight -- they're not UPS-able.

Here are some good choices:

-- Best is free. You cannot buy cartons of the quality that some merchandise comes in -- like large computer monitors, computer systems (not just the CPU), certain appliances. A lot of these have the hand-holes - more about that below. The computer, appliance, office supply chains -- usually toss out the cartons for display/demo items and pay to have trash carted away, so, most are happy to give 'em to you, but you might have to stop by a few times to catch the good ones before they're tossed. You can ask for them to set some aside.

-- UPS customer centers sell good doublewall cartons for reasonable prices. I do not think these are available at UPS Stores. They probably still have the flimsy stuff they sold when they were Mailboxes Etc. Another advantage to the official UPS carton - it says "UPS" on it and that might help in the event of a claim. There are a few UPS centers that do full blown foam in place (not the little "baggies") for a reasonable price. Don't bother asking the 800 number reps -- they know nothing about them. You'd have to stop by and "reconnoiter".

-- U-Haul does have some good doublewall cartons, though the shape might not be ideal. Most of the cartons they sell are unsuitable. (Singly ply, lightweight, popout bottoms, intended for people packing and hand carrying their own stuff to the rented truck.) In addition, they advertise the purpose of the box on the outside -- so it should make sense - like "Appliance" or "TV-Electronics" or whatever -- not clothing, etc.

OK -- my 2 cents about hand-holes. These can help avoid "manual droppage", or can induce it, if the carton tears at the holes. Also, the center of gravity may be off -- if it was a big monitor carton which is front-heavy and the handle locations were offset from center. If you are going to preserve them -- best to reinforce with plenty of tape inside and out - or glue some cardboard on the inside, and then, make an indented seal out of heavy poly so the box is sealed and it's more obvious that it's not intended for a fork lift fork. If in doubt, close up the handholes and seal up with tape inside and out.

Date: Tue, 8 Jun 2004 17:50:22 -0500
From: "Cecil Acuff" <chacuff@cableone.net>
Subject: Re: [R-390] Re: Shipping R-390s

My experience has been just the opposite....FedEx has trashed more of my stuff than UPS. I watched in horror as the FedEx man rolled a dolly down my walkway with parts falling out all the way through a hole they had torn in a very nice box. I've had excellent results with UPS. I can't say I have ever had a piece of equipment damaged as of yet. I've shipped R-1051's all over the country... received 390's, SP-600's...no damage. Maybe it's a regional thing....

I can tell you the key to all of it is the packing job.....if you get it packaged properly any of them can get it across the country! I can't say I am too fond of foam in place.....the foam is not dense enough for the weight of most of the large radio's. The blue foam sheeting is the best!

Date: Tue, 08 Jun 2004 20:04:26 -0400
From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] Re: Shipping R-390s

> My experience has been just the opposite....FedEx

Yes, probably -- and even down to the route level. For a couple of years, I had the same UPS driver and he was pretty good. The new guy -- I dunno -- kind of clumsy, so at some point, he may create a regional difference all his own ;-(As for "going postal" -- some people swear by the USPS (and some people swear at it). Around here all they have are those tiny propane vans and the carriers are highly variable as to sheer strength. Some carriers are rather frail. Questionable as to how they can handle the heavy pieces.

> I can tell you the key to all of it is the packing job.....

I don't know if I'd go that far, but yes, defensive packaging is the key - and then pray it doesn't fall off the high conveyor or somebody's poorly packed anvil doesn't crash into it.

> I can't say I am too fond of foam in place.....

There are two kinds of foam-in-place. There are the individual "baggies" that expand chemically, but are usually too small to fully envelop the piece and the stuffing is made up of several bags worth. That has its limitations. Then there's the true in-place stuff that comes out of a hose into silvery bag things. That's also highly dependent on the practitioner. Sometimes it's quite dense, sometimes lacking.

> The blue foam sheeting is the best!

That and polyethelene foam which I see from time to time -- probably made of recycled soft drink bottles. Supports a lot of weight and has flex-

rebound to it. I don't know where to find it, though. Anybody know?
(probably Hank knows).

Date: Tue, 8 Jun 2004 21:32:08 -0500
From: "Bill Hawkins" <bill@iaxs.net>
Subject: RE: [R-390] Re: Shipping R-390s

Got a heavy piece once packed in soft drink bottles. Heavy box lined with soft drink bottles with their caps on tight. Worked fine. Never saw another one, though. Don't drink flavored water, so haven't tried it myself.

Date: Mon, 25 Jul 2005 18:44:34 +0000
From: odyslim@comcast.net
Subject: Re: [R-390] need fast pack

It is a shipping container that Rick Mish (Miltronix) designed to ship R390-XX radios. There is an outer box lined with special mil-type foam then an inner box lined again with more foam. The box passes the strict V3C shipping standard. My fast Pack has made over 20 trips through UPS and Fedex with no harm to the contents. It just so happens that Rick has sold out and I need another.

Date: Tue, 23 Aug 2005 12:48:24 EDT
From: ToddRoberts2001@aol.com
Subject: Re: [R-390] Hollow State News Web Site

Thanks for the swell job you have done with the new Hollow State News website - it looks great! I used to subscribe to HSN but let it run out sometime in the late 90's. I missed issue 53 - I highly recommend the shipping issue 53 as proper packing and shipping still remain a big problem especially for folks that buy things off eBay. Issue 53 should be required reading for anyone buying or selling an R-390A or similar boatanchor on the 'Bay

Date: Fri, 26 Aug 2005 14:59:39 EDT
From: ToddRoberts2001@aol.com
Subject: [R-390] Info on Shipping R-390As via FedEx Ground

I just learned this today - a man at FedEx said all packages must be packed to withstand a 4-foot fall. This is because the rail system they use to move packages in their warehouses is that high off the ground. I can also say I have seen the rail system in a UPS warehouse and it was also about 4 feet off the ground. Anyone planning to ship an R-390A or similar receiver please keep this in mind. Can the radio inside the box withstand a 4-foot drop without the front panel getting bent or a corner of the chassis getting crushed or bent? If you don't think it will then you need to rethink

your packing methods. An inch of foam rubber around the radio or throwing it into a single-wall box with some noodles ain't gonna do it. At the bare minimum consider using a double-boxing method with double-wall premium cardboard boxes with room for padding in-between the boxes and plenty of stiff padding not foam rubber around the radio in the inner box.

Date: Fri, 26 Aug 2005 15:12:31 EDT
From: Llgpt@aol.com
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

Hank Arney has preached about this for years as have many others. It doesn't pay to use cheap thin boxes. I have successfully shipped many, many R-390, R-390A (see, that is how you do the Non A thing), SP-600's, etc. over the years with no damage. Buy one of Hank's boxes, they will make multiple trips with no damage. It doesn't make sense to spend a great deal of money on a vintage receiver and ship it in a mailboxes etc. box. I recently shipped an empty box to a person who sold me a RCA CR-88A, it cost \$20.67 to ship the empty box, but it paid off when it arrived back to me unscathed. You get exactly what you pay for, so be careful when shipping the big heavy receivers, etc. Les Locklear

Date: Fri, 26 Aug 2005 15:22:58 -0400
From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

Also -- see issue #53 on the Hollow State Newsletter site. Another thing - I noticed recently that what was about a 30-35% savings on Fedex vs. UPS ground doesn't exist any more. They are now within a dollar or two of each other. Maybe DHL is still cheaper. Fedex is running the commercial with the pirate at the employment office who can only say "AAAAARRRDDDD!" -- stressing how easy it is to ship. The commercials promoting the price haven't been running in a while -- If anyone remembers there was the nerdy guy trying to ship a package to "poe-hee-nix" - in Arizona, the guy who wanted to ship something anywhere to take advantage of the deal, and the guy behind the counter with the clear plastic raincoat or bag who got sprayed when the customer who was drinking something let go with it when he was shocked by the low price. I have read somewhere that UPS has some conveyor/package handling equipment that's 30 feet off the (concrete) floor. There may still be somewhat of an advantage to Fedex in terms of lower risk of damage. I suspect they have less in the way of mechanization of package handling than UPS, but not sure. Pack defensively ...

Date: Fri, 26 Aug 2005 15:42:40 -0400

From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

That was a pretty good shipping rate (\$20.67), but be aware that you will get charged "dimensional weight" rates for packages over a certain size. If one times the length, plus the "girth" (2 times the sum of the height and width) comes to more than 108 inches, you'll be charged the 70 lb. dimensional weight rate, even though the empty carton weighs much less. There is another trip-wire somewhat below that -- 43 lb. equivalent. You can fill in the empty weight, dimensions, from and to address on the UPS/Fedex web sites to see what it comes out to. The trick might be a telescoping shipper, but then you need some props that ship flat on the way out and vertical -- supporting the top -- with the payload in it. Otherwise the package won't protect the goods from the ton of stuff stacked on top. Of course, the rate depends on zone difference. Most of what I want is on the wrong coast. ;-(

Date: Fri, 26 Aug 2005 15:42:43 -0400
From: "David C. Hallam" <dhallam@rapidsys.com>
Subject: RE: [R-390] Info on Shipping R-390As via FedEx Ground

One place where FedEx is a savings. Their minimum charge for an oversize 2 package is 50 pounds while UPS is 70 pounds. I don't know how good DHL is but I recently had a Johnson Invader shipped to me from Dallas to Tampa by DHL for about \$21. It arrived in excellent condition.

Date: Fri, 26 Aug 2005 16:07:18 EDT
From: Llgpt@aol.com
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

It wasn't shipped too far away and I have an account, so that helped. The main point is don't use cheap boxes, use lots of ridgid foam to make the shipping box stronger. Those RCA's weigh more than a R-390 series or SP-600. Hank will say most of the cheapskates get what they deserve when they ship on the cheap and cut corners. I have to agree.

Cecil Acuff and I have shared those Hank Arney Shipping boxes and they are highly recommended. Cost is \$45.00 plus shipping to your home/business. Hank will configure the inside to whatever radio you are shipping. Mine cost \$30.00 to ship, so I have \$75.00 invested in one container, but it has made eight trips with no damage yet.

Date: Fri, 26 Aug 2005 16:46:52 -0400
From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

I was just pointing out that shipping empty shippers can be pricey, just so people will be prepared. I also have a Dan Arney shipper. It's a piece of work -- not doublewall, not triplewall, but quadruplewall, with about 4 different kinds of foam in it. It arrived on the rebound with a radio in it that I bought -- I think from one of the listmembers. It didn't pay to ship back, so I bought it. That can be a solution to avoid return shipping of an empty box. Offer the buyer an option to return or buy the carton -- or charge up front and refund upon return. If he has room to store the box, it's good to have a good one on hand. To save space, you can store a radio in it that's valuable, but awaiting restoration, or whatever -- or maybe the family jewels. ;-) Yes -- it's worth some investment to avoid damage. You won't long remember the additional bux, but you will wince every time you see that bend in a panel or worse -- if there has to be a claim or some unpleasant aftermath. Especially important if your seller wants to have the gear "professionally packed" by a UPS store -- head that off at the pass or you'll get a big beanbag with a broken radio in it. You can follow the trail of bleeding peanuts all the way back to the depot.

Date: Fri, 26 Aug 2005 17:16:49 -0400
From: shoppa_r390a@trailing-edge.com (Tim Shoppa)
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

A thought on shipping: My only experience with shipping R-390A's is the yellow striper I got from Fair Radio. It was packed in a nice heavy box, with a few inner partitions of cardboard/thick foam, but far and away the packing material used was wadded newspaper. I think that Fair ships the R-390A all in one box (rather than pulling the power supply and shipping it separately) because UPS treats all extra-heavy packages (>70 lbs) by not using the automated conveyer lines but by a more manual (and presumably more gentle) method. I can tell you that despite the weight (probably 90lbs in total) of the box from Fair Radio, the outside was pristine and unscarred. I contrast this with far smaller and lighter boxes I get through UPS that look like they were run over by trucks. Again, this is just a thought. By no means can I personally guarantee that UPS will handle any extra-heavy (> 70lbs) package with kid gloves. But it's my observation.

Date: Fri, 26 Aug 2005 17:19:44 -0400
From: shoppa_r390a@trailing-edge.com (Tim Shoppa)
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

On the subject of FedEx Ground: I'm 99% sure that the bulk of the FedEx Ground network is what they got when they bought Roadway. Roadway was traditionally a business-to-business delivery service, dealing with large quantities/large boxes at a time. Since Fedex expanded the service to also cater to residential customers maybe this expertise with large

packages is not applicable to home delivery, I don't know.

Date: Fri, 26 Aug 2005 17:20:11 -0400

From: Barry Hauser <barry@hausernet.com>

Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

Frank wrote: A brief word about the dear folks at UPS. Several years ago I bought a R-390 from W3INK. He took to a "ups subsidiary store" where they packed it for him. I don't recall what they charged but it was a lot. When it arrived here in SW Missouri the driver who knew me well said "I think we have big trouble today." The box presented was the most worn out old large TV cardboard box you can imagine. The packing was phone books, old clothing, wood shavings, you name it. A mile of string held it together. Every corner was smashed in. He wasn't allowed to take it back since we had opened it. The right end of the front panel was bent completely into an "L" with the rack handle torn off and in the box. And that was just the beginning. Took weeks before their inspector from near KC made it down here and looked at it and was not going to honor the claim because of packing..... I showed him a photocopy of the so called UPS store where it originated from. He turned pale. Especially at the \$2000 value insurance. He took it to his van. W3INK battled with them for months. He sent my money back to me right away but we kept in touch via his BBS on the slow progress of getting that claim settled. He finally won. Oh for the days of Railway Express. My first KWS-1 was in two wooden crates, one had been dropped (the PS of course) and splintered the crate on two sides. The steel banding was broken. No sweat. Within 48 hours another one was enroute from Harrison Radio and we were all happy. As for HDL... only one thing came in so far from them. A box of new hard drives. I saw the deliver guy toss the box up onto the concrete porch from a distance of about fifteen feet and scurry back to his beatup old truck. All drives were DOA. That was a few months ago and I understand the dealer still is waiting for his money....he shipped me another batch via Fedex in the meantime. The prefab shipping crate sounds good, very good in fact. 73, Frank Gilmore KOJPJ ex-W5PVX

That's not typical of a UPS Store, previously MBE - Mailboxes Etc. After the they take his money and the seller leaves, they pack it in a large flimsy box - usually \$8.00 or more, bubblewrap and often, used peanuts. The box is so soft, if marooned somewhere, you could probably eat it and not suffer indigestion. Easily torn or crushed. New bubblewrap, while inadequate, is expensive, so they try not to use too much of it. They don't even attempt to bag the peanuts or compress them and they don't put enough in, but what does it matter. The price for all this is usually high, what with the materials and labor charges. Not sure how they get these to the drivers. When you try to pick up one of these abominations - typically by the far corners -- the corners crush just under the weight of the package. The

payload shifts around until it's right up against 2 or 3 sides of the carton. Out of balance, with corners that crumple when you try to lift them, they're also more prone to being dropped. Very difficult to hand-truck, unless part of the radio is sticking out with skid marks already on it and that would be the bottom and the place to jam the hand truck under.

Finally, on this particular diatribe, UPS Stores are franchises and the shipper of record -- unless something has changed recently. Any claim has to go through the seller, then through the UPS store as the shipper and then through to UPS itself. (Unless they've streamlined something.) It's not the same thing as shipping something from a regular UPS staffed "customer counter". The only good thing -- under the franchise arrangements, they have to charge the regular retail UPS rate -- not the 10-100% markup of the MBE days.

There are some UPS centers that do packing and have sturdy double-wall cartons that say UPS on them. They also do in-place foam with double boxing. But, if you call the 800 number, the reps know nothing about it. Not all of them do it, but it is an alternative and I think they do it while you wait. To find out, you have to visit or somehow get the phone number of the local depot. Two sellers have shipped me gear this way - one in the Orlando area.

The UPS Stores have this commercial -- which I haven't seen in a while - where they're promoted as the packing experts .. I think it showed them crating a grandfather's clock. Yeah, right.

Date: Fri, 26 Aug 2005 17:29:37 EDT
From: Llgpt@aol.com
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

Several years ago, I bought one of the John R. Leary SP-600's from a Dr. in South Dakota, he had it foamed in place at his local ups center. I have checked periodically over the years to see if that service is being offered. No luck yet. You would think it would be a benefit to them to install the equipment and offer the service, as it would be a profit maker for them.
Les

Date: Fri, 26 Aug 2005 17:13:54 -0500
From: "Cecil Acuff" <chacuff@cableone.net>
Subject: Re: [R-390] Info on Shipping R-390As via FedEx Ground

Nice radio....I still have it! My last experience with FedEx was on a radio purchase. The box which was quite heavy was nearly round and had the side ripped out and the delivery guy was hauling the thing to the front door on a cart and scattered parts all the way up the walk way to the front

door. I was not impressed! I've had better luck with UPS but any of them can screw up a perfectly good vintage radio if it's not packaged properly! The flip side is any of them can get it to you in one piece if it's packaged properly! Hanks boxes rule.....I hear the Miltronix fast packs are great too!-

Date: Sat, 27 Aug 2005 09:00:02 EDT
From: ToddRoberts2001@aol.com
Subject: Re: [R-390] Fw: Shipping R-390As , Rick Mish Group Buy,

Hi Scott, sounds like a good idea. Do you know if the cartons have the inside padding specifically cut to fit the R-390A? A one-size-fits-all padding may not be the best solution. The R-390A has the rack-handles protruding from the front and unless the padding was tailor-made to fit the R-390A chassis exactly it may not afford maximum protection if the box was dropped several feet. The R-390A should be rock-solid inside an exact-fit cut-to-size padding, no room for slop or shifting inside the box

Date: Sat, 27 Aug 2005 08:57:28 -0700 (PDT)
From: Michael Melland <w9wis@yahoo.com>
Subject: Re: [R-390] Fw: Shipping R-390As , Rick Mish Group Buy,

Like Scott I also bought one of these shipping boxes about 4 years ago from Rick. They are great. These boxes are made for the GSA on a Gov't contract by several organizations of the blind. The Fort Worth, TX Lighthouse for the Blind has made these "Fast Pack Cushioned Shipping Boxes" for the Gov't for 20 years. If you want to see what they are here is a link:

<http://www.lighthousefw.org/boxinfo.html>

Date: Sat, 27 Aug 2005 14:13:24 -0400
From: Bernice & Al <saglek@videotron.ca>
Subject: Re: [R-390] Fw: Shipping R-390As , Rick Mish Group Buy,

Scott purchased an R-390 from me this past spring. He sent me the shipping container and I can tell you that it is superbly designed and built . The R-390 and the R-390A will certainly fit without relative movement within the container. The R-390 and the R-390A both have the same dimensions or footprint. For those of you who routinely move these radios should seriously consider this container or one similar to it. What should be included in the total shipping cost is the cost to move the empty container. I also sold an R-390A at the same time. I can tell you that finding the proper size, double walled boxes that will fit inside each other including two or three inches of rigid foam is a real chore. Whatever type of container you use the main thing to keep in mind is there must not be

relative movement within the containers, radio and box OR box to box. I took photos of Scott's empty box and the one I used for the R-390A. If Scott does not mind I will Email the photo to those that want them.

Date: Sat, 27 Aug 2005 14:50:06 -0400
From: "Scott Bauer" <odyslim@comcast.net>
Subject: Re: [R-390] Fw: Shipping R-390As , Rick Mish Group Buy,

Please do share the pics with anybody that would like to see. I can't say enough good about Ricks " Fastpacs". BTW, Fedex charges me \$19.00 to ship the empty container from Baltimore to Toledo where Rick lives. If we do get 6 takers, I suggest that everybody send payment directly to Rick Mish along with postage. Rick can determine that price for you. At this time we have 2 interested. 4 more needed. The cost is \$125.00 plus shipping. Thanks again Al for the wonderful R390. It is being used every day and works perfectly. I love it.

Date: Sun, 28 Aug 2005 13:38:03 +0200
From: "federico" <federico@dottorbaldi.it>
Subject: Re: [R-390] Fw: Shipping R-390As , Rick Mish Group Buy,

I got from Rick an R-390/URR and an R-389/URR shipped from the States to Italy in MILITARY FASTPACK (that is the box that you described before) in both cases they reached me without any damages and I still have the box that I employ to storage or ship heavy radios like R-274/FRR.

Date: Wed, 18 Jan 2006 18:40:42 -0600
From: Gary Pewitt <n9zsv@cei.net>
Subject: [R-390] R-390(x) receiver shipping boxes

Who is it that sells the shipping boxes for the R-390 series receivers? I have a couple to ship and want them to arrive undamaged.

Date: Wed, 18 Jan 2006 18:49:02 -0600
From: "Gary H. Harmon Jr." <gharmon@idworld.net>
Subject: RE: [R-390] R-390(x) receiver shipping boxes

Hank Arney has some, hankarn@pacbell.net

Date: Wed, 18 Jan 2006 19:10:20 -0600
From: mikea <mikea@mikea.ath.cx>
Subject: Re: [R-390] R-390(x) receiver shipping boxes

I got mine from Rick Mish; my R-390 made the trip from Ohio to Oklahoma absolutely without blemish in it.

Date: Thu, 19 Jan 2006 08:39:54 -0500
From: "Norman J McSweyn" <normn3ykf@stny.rr.com>
Subject: Re: [R-390] R-390(x) receiver shipping boxes

My solution was a similar. You can get a 24x24x24 box from most pack/box/mail places. I measured a receiver and figured out what I'd need in terms of cushioning foam.

1. checked yellow pages for local foam retailer.
2. had retailer cut foam to dimensions.
3. cut box down a little (19" I think)

Grand total \$72. Cost me 48 bux to ship it from Binghamton, NY to Arkansas, tho..

Date: Thu, 19 Jan 2006 09:57:34 -0600
From: "Gary H. Harmon Jr." <gharmon@idworld.net>
Subject: RE: [R-390] R-390(x) receiver shipping boxes

've done that myself over the years and even though it takes personal time to do it, the final product works fine and I've shipped many heavy radios using a heavy duty packing box and the hard foam available from home improvement stores (4 x 8 outside insulation sheets). Hank's boxes are custom made for the radios and come with the all the internal foam for safe travel. Yes, it does hurt to pay money to ship an empty box cross country.

Date: Thu, 19 Jan 2006 09:58:51 -0600
From: "Barry" <n4buq@aol.com>
Subject: Re: [R-390] R-390(x) receiver shipping boxes

The last R390A I bought came rolled in used carpet pad. That stuff works pretty good as a packing material, is dense enough to absorb a lot of shock (provided you include several layers), and is cheap. Of course, you have to account for several layers making the box the radio goes into quite a bit larger.

Date: Fri, 16 Dec 2005 14:33:16 -0700
From: "Kenneth" <crips01@msn.com>
Subject: [R-390] storage question

This does not concern my R390A but other vintage electronics I have, test gear and some non-operational receivers. I need to move them into my un-heated garage. I am not so worried so much about the Military gear but there is some non milspec test gear. The temperatures at this time of

the year can go to 20 below zero F but normally will stay above zero F. Will storage at such low temperatures harm these old rig's.

Date: Fri, 16 Dec 2005 17:31:42 -0500
From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] storage question

Chances are the low temperatures won't hurt anything, but the changes in temperature at certain times of the year with the combination of high humidity may result in condensation. With commercial gear (and some military) the moisture from condensation may contribute to surface corrosion.

I would suggest, if possible, sealing in plastic bags -- in dry conditions -- with some dessicant bags tossed in. Not sure where to buy new ones, but the old ones from mil packing can be rejuvenated by drying slowly in an oven. When sealed in with the equipment the dissicant will absorb out any residual moisture. On the other hand, maybe excessively low humidity will dry out your capacitors ;-)

Date: Fri, 16 Dec 2005 17:38:19 -0600
From: "Cecil Acuff" <chacuff@cableone.net>
Subject: Re: [R-390] storage question

I wouldn't do it.... Temps that low can cause the metals to shrink so much that I've seen paint damage. I think generally that 20 below would not be good for any of it.

Date: Fri, 16 Dec 2005 18:52:54 EST
From: Flowertime01@wmconnect.com
Subject: Re: [R-390] storage question

have a restored Gurnow that wintered about 30 years in a Michigan barn. It has a wood case and steel chassis. The cold did not do it any more harm than the flood waters did. You have to do what you have to do to save it from the dumpster. Put it up off the ground on a block or two.

Date: Fri, 16 Dec 2005 18:29:26 -0600
From: Tom Norris <r39Oradio@gmail.com>
Subject: [R-390] Re: storage question

Plain brown clay cat litter is a good desiccant. That's what "old fashioned" non-silica desiccant is. Dry a small coffee can's worth of clay by spreading out on a baking sheet or two and cooking in a closed oven at low heat for a couple days or longer. Pour into muslin bags and place in and around gear when packing. The more the merrier as far as this goes. Unless the item is

hermetically sealed, I'm not sure how long the desiccant will last so be sure to re-bake, renew and reseal on a regular basis. Not sure what the guidelines are on that.

Date: Sun, 1 Jan 2006 06:34:18 EST
From: ToddRoberts2001@aol.com
Subject: Re: [R-390] What are the odds?

>What are the odds that 3 out of 4 would have a problem of some sort?
>What are the odds that 3 out of 4 would have a problem in the *same* deck?
>What are the odds of that problem being of the sort that would require the radio to be pretty much completely disassembled?

A lot depends on how the radios were stored. If they were wrapped up in blankets and stored in an indoor closet odds are good they will work right off the bat. If they were stored outside in a barn or semi-outside with no cover in a garage odds are they will have problems with intermittent switches and bandswitch contacts, noisy pots, dried-out grease and dirt in the RF Deck gears that will require disassembly and cleaning and there could be corrosion in the various chassis that could affect grounding points throughout the receiver. proper storage is extremely important to the proper working of these receivers. The Blue-Stripers are a good example of bad storage practices!

Date: Sun, 1 Jan 2006 10:09:06 -0600
From: "Cecil Acuff" <chacuff@cablone.net>
Subject: Re: [R-390] What are the odds?

Well first off the math didn't work out for me...3 working radio's stored and one non-functional parts unit. Twenty years later out come the 4 radio's and we are taking odds on how many of the 4 would have problems.

My guess is that the parts unit would still be a parts unit and out of the remaining three the best odds of a working radio will come from the R-390/URR units. Storage will have a lot to do with the odds on the all the radio's. Humidity saturation on carbon comp resistors is a problem as well as corrosion. I think given reasonable storage...say in a closet in the house...odds are all three previously working radios will still work fine.

Stored in the garage in the desert southwest probably the same. Stored in the garage in the deep south along the Gulf Coast or maybe any coastal region for that matter my money would be on the R-390/URR's....with the

"A" being a close second as long as they were protected from the varmints but expect them not to be as pretty with some corrosion possible and poorer performance. Hey my Blue Stripe radio worked when I received it from Fair Radio (received WWV on 10 Mhz)....it was a complete but un-checked unit.

Date: Sun, 01 Jan 2006 10:27:14 -0600
From: "Francesco Ledda" <frledda@verizon.net>
Subject: RE: [R-390] What are the odds?

I had a working FRR-59B stored in my garage for about 15 years. When powered again, it worked like a champ!

Date: Sun, 1 Jan 2006 16:47:32 -0600
From: Tom Norris <r390a@bellsouth.net>
Subject: Re: [R-390] What are the odds?

That was more of a "lets make fun of Murphy" post. :-) All were stored in a dry area of a basement. Supposedly heated. From the amount of dust they were at least partially covered or in a cabinet. How did the radios turn out?

The two R-390s are full enough of intermittents and flakiness in the RF decks that I will need to pull them. (eventually) The intact R-390A I only recently got around to looking over. Before I got a chance to see if it was really working completely, as I was checking to see if the mechanics worked smoothly - and was randomly changing bands - the clamp on the small gear that engages the Geneva gear decided it wanted to loosen. It was fine before that. Since I have no idea just when it loosened, I need resynch the bandswitch. Eventually.....

The parts radio. Looked at it a few months ago with the '390s. It was without a PTO, IF amp, meters, some knobs, a few slugs, crystal oven, and, I think a gear clamp or two. Antenna relay was TU as well. I had just gone over the R-390s and was fairly annoyed and thought "what the heck" Without retelling the earlier B+ Troubleshooting Adventure Of All Time, all it needed after parts replacement and that troubleshooting was a realignment. It was tagged as not repairable. One of the problems I didn't catch but was later found was a shift of about 30 to 50 cps in the first osc when receiving very strong signals. It was only noticed when listening to CW. Just thought I'd share a story about Murphy.

Date: Mon, 23 Jan 2006 10:31:56 -0500 (EST)
From: <w9ya@arrl.net>
Subject: Re: [R-390] R-390(x) receiver shipping boxes

When I moved from Indiana to New Mexico over Xmas '04 I went to Target and bought some \$8 foam beds, queen size, and wrapped the radios in that. Then I slightly compressed the foam with a wrapped and taped overlay of heavy garbage bags. The foam is at least a couple of inches thick in places, with one side bumpy. The bumpy side faced in toward the radio and the foam itself was easy to cut where needed.

We found out that the moving truck had a bad rear axle and the truck had bounced much of the way to Albuquerque ! The truck trailer bounced up and down a foot or so just backing up ten feet or so in front of the new house upon delivery. There was much damage to the stuff the packers had packed including almost 8 thousand dollars worth of insurance settlement. (Most of which I have received to date, but that is another story for another time.) However there was almost *no* damage to speak of to the stuff, my shack and office, that I had packed. The SP-600 and both R-390As along with the tube and other old stuff arrived just fine. Even the delicate stuff like old Tek scopes and such arrived dusty but otherwise working. I guess along with a hard multiple layer or dual cardboard box system to mail the radios in -> these inexpensive foam beds covered in heavy plastic garbage bags should do the trick. They are VERY simple to work with.

Date: Sat, 21 Oct 2006 19:44:47 -0500
From: Tom Norris <r390a@bellsouth.net>
Subject: [R-390] Who has shipping boxes?

Ages ago someone was discussing a source of used "insta-pack" boxes about the right size for shipping '390's. Where were folks able to get these? Hank had some back when he was in California for quite a bit of money, but since I need about 4 of them, and mostly for moving and storage, I was hoping to find a source of used ones. Wasn't there a fellow near Baltimore or DC that used to have these boxes available? In fact, I bought a couple of R-1051's from him several years ago but am coming up blank-minded -- more so than usual -- on what his name is and how to contact him.

There isn't a source locally for for good sized double walled cardboard boxes, and by the time I built something, lined and foamed it, price-wise I might as well have just gone ahead and built a crate. For various reasons I'm not really able to do either at the moment, so if anyone knows where I can get used insta-paks for a good price lemme know.

Date: Sat, 21 Oct 2006 20:03:56 -0500
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] Who has shipping boxes?

I just had some 500#DW Stitched 24x22x16 Kraft RSC boxes made up and have them here in TX sans foam. They are UPS rated for 150 pounds.

I will check tomorrow and see if they can be folded and taped or tied to come under 84" overall to go at actual weight of 15# Vs 30# as OS1. They are \$30.00 each plus shipping.

Will advise. Four can be folded tied and shipped as actual weight UPS. NO FOAM AT PRESENT TIME. Thanks, Hank KN6DI/5

Date: Sat, 21 Oct 2006 22:10:21 -0500
From: mikea <mikea@mikea.ath.cx>
Subject: Re: [R-390] Who has shipping boxes?

Call Rick Mish; look on [www.miltronics](http://www.miltronics.com) (or [miltronix](http://www.miltronix.com)) .com for his phone or just Google on the name and R-390. He had some.

Date: Sun, 22 Oct 2006 17:34:46 -0500
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] Who has shipping boxes?

I checked the box as to folding to ship. No Joy, it tears on both sides of the stitched seam, when folding the minor flaps to the outside it is OK but the major flaps will not fold to the inside or outside without additional tearing or damage to the box,

They will have to be shipped set up to not damage the box by UPS or any of the small box carriers. Shipped as OS1. Could probably ship up to 4 or 5 folded flat at actual weight under OS2 70 pound. They would still have the tear above and below the stitched seam OK. Your choice. Thanks, Hank

Date: Sun, 28 Jan 2007 09:38:24 -0800 (PST)
From: Perry Sandeen <sandeenpa@yahoo.com>
Subject: [R-390] Re: Tube organizing help

I had similar problems with organization when using large cardboard boxes and plastic shelves that I bought at Home Depot. Each of the shelves were rated at 250 pounds each. Right! They sagged lower than Radio-Mart's reputation with just 40 pounds of weight. I didn't read the fine print that said that the weight rating was for 250 one pound notes of English paper money! I found a good solution with adjustable metal shelves from Sam's Club. They are 6 feet tall 18 inches deep and 4 feet wide and come with 6 reinforced shelves that are adjustable in one inch increments. They come with both fixed feet and wheels which can be locked and are \$80 a unit. I set mine up with the sixth shelf on the top notch, the first shelf on the bottom notch and equally spaced the

remaining shelves. I put on the wheels so I move them about easily. This lets me put 15 BA's on the lower shelves.

For tubes and parts I found covered aluminum baking pans at my local Ace Hardware store for \$7 each. They are the "Mirro" brand and are 13 inches long, 9 inches wide, and 3.25 inches deep. They stack very nicely on the top shelf and are easy to label using Avery Laser Jet labels.

With the shallow depth I can put about 50 6BA6 size boxed tubes and they are easy to stack. For small parts I cut dividers out of cardboard boxes and use silicone rubber for glue so I can remove or re-organize as needed.

Some have mentioned having problems with condensation on their equipment in garages. If you used these shelves one could cover them with transparent builders plastic, place a 7 watt night light on the bottom and the temperature would be high enough to prevent condensation without being too hot for the equipment. Hope this might be helpful to someone,
Regards, Perrier

Date: Mon, 16 Jul 2007 22:43:19 -0500
From: "Mac McCullough" <w5mc@austin.rr.com>
Subject: [R-390] 390a shipping methods

All after a long absence, and being so far from the loop, I find myself needing to ship a 390A and am wondering what the present thinking and experience has been among you with good results.. thank you mac/mc w5mc Located 46 miles due North of the Alamo, AND HOME of the 2007 NBA World Champions, and 121 miles due South of the Western White House. see my website at www.collinsandharrisradios.com

Date: Tue, 17 Jul 2007 03:04:36 -0700 (PDT)
From: "Tom M." <courir26@yahoo.com>
Subject: Re: [R-390] 390a shipping methods

Use two boxes. Get some insulation panels from Home Depot, cut pieces with a knife and break off pieces like a cracker (no offense), insert the pieces all 'round the radio nice and snug.

Date: Tue, 17 Jul 2007 05:11:51 -0500
From: "Phil M." <pmills7@houston.rr.com>
Subject: Re: [R-390] 390a shipping methods

I use the pink foam from HD and cut it with a box cutter. I line the top, bottom, and sides of the box to strengthen it. Then I build up insert blocks of 3 to 4 layers of the foam and use on bottom, front, back, sides, and top. I've just shipped two R-390's this way in the last month with no problems.

Date: Tue, 17 Jul 2007 06:58:49 -0500
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] 390a shipping methods

I have custom made 500 PSI DW RSC kraft boxes with EPS that I use with great results.

Date: Tue, 17 Jul 2007 09:18:27 -0400
From: "Tim Shoppa" <tshoppa@wmata.com>
Subject: Re: [R-390] 390a shipping methods

I have never shipped one outbound myself. But the yellow striper I got from Fair Radio came in:

A single big stiff cardboard box.
And was padded with... NEWSPAPER.
And was shipped as an extra-heavy package through UPS.

I think one tube rattled loose in shipment and was pulverized, and some other tube let its vacuum out (possibly being the target of the loose tube). But the radio came through fine. My UPS delivery guy saw the stickers that Fair Radio had put on and treated it with kid gloves all the way from the truck to my front porch. I can't guarantee that all UPS guys are as conscientious. Of course, this was a pretty ratty yellow striper to begin with.

Date: Tue, 17 Jul 2007 09:24:01 -0400
From: Barry <n4buq@knology.net>
Subject: Re: [R-390] 390a shipping methods

Packing is one thing and you've gotten several options on that. Shipping method is another. I've received a couple of R390As using Greyhound Bus's service. It's pretty nice in that the package goes in a rather small area under the bus so not a lot of throwing it around is involved. Also, you might be fortunate to get point-to-point service (the package goes on the bus once and off the bus once). Of course that depends on where you are and where you're shipping to. As for packing, I've been hoarding the dense foam packing that comes in the computers we order here. It is very dense yet lightweight and will absorb an incredible amount of shock (much better than peanuts, etc.). Properly packed, I think even a radio as heavy as the R390-class can be safely shipped in these. Of course, it wouldn't protect against an intrusive object piercing the container (like Hank's boxes will), but I'd guess that's pretty rare. Good luck,

Date: Tue, 17 Jul 2007 09:44:50 -0400

From: Barry <n4buq@knology.net>
Subject: Re: [R-390] 390a shipping methods

I bought an RF deck from Fair. It was packed in a plain cardboard box with newspaper padding. The shafts had poked through the box when I received it. It wasn't damaged, but it certainly wasn't packed like I think it should have been.

Date: Tue, 17 Jul 2007 09:47:27 -0400
From: "Bob Young" <youngbob53@msn.com>
Subject: Re: [R-390] 390a shipping methods

I shipped a 390A to Chuck Rippel, he told me to get the big bubbles bubble wrap and wrap it three times around in all directions and send it tightly packed in a good sturdy box. When he shipped it back he protected the face (especially) with styrofoam cutouts and the box was tight as a drum. I've used one of Hank's boxes to ship both an SP-600 and a SX-28A tightly packed and both arrived fine and the box is still in good shape. I think a big part of it is to make sure it's firmly padded and firmly packed, you don't want a flimsy box nor want it to be able to move around inside the box at all. I now use Fedex for all shipping when I can, they seem to be a little more gentle.

Date: Tue, 17 Jul 2007 13:03:04 -0500
From: Tom Norris <r390a@bellsouth.net>
Subject: Re: [R-390] 390a shipping methods

I've bought all sorts of things from Fair over several decades - large, small, delicate, huge and heavy and not a one has suffered damage with their wadded newspaper method. It's not a *bad* way of packing, but there are better. With our radios becoming collectors items, I'd not pack one that way today, I'd use the other fellows methods. I used to have a source of reusable firm-foam boxes for shipping '390's back and forth back when I was doing such things, but that source dried up when I switched jobs. But.... when all else fails, double box. UPS will take packages up to 125 pounds or so, that's how I shipped mine, as that was usually what they weighed after I packed the heck out them.

Date: Tue, 17 Jul 2007 16:06:31 -0400
From: Bob Camp <ham@cq.nu>
Subject: Re: [R-390] 390a shipping methods

I shipped a couple of R390A's to Argentina using the Home Depot foam technique. The radios came through fine as far as I know. The only thing I have ever added was a couple of pieces of 1/4" plywood sandwiched in between the foam layers.

Date: Tue, 17 Jul 2007 13:53:33 -0700
From: "Ed Zeranski" <ezeran@ezeran.cnc.net>
Subject: RE: [R-390] 390a shipping methods

The Fair Radio crushed newspaper works as long as you make sure there is no movement of the victim/package item. I've used that method for BoatAnchors but always double box w/crushed paper etc. between the boxes. The discarded corner 'pucks' from Cisco and Marconi devices work too with scrounged up Bubble Wrap and foam. Again, the key is no internal movement. As for shippers...If the package will meet the spec I use the US Postal Service. UPS, Universal Package Smashers, has killed several radios. FEDEX is OK too so far. I'm always on the look out for triple-wall cardboard boxes in 'BA' sizes.

Date: Tue, 17 Jul 2007 17:30:39 -0400
From: "James A. (Andy) Moorer" <jamminpower@earthlink.net>
Subject: Re: [R-390] 390a shipping methods

Anybody know how to ship boatanchors internationally? I used to use USPS surface - slow but not expensive. I sent several to New Zealand for about \$140 each (they had to be in two boxes to get past the 66 pound limit). After about 2 months, they arrived in good condition. Now the USPS in its wisdom has eliminated international surface, a.k.a. "slow boat to China". UPS, DHL, FedEx and those guys start at \$350. Plus, I am told there is some problem with customs at the other end when you use a private shipper - you have to use their customs agent handle it, whereas with government post, customs duties are handled directly (I guess) with the recipient. So - any thoughts? Or is that the end of international boatanchor traffic? Sigh. How will I get my next EK-07?

Date: Tue, 17 Jul 2007 18:14:01 -0400
From: Bob Camp <ham@cq.nu>
Subject: Re: [R-390] 390a shipping methods

With the price on off season air travel what it is, I suspect you fly over and bring back your EK-07 as luggage.

Date: Tue, 17 Jul 2007 19:55:27 -0300
From: "Francisco E. Viegener" <fev@ciudad.com.ar>
Subject: RE: [R-390] 390a shipping methods

HI, Bob sent to me more than one R390A to Argentina. They arrived in good condition in the way he is telling it now.

Date: Tue, 17 Jul 2007 20:18:05 -0400

From: Barry Hauser <barry@hausernet.com>
Subject: Re: [R-390] 390a shipping methods

That might be a good idea, except there's no free lunch. Even if you travel very light, the airlines are now allowing only two checked bags per passenger with a limit of 50 lbs per bag. (it used to be 70 lbs.) Over that limit and they can either refuse it or charge something like \$2-3 per pound, but I think there's an upper limit.

I came back from England on Virgin Atlantic a few years ago and we had bought a lot of stuff. As I recall, it cost me over \$100 way back then then for a couple of duffel bags full of moderate weight stuff. Of course they have to go over it with the chemical sniffer thing and there's a good chance something in the rig would set it off.

Date: Wed, 18 Jul 2007 09:10:40 -0400
From: "Tim Shoppa" <tshoppa@wmata.com>
Subject: Re: [R-390] 390a shipping methods

Remove a couple of modules (especially power supply) and pack them separately, and I'm sure you can get a 390A into 3 cases each less than 50 lbs (even taking into account the weight of shipping cases). The airlines used to just look the other way if you were a little over the limit but they really really really are more attentive now at picking up the extra revenue.

> Of course they have to go over it with the chemical sniffer thing and
> there's a good chance something in the rig would set it off.

I'd be much more wary of the airline baggage handlers banging it up. It has been my experience (but I make NO GUARANTEE) that the extra-heavy UPS parcels actually get treated far more kindly than ordinary shipments. It's not motor freight or LTL level of service but it's getting closer.

Date: Wed, 18 Jul 2007 09:58:17 -0400
From: "James A. (Andy) Moorner" <jamminpower@earthlink.net>
Subject: Re: [R-390] 390a shipping methods

I made the mistake of checking my saxophone as luggage last May. Apparently, it was opened and inspected by TSA (all the stuff was moved around inside the case). It appears it was dropped as well. It broke off one key and pad, dented the bell, and more. Cost me \$450 to repair.

Date: Wed, 18 Jul 2007 10:33:46 -0400
From: Roy Morgan <roy.morgan@nist.gov>

Subject: Re: [R-390] 390a shipping methods

Not long ago I was part recipient of a shipment from Germany. The sender did all the legwork at that end and UPS-SCS (UPS Supply Chain Services) helped on this end.

> Plus, I am told there is some problem with customs at the other end when
> you use a private shipper -

I was told that I could personally manage the US Customs process here if I wanted to walk into the Customs office, do the paperwork, and then come back later that day to see if it had been "cleared" yet. I/we decided to let the UPS-SCS folks manage that. Trouble is that the time required cost local storage fees in addition to the fee charged by USPS-SCS to do it. In the end, it was not TOO bad considering the size of the shipment (about 1100 pounds in two containers).

>...How will I get my next EK-07?

Ah, the fabled EK-07! The more here the merrier. (Or should that be the moorer here the merrier.. How many do you have now?) Any unwanted Rhode and Schwartz dual channel ssb demodulators should be sent to the address below. heheh.

Date: Wed, 18 Jul 2007 14:43:05 +0000
From: Sheldon Daitch <sdaitch@mor.ibb.gov>
Subject: Re: [R-390] 390a shipping methods

On the other hand, an airline shipping success story. My vehicle was broken into, and rather than attempt to get an European or African standard window, I ordered a replacement window via a dealer in the Oklahoma City area.

I was back in the states for my son's high school graduation. My son and I fabricated a plywood and wood box for the door window, using white insulation from Home Depot for the packing.

I had contacted the TSA folks at OKC ahead of time, more for the purpose if they had to open the crate, which was one of my checked bags heading back to Tangier, Morocco. TSA folks worked with me to make sure it was safely squared away, and a week after I got back to Tangier, the glass was successfully installed.

Date: Wed, 18 Jul 2007 21:00:54 -0500
From: "Thomas Frobase" <tfrobase@kitparts.com>

Subject: [R-390] FW: Shipping methods - My Fedex Experience

Not to say this box was poorly packed, but this is how it was left on my doorstep! The driver ran for the truck and never rang the doorbell, as witnessed by my neighbor. The good news is that the case took the hit and saved the radio. This one was destined form own shack! The worst thing is there is no recourse on my end with the shipping company, only the shipper, but hopefully it will a lesson to all of you! I can say that the shipper made it right financially. 73... tom, N3LLL
<http://www.kitparts.com/ebay/damage>

Date: Wed, 18 Jul 2007 21:03:53 -0500
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] Fowler Industries R-390A on eBay Now

Cecil, I think he is RM the III I have seen and made new tags for Number 1 and made a total of 5 tags, that matched the original and not like this one. I also told the lister this, plus I asked to see the pictures of the bottom of the IF deck for proof of 1984 type of Caps etc. I dared him to post my question to the listing.

Date: Wed, 18 Jul 2007 22:15:13 EDT
From: ToddRoberts2001@aol.com
Subject: Re: [R-390] FW: Shipping methods - My Fedex Experience

Interesting pictures Tom, I can see several things right away. It appears the radio was not double-boxed. The box used was not new. It looks like the box was single-wall cardboard, not double-wall? They did not reinforce the corners or edges with wide packing tape. The thin packing tape used was not adequate to hold the box closed. What kind of padding did they use - I can't tell from the pictures?

Date: Tue, 14 Jul 2009 20:49:48 -0400
From: frankshughes@aim.com
Subject: [R-390] My home-made AN/URM-25D shipping container, w/ help from KSC

Hi, I hope some of you find this interesting. I was trying to get my trusty AN/URM-25D set up to do some calibration of the Sherwood SE-3 via the R-390A IF out. Of course some of the generator switch positions yield no output, so I am sending it off to

<http://www.kiss-electronics.com/> before proceeding.

I did not have a decent box that would protect the generator in the trip from Fla. to Oregon and back. Searching the local
<http://skycraftsurplus.com/> yielded the perfect box, with an interesting

history (see photos) Some dense foam blocks and a chassis shipping cover from a CISCO 6503 router adapted to the task, volia!

http://i180.photobucket.com/albums/x257/fish1_07/mission_s-192.jpg

http://i180.photobucket.com/albums/x257/fish1_07/ksc.jpg

http://i180.photobucket.com/albums/x257/fish1_07/skylab.jpg

http://i180.photobucket.com/albums/x257/fish1_07/CISCO_brace.jpg

http://i180.photobucket.com/albums/x257/fish1_07/ready_to_ship.jpg

Date: Tue, 14 Jul 2009 20:12:41 -0500

From: "Les Locklear" <leslocklear@cableone.net>

Subject: Re: [R-390] My home-made AN/URM-25D shipping container,

Nice packing container. If I remember correctly (I'm old and retired) the SE-3 can be calibrated with a voltmeter. At least thats the way I remember mine. YMMV

Date: Tue, 14 Jul 2009 20:47:42 -0500

From: mikea <mikea@mikea.ath.cx>

Subject: Re: [R-390] My home-made AN/URM-25D shipping container, w/

AWESOME_! Brings back memories of the telemetry tape shipping containers I used to get, way back when we were throwing Gemini spacecraft up into the sky and getting them back down again. Rose Knot Victor, Antananarive, Guaymas,

Date: Tue, 16 Feb 2010 15:49:50 -0500

From: <k8qm@nc.rr.com>

Subject: [Collins] Shipping Advice Request

I'm going to be selling a KWM-2, 516F-2 and 30L-1 soon and would appreciate a sanity check on my plans. I do have access to a foam-in place machine at work which should be a big help. KWM-2 Wrap in heavy duty plastic and use foam in place in a box that leaves a couple of inches on all sides. Should I pack bubble wrap inside the unit to keeps tubes from displacing? 516F-2 Remove tubes and pack in a separate box, wrap the power supply and use foam in place as above. 30L-1 Remove the 811s and pack in a separate box, wrap the 30L-1 and use foam in place as above. Any other suggestions (I can't keep them and haven't been able to find a buyer locally).

Date: Tue, 16 Feb 2010 16:00:16 -0700

From: "Kory Hamzeh" <kory@avatar.com>

Subject: Re: [Collins] Shipping Advice Request

I would use both bubble wrap and foam. You want to protect the devices from both vibration and impact. I would pull the major tubes out and pack them carefully (including the 6146's).

Don't stick the manual or anything else inside the radio compartment like some people do. It almost always damages something.

A bit of news paper, however, in the radio compartment will help to keep the smaller tubes from coming loose during transit. I would also ship FedEx Ground/Home rather than UPS. The last 3 tube rigs that was shipped to me by UPS had some sort of damage and all of them were reasonably packed. I've had no problems with FedEx.

Date: Tue, 16 Feb 2010 17:56:16 EST
From: TVComlGuy@aol.com
Subject: Re: [Collins] Shipping Advice Request

If the 516F-2 is in the cabinet, remove it and ship it separately. The thin aluminum used in the cabinets will bend and distort from the weight of the power supply.

Date: Tue, 16 Feb 2010 14:52:09 -0800
From: Robert Jefferis <jefferis@antelecom.net>
Subject: Re: [Collins] Shipping Advice Request

I have been on the receiving end of quite a few S-line shipments in the last few years. Your schema is good, save one point: If the 516F-2 is in a cabinet, the power supply should be removed so the cabinet and power supply may shipped separately. The supply is just too heavy for the cabinet in a shipping environment, and can badly bend (distort) the enclosure if any g forces are applied during shipment. Yes, by all means remove the 5R4 and 5U4 tubes.

Date: Tue, 16 Feb 2010 18:43:46 -0700
From: "Fern" <crc@cyberlink.bc.ca>
Subject: Re: [Collins] Shipping Advice Request

Good evening George. I would remove the 516F2 from the cabinet and pack the power supply separate from the cabinet. The cabinet and rectifier tubes can go in same box. Otherwise, the cabinet of the 516F2 will definitely get damaged/distorted in transit.

Date: Wed, 17 Feb 2010 09:45:18 -0600
From: "Dr. Gerald N. Johnson" <geraldj@weather.net>
Subject: Re: [Collins] Shipping Advice Request

> KWM-2 Wrap in heavy duty plastic and use foam in place in a box that leaves a couple of inches on all sides. Should I pack bubble wrap inside the unit to keep tubes from displacing?

I might go for more than just a couple inches of foam. And use a double wall box.

> 516F-2 Remove tubes and pack in a separate box, wrap the power supply and use foam in place as above.

Separation from the cabinet would be good. Didn't they originally ship with some extra wood blocks to prevent bending the chassis when the box was dropped.

> 30L-1 Remove the 811s and pack in a separate box, wrap the 30L-1 and use foam in place as above.

Most vendors of similar linears ship them with the power transformer crated separately. I'd fear a bent chassis if shipped by the usual drop kick companies while assembled. <snip>

Date: Sun, 14 Mar 2010 21:02:41 -0700 (PDT)
From: Byron Tatum <bjtatum1@att.net>
Subject: [R-390] Unused EAC R-390A, Question on Packing

Recently I examined a 1967 EAC R-390A that is believed to be "new, unused". The receiver is not in the original crate but still has a cardboard sleeve around it. There is a tag attached to one of the front panel handles that states the receiver is ready for shipment, dated 1977, by Theodore Dames and Co. A matching tag is stuck on the top cover of the receiver. It does appear unused, just judging by front panel and knobs, but an internal inspection should tell the story. Seems like I recall old CQ magazine ads showing crated R-390A's and I also recall seeing Ted Dames ads. My question is : I don't have the military R-390A manual set here, but was there not a picture of how one was packed up and crated? Perhaps the pictures may show the cardboard sleeve that surrounds the receiver (it is open in the front and back).

Date: Mon, 15 Mar 2010 08:25:44 -0400
From: "Shoppa, Tim" <tshoppa@wmata.com>
Subject: Re: [R-390] Unused EAC R-390A, Question on Packing

Not to help you with your particular unit, but I've seen 390's and/or 390A's that were refurbished or simply passed through as NOS by Herb Gordon from the same period. Similar packing as what you describe. IIRC Herb Gordon's price on the receipt was similar to the advertised price for a

new EAC, about \$2K in the early 70's.

Date: Mon, 15 Mar 2010 08:52:54 EDT
From: DJED1@aol.com
Subject: Re: [R-390] Unused EAC R-390A, Question on Packing

The tech manual shows the radio packed with an inner cardboard carton which has flaps that fold over the face of the radio. It shows cardboard tubes over the knobs, with the face then covered by a plywood sheet and another cardboard tray which holds dessicant.

The whole thing is then wrapped in a waterproof barrier, then into another cardboard box. Finally, all is packed, along with spares, into a wood crate. I did buy an Amelco R-390A from Dames in that time period. Mine was not new, but excellent and lightly used. It had a few minor mars to the paint which would indicate some use, but it was pristine inside, and all modules are original. The EAC is probably worth a lot if really BNIB.

Date: Mon, 15 Mar 2010 08:58:30 EDT
From: DJED1@aol.com
Subject: Re: [R-390] Unused EAC R-390A, Question on Packing

Here's one more tidbit for consideration- an ad I clipped from an old QST:

W2KUUW Ted Dames Company offering "R-390A excellent overhauled \$595"

"R-390A Factory new sealed box (3 only) \$1150"

So he did sell some as new.

Date: Mon, 29 Mar 2010 07:04:51 -0700 (PDT)
From: Michael OBrien <mikobrien@yahoo.com>
Subject: [R-390] USPS info (What a screw up and a rip off !!!)

I just thought I would share this with you. I recently shipped a package using USPS Priority Mail with tracking (tracking # 9101150134711096169944)

The buyer said he never got it and USPS claims it was delivered. Paypal investigated and gave the buyer a full refund. As a result I lost the item and over \$400. I don't think I will ever use USPS again and I am not very happy with Paypal.

Date: Mon, 29 Mar 2010 09:16:28 -0500
From: <ka9egw@britewerkz.com>

Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

Oh, without a doubt. My cousin lost his business due to Paypal--long story short he had hard-copy delivery receipts from FedEx and Paypal refused to accept them on a million-dollar-plus order, and by the time the lawyers were done he was forced into bankruptcy; his life is ruined. I've never had an issue with USPS, but Paypal, forget it. "Screw the seller" seems to be their motto.

Date: Mon, 29 Mar 2010 10:37:13 -0400
From: "David C. Hallam" <dhallam@rapidsys.com>
Subject: Re: [R-390] [Hallcrafters] USPS info (What a screw up and a rip-off !!!)

I never ship anything of value by any method, USPS, UPS, or FedEx, without requiring a delivery signature and/or insuring it. It prevents this sort of thing.

Date: Mon, 29 Mar 2010 09:57:10 -0500
From: "Francesco Ledda" <frledda@verizon.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

If you have a proof of delivery, you can win in the "small cases" court.

Date: Tue, 30 Mar 2010 21:31:46 -0400
From: "Jerry Stern" <jsternmd@att.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

There is only one guaranteed method for shipping items of value that to this day even Jewelers use to ship diamonds worth tens of thousand of dollars = USPS registered mail.

Date: Tue, 30 Mar 2010 21:45:07 -0400 (EDT)
From: "Richard W. Solomon" <wlksz@earthlink.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

That's what Harry Winston used when he donated the Hope Diamond to the Smithsonian. (USPS registered mail.)

Date: Tue, 30 Mar 2010 23:27:33 -0400
From: "James A. \ (Andy\) Moorer" <jamminpower@earthlink.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

Sorry - that's no guarantee either. I sent a stock certificate worth about \$6,000,000 via USPS registered mail - and the post office lost it!

They found it again about 6 months later. It was in the post office where I mailed it - it had fallen behind a desk.

They didn't find it until they got some new furniture. . . . and you would think that anyone that owned the Hope Diamond could have his chauffer just drive it over -----

Date: Wed, 31 Mar 2010 15:48:32 +0300
From: Sheldon Daitch <sdaitch@kuw.ibb.gov>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

I can also add to the tale that even registered mail does disappear, or seems to. Back in the early 90s, a work buddy and I ordered two identical Gateway computer systems.

They were shipped as four boxes per computer system. My four boxes arrived, but only three for the other computer. Turned out the computer itself was never received.

After a few days waiting to see if the wayward cow box would ever arrived, my friend contacted Gateway, who agreed to ship another computer. We never learned if the missing unit ever materialized.

Date: Wed, 31 Mar 2010 15:31:09 -0500
From: Tisha Hayes <tisha.hayes@gmail.com>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

For these uber-expensive transactions running into the tens or hundreds of thousands of dollars I would rather escort something personally than to entrust it to a shipping company or the USPS.

It just seems crazy to ship something that expensive and let the minimum wage guy bounce it from loading dock to truck. I frequently need to take very expensive test gear with me when I go to a customer location (RohdeSchwarz FSH18) and would rather lug it through airports than to ship it. My manager suggested that I just pack up everything in a big box and ship it to a job site. I think he is crazy and doesn't remember the previous experiences where we tried to ship stuff.

Most recently we sent stuff to the US Park at Sandy Hook New Jersey. UPS dropped the pallet off at the park service headquarters where nobody would sign for it or put it in the warehouse. It sat in the rain for three days before we could get out there to do the work. Then, when the job was done, it took UPS TWO MONTHS to return the box back to us. By then, everything had been so badly mangled that we had to throw most of the gear away.

Before that experience we sent test gear to Puerto Rico where they lost the entire shipment. It was found six weeks later, sitting in the jungle, the cabinet filled with almost a foot of water.

For lots of money on any project I would rather deliver it in person and receive payment the same way.

Date: Thu, 01 Apr 2010 09:01:05 -0500
From: Barry Williams <ba.williams@charter.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

I sent a small handheld by UPS about 15 years ago, and the box had a puncture into the radio itself when it arrived. They finally sent an inspector to my house, and he suggested that I send the radio in for warranty repair since it was new enough. I had to call until I found one of the big guys for Alabama, and I relayed the story to him along with the fact that my wife heard him say that. This guy was going to deny my claim until he found out there was a witness to the suggestion of fraud.

I bought a RBL-5 in California on the bay a few years ago for \$50. That package made it somewhere up north, like in Michigan before the seller tracked it down. It was returned to him instead of shipping on to me. When he had to lug it back to them, it was misrouted to somewhere in Texas. More tracking down. Then, it arrived to me in Alabama. I was very nervous about how it would look after all that shipping, but it survived in perfect condition. The only think I can figure is that the seller wrapped dozens of foam pieces around the radio to make it into a huge 50+ lb foam ball.

Date: Thu, 01 Apr 2010 13:18:58 -0400
From: kd4mvc@aol.com
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

Guess I also had good luck in 1992 when I received from Fair a R-392 single boxed and plenty of newspaper. And that was with UPS!!

Date: Thu, 1 Apr 2010 10:05:33 -0700 (PDT)
From: wli <wli98122@yahoo.com>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

I am appalled at what members have suffered through at the hands of the various delivery services in the past few years. Seems that other than a hand-carry as Tish suggests, there is no reliable way... maybe a courier service would be good for those items that are valued at thousands of dollars (which eliminates 98% of our BA stuff).

In 1997 I bought a R390A from Fair: packed in a single layer box with newspaper... but it arrived unscathed from FedEx. Now I know I was VERY lucky!

When Boeing Surplus was in business, they sold large reinforced fibreglas cases for air shipment of their gear... should have picked one up then. Today I would use one of Dick Arney's boxes or a Military Fastpack.

Date: Thu, 01 Apr 2010 14:05:41 -0400
From: rbethman <rbethman@comcast.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

Tisha has indeed said a lot!

The reality is even more sobering. Even put the responsibility square on the shipping company by having THEM pack it does NO GOOD! I just recently, during the last 60 days, went to UPS and paid for them to pack two radios, in separate double boxes, AND foam in place packing. Well, they screwed it up!

The foam in place packing was only HALF done. They didn't foam package the tops, only the bottoms! We aren't talking kids here either! I dealt directly with the Facility Manager.

Net result - I find out from the recipient. The receiver was damaged.

Then after the recipient gave me grief for a few weeks, my horror story finally stopped. The recipient "would not provide me with the necessary pictures to allow a claim to be made". The recipient also "refuses" to accept that a piece of electronics can "possibly" deteriorate just sitting on a shelf for over six years. Yet claims he does radio work for a living. <Go Figure!>

We have some Social "issue" taking place! I wish I could identify it.

I've come to the conclusion that I will NO LONGER sell ANY older equipment the I have sitting on the shelves.

I'm going to take the remainder to the City Hazardous Material Collection Site on the appropriate day(s). I have had enough!

Date: Thu, 1 Apr 2010 12:07:57 -0600
From: ANTHONY CASORSO <canthony15@msn.com>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

Well, may as well join in. I bought my R-390a from eBay. The guy was a carpet dealer in New York. I paid ... well a bunch for this radio which I had been dreaming of owning for a number of years. The radio was shipped UPS in an old color television box that was (maybe) 6 inches bigger than the radio. The padding was some old chair cushions and ragged pieces of old foam rubber. I wasn't home when it arrived at my home near Denver, Colorado but my wife saw the UPS guy shove it out the back of the UPS truck onto the pavement and then load it onto the two-wheeler for the trip up the driveway. When I got home and heard the story I was mortified and went to open the box (which showed quite a bit of rough handling). The radio was fine. Just needed a new AGC transformer (Z-501 on the IF deck if I remember correctly). I guess I got lucky too.

Date: Thu, 1 Apr 2010 13:18:41 -0500

From: mikea <mikea@mikea.ath.cx>

Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

>If being dropped out of an aircraft into ... a minefield is "moderately
>rough handling", what would constitute "rough handling"?

Being shipped UPS.

Date: Thu, 1 Apr 2010 11:32:18 -0700 (PDT)

From: Steve Toth <stoth47@yahoo.com>

Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

Amen to what Trish and others have said.

On a smaller scale, I recently ordered an R390A power supply from Fair Radio (\$45 w/o 26Z5's) so I could replace the one in the EAC that had the pronounced transformer hum. They shipped it USPS even though I requested Fed X Ground. It was single boxed and had wadded newspaper loosely packed around it. Because of the weight of the transformer, it should have been double boxed or the wadded paper should have been packed more tightly. Evidently it was dropped/thrown somewhere enroute and the single wall USPS Priority Mail box couldn't handle the abuse. The frame that mounts to the transformer and has the tube sockets on it was so badly bent and damaged that it's a throw away - luckily the transformer survived. Usually Fair Radio packs things pretty well so I was surprised when the unit arrived and I found it was damaged.

My advice: Caveat Emptor. Tell whoever you buy from to double box and tightly pack anything you purchase that is above average weight - it seems some of the UPS gorillas have moved over to USPS and they are cutting costs on shipping.

FWIW: I sent an email to Fair Radio, asking for an RMA# and exchange since this unit is unuseable with the badly bent chassis and connector with bent and broken off pins. I figured the base \$100 insurance with USPS would cover them. Turns out USPS does not insure anything they ship! I never received any kind of response from Fair Radio. I'm surprised at that too - usually their customer service is good.

Date: Thu, 01 Apr 2010 14:33:57 -0400
From: rbethman <rbethman@comcast.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

UPS or FEDWREX Doesn't matter. I've watched the FedWrex delivery "dude" sneak up to my front step to leave a "bashed" in package that was VERY clearly marked "FRAGILE SWAROVSKI CRYSTAL". He NEVER knocked or even attempted to. I immediately contacted FedWrex. This was "Factory" packaged - Thank the Lord or whomever watches over packages! The Factory made good on the damage, and ensured that FedWrex was no longer involved

Date: Thu, 1 Apr 2010 13:35:50 -0500
From: "Les Locklear" <leslocklear@cableone.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

Z-501 is a well known high failure rate component. It would have gone south if it were hand delivered imho.

Date: Thu, 1 Apr 2010 14:36:18 -0400
From: "Shoppa, Tim" <tshoppa@wmata.com>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

My two cents... do not count on Email to Fair Radio to produce a timely response. The phone will be far more efficient. They're nice folks but I'm not really sure they've come out of the dymo-label typesetting age :-)

Date: Thu, 1 Apr 2010 11:45:21 -0700
From: "Rick Popovich" <RickP@uei.csus.edu>
Subject: [R-390] What a screw up and a rip off !!!

Well now I have to reply in response to Steve ... Before buying an item on the E-place I emailed the seller as I was concerned about packing. I sent several very detailed messages to him about how to pack the rig and he responded and acknowledged that it would be taken care of ... I even e-mailed again to see if he had any questions or needed clarification on any part of my instructions - he said no, everything was simple enough.

Bottom line: He didn't pack the item even remotely close to my

instructions; he only used tissue paper and newspaper (not even wadded up) to pack a near 40# radio in a USPS single wall box. Needless to say there was damage but surprisingly only to the bottom cover. The box was so badly mangled it's a miracle that it even made it to me - the USPS had to repair it at least (3) times that I could see.

Moral of the story is that even if the person says they will pack it properly they don't always do it. I had to go after the guy and luckily he offered a substantial refund which I took. The nightmares continue I'm sure...

Date: Thu, 1 Apr 2010 13:57:18 -0500
From: Grant Youngman <nq5t@tx.rr.com>
Subject: Re: [R-390] What a screw up and a rip off !!!

>.....even if the person says they will pack it properly.....

I have two beautiful radios "remanufactured" some years ago by Rick Mish. An R-390 and an R-390A. There's no way in h*ll I'd try to ship something this heavy if the day comes I decide to sell them (when I'm too old and feeble to move them around). I'll happily (well, maybe) settle for half of what they're worth if that's what required for a "pickup only" sale. Even reasonably well packed they could end up being delivered in kit form. If a buyer wants to hire a commercial mover to come and pick them up and properly crate them (which is the only rational way to ship something of this weight), that's great. But at that point, my hands are clean. I couldn't pack them properly, and there's no doubt that UPS would screw it up since they don't exactly have the facilities for doing much but to toss a few peanuts into some boxes and and give you a grin as you walk out of the store.

Date: Thu, 01 Apr 2010 15:21:22 -0400
From: rbethman <rbethman@comcast.net>
Subject: Re: [R-390] What a screw up and a rip off !!!

I'm one of those with more than one expensive hobby. The other one happens to be Amateur Astronomy. I ship expensive Optics and Optical systems all over.

This includes 4" refractors, 8" Schmidt Cassegrains, and boxes full of eye-pieces that go for almost \$700 ea. I have found that I and those I deal with are more than capable of packing these items properly. In the nine to ten years of doing this, Neither myself or the other side of the transaction has yet to have had damage or a claim.

The last heavy item I packed and shipped, went from Virginia to Colorado. It was one of only 50 made. The value at the original time of purchase was

over \$4K. I double boxed it, lined the inside of the box with builder's foam attached with "Liquid Nails", and the actual item was in a wooden box inside of all that - suspended by a welded steel mount.

It arrived without a single scratch.
I don't plan on repeating that anytime soon.
It can be done though.

Date: Thu, 1 Apr 2010 15:27:17 -0500
From: "Barry" <n4buq@knology.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

>.....I don't think I will ever use USPS again.....

I can understand being upset with with PayPal but not sure I would be mad at the Post Office. They could very well have delivered it and the fellow lie about receiving it. It came down to the Postal Service's word against the buyer and PayPal took the side of the buyer and left you out in the cold. That part does indeed stink.

Date: Thu, 1 Apr 2010 13:36:18 -0700 (PDT)
From: Steve Toth <stoth47@yahoo.com>
Subject: Re: [R-390] What a screw up and a rip off !!!

Rick I am in total agreement with you and Bob - pack it yourself and if you can't do that, insure the heck out of it with documentation proving the value:

When I purchased my R-1247 it was to be shipped from Florida. I was very specific about how it was to be packed and shipped - double boxed, foam or tightly wadded newspaper, Fed X ground, etc. and the seller agreed. It was shipped via UPS, and the UPS store packed it. It arrived with all four rear corner chassis corners bent over and the side panels bowed - single walled single box, loosely packed with old shopping bags and some pieces of soft white styrofoam. Luckily it was insured, and I was reimbursed for the estimated damages, but getting reimbursement from UPS insurance is a whole 'nother horror story (Luckily the fellow I bought it from was an honest guy).

After that I purchased one of the double walled boxes specifically for shipping R-390's from Dan Arney, double boxed the radio inside that using a another double walled HP printer box and used hard housing insulation foam on all four sides inside both boxes to ship the radio back to Rick Mish for repair and remanufacture. When I shipped the radio back to Mish and he subsequently shipped it back to me, the radio arrived both times with no damage, but the outer double walled box took a beating.

I'm probably being naive here, but it dismays me that people who are employed to ship and transport items for people can be so careless and irresponsible with that same property.

Date: Thu, 1 Apr 2010 15:54:33 -0500
From: "Barry" <n4buq@knology.net>
Subject: Re: [R-390] What a screw up and a rip off !!!

I recently bought an HP-8654A/8655A combo. When it arrived (via UPS), the box looked terrible. I feared for the worst but when I opened it up, the seller had rolled it in several layers of bubble wrap and it survived without any apparent shipping damage. I usually pack things with several layers of used carpet padding. While it is rather heavy, it protects quite well and it's free.

Date: Thu, 01 Apr 2010 16:52:02 -0400
From: Bill <bmarx@bellsouth.net>
Subject: Re: [R-390] What a screw up and a rip off !!!

Having shipped and received heavy radios for over 15 years with no damage I suggest the following. Pack it yourself. If you are confident it will survive a 3 ft drop without biting your nails then you did good. Double boxes with 4 to 6 inches of insulation in each box will ensure its safety. When buying, ship the seller the same box you would want to receive it in. I've done this a number of times. Why trust them to the packing. They don't know! I've shipped and received several R-390A's. To Rick Mish and another expert restorer. I've sent 9 radios to Howard. You know who he is. A number of 75A-4's, 32V-3's and 32V-2's, 51J-4's. Mostly all weighing more than the R-390A. I finally lost my favorite box to a well known guitarist who never returned my pet box. By then Arnie was out of those great boxes.

I use FedEx Ground only. They pick up at your home. Never a damage issue in all these years.

Date: Thu, 1 Apr 2010 14:41:26 -0700
From: "Rick Popovich" <RickP@uei.csus.edu>
Subject: [R-390] What a screw up and a rip off !!!

Yes Steve and Bob ...good point. However there is one caveat; If you are going to send your box you as the buyer have to accept responsibility if something does happen.

Another quick but true story: a few years back I sold a very nice, very clean EAC R-390A. The buyer was paranoid that I could not possibly pack

it properly even though I have never had anything I have shipped damaged in transit. He insisted that I use his box which was an exact recreation of the boxes these receivers were originally shipped in minus the crate. It got dicey when he also insisted I was responsible in the event of any loss or damage.

He also insisted he pay using the infamous PayPal. I told him that I could not in fairness to both of us accept responsibility using his shipping container. I told him the only way I would be responsible was for me to pack it in my boxes (with the appropriate charge for packing materials) and only then would I be able to accept his payment via PP.

He refused and in turn did the same ... he finally paid by cashiers check and I packed & shipped it in his container. No problems at all but I had to level the playing field.

Date: Thu, 1 Apr 2010 18:38:57 EDT
From: ToddRoberts2001@aol.com
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

>I recently ordered an R390A power supply.....

If you study how someone packs and ships a transformer it will tell you all you need to know about how much knowledge or care they have in safely packing and shipping heavy dense objects.

Date: Thu, 1 Apr 2010 16:50:56 -0700
From: "Ed Zeranski" <ezeran@ezeran.cnc.net>
Subject: Re: [R-390] USPS info (What a screw up and a rip off !!!)

OK, been watching this for a while.....

UPS, Universal Package Smashers. Lost several irreplaceable pieces due to their handling. Hard/impossible to get reimbursement. Just careless people.

FEDEX, Inane at times, break stuff but not as bad as UPS.

USPS, never lost a BoatAnchor but packing was done by the seller or me.

Date: Thu, 1 Apr 2010 18:50:34 -0600
From: <wb5uom@hughes.net>
Subject: Re: [R-390] What a screw up and a rip off !!!

Some of these stories are of course terrible. However, I do have another point of view. I grew up at and worked for a "package express carrier"

(that was the name before UPS and FEDEX came along and helped put the smaller guys out of business) Its true, stuff happens on a loading dock, some of it caused by ignorance or lack of attention.

In my time of working there I did it all. Pick up and delivery, unloading onto the conveyors, working the conveyors, loading the road trucks, driving the road trucks, a supervisor, and finally, an assistant manager.

So, I got to see it all. Not counting the "real accidents of stuff happens", a well packaged shipment has a good chance of getting to its destination in good shape. Anything less than well packaged is a crap shoot. And I saw many less than well packaged shipments that people just ranted over why we did not want to honor a damage claim. (and we took special care with high value items by seperately identifying them, loading them into lockable cages, then rolling the cage onto the trrailer for its ride to Houston or wherever- in fact I personally drove a \$100,000.00 valued box to Houston)

The automated conveyor system WILL destroy a weakly packed item. if your box is heavy it IS going on the floor with ALOT of stuff on top of it (we had a package weight limit of 100 pounds) and for a couple of years may job was to roam the road trailers trying to make sure they WERE loaded right and safe.

So anyway those days are gone and we now have the huge comglomerates. I prefer UPS , Rick Mish prefers FedEX. I guess its a tossup. just my .02 worth (adjusted for inflation)

Date: Thu, 01 Apr 2010 20:08:55 -0400
From: frankshughes@aim.com
Subject: [R-390] packaging

Rick Mish shipped my R-390A in something he called a "Fastpack". 4" to 6" of corrugated cardboard all around, w/ a separate inner chamber. It is designed to be re-used, very safe container.

Date: Thu, 01 Apr 2010 19:20:22 -0500
From: Tom Frobase <tfrobase@gmail.com>
Subject: Re: [R-390] What a screw up and a rip off !!!

I never miss an oppertunity to share my FEDEX pictures. I agree this box was not packed correctly, my issue was when the deliveryman dropped in front of my door and left! Thank goodness the radio was in a cabinet it took the hit! <http://www.kitparts.com/ebay/damage>

Date: Thu, 01 Apr 2010 20:01:36 -0500

From: "Francesco Ledda" <frledda@verizon.net>
Subject: Re: [R-390] What a screw up and a rip off !!!

I am an engineer, and I have a mechanical design team that also designs packaging for shipping electronics. These may be consumer, telecom or defense. Regulations require that the item must be able to sustain a drop of more than 3 ft on a corner, without any damage. I can tell you that a properly designed package and a properly designed product will go around the world without any problems, if it meets this requirement. Thirty years ago when in engineering school, I worked part time at the UPS sorting depot in Mesquite Texas. I did see many packages with very expensive electronics going through the depot; the government and industrial packaging was very good, but once in a while, I did see a broken box with its guts coming out; again, these were packages that should have been rejected by UPS before shipping for being not fit for transportation. When packing one of our beloved radios, we should ask ourselves if it can handle a 3 ft drop. If not, redesign the packaging.

Date: Thu, 01 Apr 2010 20:05:21 -0500
From: Richard <theprof@texoma.net>
Subject: Re: [R-390] What a screw up and a rip off !!!

The only way we ship the really expensive stuff at work is by motor freight. Crate it up and mount it on a skid with a shock-watch and tilt-indicator on all four sides. Usually you have a reasonably good chance of not getting burned. Of course shipping like that probably costs more than most people on the list pay for radios but when we ship a \$250K gewgaw cross-country we do like it to get there in one piece.

I have had stuff from Fair Radio get shipped to me motor freight TCC in the past (a radar test set that was too big for UPS). Then again my R-390A did show up in a cardboard box with newspaper stuffing. It had a bent corner on the front panel. Called Fair and they sent a replacement front panel at no charge. Good guys - been doing business with them since the seventies.

Date: Thu, 01 Apr 2010 21:09:50 -0500
From: Gary Pewitt <garypewitt@centurytel.net>
Subject: Re: [R-390] What a screw up and a rip off !!!

A few years ago I bought an RBB, RBC, and power supply from a guy I think lived in Montana or maybe Nebraska. He shipped by air freight (sorry I can't remember the company's name) and it arrived shrink wrapped on a pallet. I thought I would have to drive 40 miles to the Milwaukee airport to pick it up and have to take a day off to do it.

Instead they called me to ask when I wanted it delivered and showed up on time. There was absolutely no damage and the charge was -get this- less than UPS ground shipping. And much faster. Now that is service with a capital S. I have had the usual bad experiences with both UPS and FedEx. What can I say?

Date: Fri, 2 Apr 2010 08:54:06 -0500
From: "Barry" <n4buq@knology.net>
Subject: Re: [R-390] What a screw up and a rip off !!!

I may have mentioned this before, but it's worthy of mention again. Shipping via bus lines (e.g. Grayhound) is an excellent way to ship large, heavy packages. They typically just shuffle the packages between the buses at the small terminals so no overhead conveyers, etc. My first R390A came to me that way and, IIRC, it went on the bus at one end and didn't come off until it got here.

Date: Sat, 20 Nov 2010 14:25:13 -0500
From: wa4aos@aol.com
Subject: [R-390] WHATS IN A BOX??

Recently, I bought an HP 8566B spectrum analyzer for my electronics lab. The seller shipped the unit to me in a box made by Thermadore called a SHOC-STOP Box.. These are VERY TOUGH Hard Plastic boxes that are UPS and FedEx Proof. They are lined with very hard and dense foam. They are expensive, new, \$300 to \$500 and up depending on size. I studied the info at the Thermadore Web site as well as it's competitors and settled on the dimensions of 25x 25 x 22 for shipping R 390(A) receivers as I often do. I checked with ebay and found a seller who has a huge inventory of these containers, most are OD green but that is fine with me.. His cost was \$50 each and a little over \$50 each to ship them. I bought two of them to send out to customers who want me to fetch their units in for repair and or restoration. I had been using a couple of large cardboard boxes, one inside the other with 2 inch Styrofoam panels we cut to line each box. Although, the receivers were NEVER damaged coming in or going out, however, the outside box would be fairly ragged after 7 to 10 trips; this should be a non issue now with these boxes. The panels in these boxes had been pre-cut for some other equipment in the past but there was plenty there to cut and glue, with silicone rubber. to completely and securely surround a 390(A) with 4 to 10 inches of padding, depending on which side.

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=360235174774>

The pads had been spot glued together but with a little finesse, they were separated, then cut and glued to fit the 390's. We thought about allowing some wiggle room for bubble wrap but the foam panels are just PERFECT

for a large heave receiver.

I know many of the readers of this list would probably do their own repairs but I was thinking this might be a great way to transport your 390 should you move or just take it out for a weekend of fun.. Well, stranger things do happen.

Should the seller be out of the cases listed in the above link, his ebay name is WATERYCHASE The cases I received were in VERY GOOD Condition and are expected to last for years to come.

A few notes... This physical size calls for UPS oversize size 2 which presently will cost about \$50 to ship one way across country empty; figure \$100 to \$120 with the receiver inside. Shipping is expensive but the extra spent for a great container is worth the cost. These boxes are actually a little smaller than the double box arrangements I normally use.

Some UPS locations may charge a \$7 Non Corrugated fee, or RIP OFF fee or MAD BECAUSE THEY CAN't DESTROY THE CONTENTS fee. I had several plastic lined, steel cables made up with a loop in each end and with steel crimp on clamps to secure the ends. Next time I ship one out, I'll install a combination lock on the cable around the box and send the combination number to the customer via email, I will allow the shipper to view the contents before locking the box, should they care to.

Perhaps some readers of this list may be interested in a decent way of transporting their receivers for whatever reason..

73, Glenn Scott WA4AOS
DSM Labs www.dsmlabs.com
864 684 2956

Date: Sat, 20 Nov 2010 14:36:39 -0500
From: wa4aos@aol.com
Subject: [R-390] WHATS IN A BOX correction

In my last post..In my hast I listed the maker of these fine boxes as Thermodore... It is actually THERMODYNE.. Sorry for the error..

Date: Mon, 3 Jan 2011 11:25:08 -0600
From: Tisha Hayes <tisha.hayes@gmail.com>
Subject: [R-390] Transit Cases

You know, if someone had a few transit cases that could hold a large boat-anchor they could make some money by leasing out the enclosures to buyers/sellers for moving gear around. On large radios (+50 lbs) I am

running about a 50% chance that there will be some form of shipping damage, no matter if it goes FedEx, UPS, DHL or USPS. The best I have ever seen was a custom wooden shipping crate for an SP-600 It was mounted on a small pallet and held together with screws, steel bands and aluminum angle,

Date: Mon, 3 Jan 2011 14:22:17 -0500
From: Barry <n4buq@knology.net>
Subject: Re: [R-390] Transit Cases

Again, I think Hank is the go-to guy for these. I believe he made some of these especially for the R390[A] series and sold them to various members.

Date: Mon, 3 Jan 2011 13:29:31 -0600
From: "Cecil Acuff" <chacuff@cablone.net>
Subject: Re: [R-390] Transit Cases

Unless he has gotten back in the business he has none. Ordered a couple a while back and he couldn't deliver. If he has gotten back in that business I need to know about it...

From: Dave or Debbie Metz <dmetz@ntelos.net>
Subject: Re: [R-390] Transit Cases

I have such a transit case for sale. Its about 33"x24"x 20".(real ball park here) Former military fiberglass, top lid, huge foam packing. I would like to sell it but the problem is shipping it empty costs about as much as shipping it full because it's quite oversized. Dimensional weight is a killer. Last I checked, empty shipping was in the neighborhood of \$75 and up. (previously listed on this list but no interest) However, if you want to ship a 390, I am sure it could drop off the end of a 53'footer and no damage. Price: \$40 plus shipping or pick it up for free shipping! No rush on pickup either! I'd really like to see someone on this list get this great 390 shipping device. If interested, please reply off list and I will get exact dimensions so you can verify the dimensional weight to your qth.

Date: Tue, 4 Jan 2011 13:22:30 -0500
From: Jerry Boman <mdg11fbf@gmail.com>
Subject: [R-390] Transit cases

I have never used a transit case and considering shipping weights I would consider it impractical for most sellers and buyers due to added costs to ship. I have found the spray foam filled bag packing works best and if you are careful the equipment is more than well protected from all sides with about 6 inches of soft but firm packing all around. I have never sent or received a radio packed this way that ended up damaged. It's lightweight

and they can toss a 390A like a football if they are strong enough and it will still be fine. '73's, Jerry

Date: Tue, 4 Jan 2011 13:24:30 -0600
From: Ben Loper <brloper@gmail.com>
Subject: Re: [R-390] Transit cases

That's what I have done. A local packer actually builds the cardboard box and then foams it. I had one made for a 30L-1 and I've used it numerous times. They charged \$35 to make the box and foam it.

Date: Tue, 4 Jan 2011 13:20:17 -0800 (PST)
From: Bryan Stephens <bryanste@yahoo.com>
Subject: Re: [R-390] Transit cases

Any tips for using the spray foam method? Is it as simple as filling a couple of suitable size plastic bags for the top and bottom then sandwiching the item for shipment? Will standard foam stay soft long enough to acquire the shape of the item? Which kind of foam would be best? Near-term I need to ship an o-scope for repair (Tek 465B).

Date: Tue, 4 Jan 2011 17:06:58 -0500
From: "Judi and Bernie Doran" <cooner@embarqmail.com>
Subject: Re: [R-390] Transit cases

Be careful using foam, it works great but only use MODERATELY expanding foam. some of that stuff does produce a lot of force. -

Date: Tue, 4 Jan 2011 22:59:06 -0500
From: Roy Morgan <kllky@earthlink.net>
Subject: Re: [R-390] Transit cases

I *think* folks are referring to the professional setups found in some not all UPS central hub facilities and other industrial places. Big investment to equip yourself. I suppose one could use enough cans of "Good Stuff" (Great Stuff?) spray foam from the home store to do the job, but I think the cost might exceed having it done for you at the shipping point. And the resiliency of the foam may be less (more rigid) than the shippers material.

Date: Wed, 5 Jan 2011 08:11:30 -0500
From: William A Kulze <wak9@cornell.edu>
Subject: Re: [R-390] Transit cases

My first job after the AF was with a mfr of diode and rectifier assemblies. Some high Vf and high Ir models where larger than you would think. The

actual test of the packaging was to take it to the roof and drop it into the parking lot! I think the spec was 25', but that's how they did it!

Date: Wed, 05 Jan 2011 08:32:26 -0700
From: george stringe <egnirts@comcast.net>
Subject: Re: [R-390] Transit cases

Check this link out and watch the video.
Not cost effective for the occasional user though.
<http://www.ezflofoam.com/>

Date: Wed, 05 Jan 2011 10:39:49 -0500
From: rbethman <rbethman@comcast.net>
Subject: Re: [R-390] Transit cases

Folks, it is ONLY the BIG UPS centers that have this type of equipment. The "local" UPS store DOES have the bags, and the dual chemical compounds in bags that are sized for different boxes. These are the break the barrier between the two halves and mix rapidly, insert in box, place item to be shipped. One "might" have a chance of procuring the necessary components from said location.

Date: Wed, 05 Jan 2011 08:52:54 -0700
From: george stringe <egnirts@comcast.net>
Subject: Re: [R-390] Transit cases

here ya go..
http://www.sealedairprotects.com/NA/EN/products/foam_packaging/instapak-quick-rt.aspx

http://www.sealedairprotects.com/NA/EN/products/foam_packaging/instapak-quick_purchase.aspx

Date: Wed, 5 Jan 2011 11:23:11 -0600
From: Tisha Hayes <tisha.hayes@gmail.com>
Subject: [R-390] Insta-Foam

I learned a tough lesson with "Great Stuff". Do not try to use it as a gap filler around window frames where there is not much room for it to expand. I used it and it blew the drywall off the wall with the force as it expanded and cured. It also warped the window frames and made it difficult to open the windows. It is great for really tiny applications like plugging the gap around a piece of conduit that you are using as a wall penetration for a coax cable. The mix and pour type packing foams are safer to use (will not blow the cardboard box apart). I did not know about UPS as being a source. I think the "closed cell" SPF type material used in

building insulation also OK. Be careful of the "open cell" materials.

Date: Wed, 5 Jan 2011 12:27:19 -0500
From: William A Kulze <wak9@cornell.edu>
Subject: Re: [R-390] Insta-Foam

I experienced similar things with it. I did see some Great Stuff a couple weeks ago that has lower pressure expansion and is intended for window and door casements. Blue can instead of red, I think. Learned the hard way that you only want to fill the space about 1/3 or so when spraying. Boy, did I do a lot of trimming!

Date: Wed, 05 Jan 2011 12:36:00 -0500
From: rbethman <rbethman@comcast.net>
Subject: Re: [R-390] Insta-Foam

Yep! UPS does the "Insta-Foam". However, you need to either watch them do the job, OR, have experience with the "specific" location. DON'T pay them to pack items and then leave it with them to do! I did that ONE time! I paid for "Foam in place". They did it for the BOTTOM of the box ONLY! Then stuffed the top with foam peanuts! Unfortunately the recipient would NOT provide me with pictures. So I had no way to go back to them and raise holy hell. I'd rather purchase the materials, and do it MYSELF!

Date: Wed, 5 Jan 2011 12:04:24 -0600
From: Ben Loper <brloper@gmail.com>
Subject: Re: [R-390] Insta-Foam

I remember at one time you could buy bags that had the foam compound in them I think you broke a capsule in them and they started to expand. They came in different sizes and you activated them. I found a local professional packer that actually makes a box and then foam packs it and ships. The foamed box was \$35 since I have several pieces of S line sized radios I had them ship a 75S-1 and I've used that box several times We're all fellow travellers to the grave.

Date: Wed, 5 Jan 2011 11:52:46 -0600
From: "Cecil Acuff" <chacuff@cableone.net>
Subject: Re: [R-390] Transit cases

My Local doesn't even have that. And don't trust the so called "UPS Stores" franchise to have it or do it properly for that matter. I've not had good luck with them on heavy items I have received.

Date: Wed, 5 Jan 2011 11:17:49 -0800
From: Dennis Wade <sacramento.cyclist@gmail.com>

Subject: Re: [R-390] Transit cases

Looking at their FAQs, it would appear that the material would not be suitable for a 390* class item. See:

http://www.sealedairprotects.com/NA/EN/products/foam_packaging/instapak-quick_calc.aspx

and note that the max weight for any surface area is 50 lbs.
Am I mis-reading something?

Date: Wed, 05 Jan 2011 12:39:55 -0700
From: Robert Moses <rhmoses@earthlink.net>
Subject: [R-390] Packing

I am going to post the stuff that I sent directly to the person that started this discussion:

To ship stuff one thing that offers a great deal of protection is to get a box 8 inches bigger than the item that you want to ship in each dimension. This will give you 4 inches on all sides of foam protection. Then get a plastic bag and add rigid urethane foam (the kind that you get in a building supply store) to the inside of the bag to a depth of 4 inches and work the bag around so that when the foam sets up there are no major voids under or around it. Let the foam set up to provide a base. Next place the radio on the center of this bed and create foam filled bags around and over it so that it is not able to shift once the foam has set up. You can get 2 basic 'flavors' of foam: the kind that expands forcibly and the kind that does not. If you get the kind that expands forcibly then cover the radio top, front, back and sides with 1 inch foam rubber (upholstery shop) to prevent deformation and breakage. If the foam expands so that the box cannot be closed then a long knife can be used to carve off the high spots. Be sure to include the address information inside as well as outside in case the outside label is damaged. Oh, BTW one last thing: Wrap the radio in its own plastic bag so that if there are any leaks then you will not have a big mess getting the foam off of the radio. The foam is expensive, but it will cost a great deal less than shipping an empty crate around.

In response to a horror story: Interesting, but if you follow the packing instructions (including 4 inch set back from carton walls) I think that you will be pleased with the results. The rigid foam is pretty amazing stuff for packing and it prevents ANY shifting in transit. Be sure to have the carton stamped 'heavy'! This will not protect against gunfire, drops over 3 or 4 feet onto hard surfaces, being run over by vehicles or machinery, or being skewered with a lift truck fork. This type of abuse can best be dealt with by first contacting the shipper's claims department and if needed going to

court. Even without insurance the shipper has a contractual responsibility for due care.

In response to a description of an elaborate packing system: Popcorn, small bags, and other small packing materials will shift during transit. When your radio reaches the side of the package there is no longer any protection and the sharp edges of the radio also make quick work of the carton causing rapid loss of the packing and the carton (and radio). My suggestion is the best compromise between cost and security that you will find. The packing will cost about 20 to 30 bucks. This is not too bad and the security of a single use container is then almost as good as the expensive multi use containers without the shipping cost for empty containers or high purchase price or storage. Happy listening. BTW I did not suggest using 2 nesting cartons. My way is easier and more secure.

As mentioned in the discussion cutouts around knobs and connectors front and back is a very good idea.

Date: Wed, 05 Jan 2011 15:38:15 -0600
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] Transit cases

Foam in place system you are talking big bucks. The system I had in my shop for close to 20 years used two 55 gal drums for A & B chemical from Sealed Air Corp was over \$5000.00 had a 1.2 PCF density with 4 inches It would protect a R-39XXX for one or two drops with limited memory retention, it was a true PITA to work with for ones and twos nothing would cut the A chemical you had brown hands for a few days until it wore off. By far it was not cheap and not the best way to pack a "BA" Bead board Styrofoam is the cheapest and by far better than FIP I spent 25 years in the custom packing shipping and crating business. I used to furnish a custom Quad wall box with cut and fit bead board for \$50.00 empty plus shipping for overweight 30# UPS 24x22x15 and sold a lot of them to list members and I personally had a box make 10 trips out and back with no damage. And I do not know of any of the custom boxes that I made ever had any damage claims. Hank KN6DI

Date: Wed, 5 Jan 2011 17:41:55 -0600
From: "Les Locklear" <leslocklear@cableone.net>
Subject: Re: [R-390] Transit cases

I can attest to the durability of the boxes Hank used to supply. One of the R-390A boxes made eight (9) trips before it showed signs of wear. It was a bargain imho.

From: Rick Popovich <RickP@uei.csus.edu>

Date: Wed, Jan 5, 2011 at 4:20 PM
Subject: RE: [R-390] Transit cases

Well after reading all the banter on this subject I've got to add my 2?. The last message had it just about right: I Use a double wall box, use the sheet Styrofoam insulation available at most home improvement stores (I use the 1.5 inch thick material) cut it to fit, with a minimum thickness of 4" on ALL SIDES. What I have learned that REALLY adds the biggest measure of additional protection is cutting pieces of single wall scrap cardboard to fit around the item BETWEEN it and the foam, and in most cases BETWEEN each sheet of foam as well. You can find tons of scrap cardboard behind your local supermarket or strip mall for FREE. The key is getting the item as tight as possible in the box while still allowing it to move in the event of a fall or serious shock. The cardboard prevents the foam from being cut into which is the biggest cause of damage. Once the sheet foam gets damaged the it can further be "eroded" or cut up by sharp edges if the internal area for movement becomes excessive.

I've received items which the seller was kind (and smart) enough to follow my packing instructions (I paid him for it) and it was clearly evident that the box had been dropped, fallen or put at the bottom of a pile in transit and while some of the sheet foam had become slightly compromised the cardboard buffer sheet(s) prevented the radio from being damaged even when it was able to move inside the box.

I have used this method for many years and have NEVER had an item damaged (I've shipped R-390's, SP-600's and boat-anchors weighing over 100 lbs.) and in the one case where the box got dropped and a dial got cracked (allegedly in transit), the subsequent claim was paid IN FULL by Fed Ex.

It's a time consuming procedure but it has earned me rave reviews from buyers and piece of mind when I have something is coming to me.

Date: Thu, 3 Mar 2011 16:43:39 -0500
From: "Dana Cobb" <objoyful@tampabay.rr.com>
Subject: [R-390] Shipping heavy boat anchors overseas from USA question

I'd like to ship a 45 pound boat anchor RF amp to Poland from Florida. I checked with the USPS and they want \$760 dollars. UPS, thinks \$825 would be the right price. Fedex is even worse I'm told. How do you folks ship R 390 radio's overseas? Any help would be appreciated.

Date: Thu, 03 Mar 2011 17:03:39 -0500
From: "James A. (Andy) Moorer" <jamminpower@earthlink.net>
Subject: Re: [R-390] Shipping heavy boat anchors overseas from USA

Find someone who is flying back from Poland and pay the excess-baggage/overweight fee to take it on as luggage. Guaranteed the cheapest way. Since the USPS dropped sea mail, there has been no good way to get heavy stuff back across the pond.

Date: Thu, 3 Mar 2011 14:08:39 -0800 (PST)
From: Mack Rogers <n4vgb@yahoo.com>
Subject: Re: [R-390] Shipping heavy boat anchors overseas from USA

Check with the airlines.

Date: Thu, 03 Mar 2011 18:38:44 -0500
From: "Howard Weeks" <weeksh@att.net>
Subject: Re: [R-390] Shipping heavy boat anchors overseas from USA

Haven't used it lately, but in the past (15 years back) I found that common air cargo was far less expensive than any other form of shipping. Find an airline that flies to Poland and find out what they want to ship it. The addressee may have to go to an airport to pick it up but that is usually doable. I have shipped as much as 1500 pounds of radio equipment that way to and from Germany. At the time, the price was about \$1 per pound.

Date: Thu, 3 Mar 2011 19:56:59 -0600
From: "Les Locklear" <leslocklear@cableone.net>
Subject: Re: [R-390] Shipping heavy boat anchors overseas from USA

Back in 2001, I had a Racal RA-17 shipped from Calgary, Canada via air freight to Gulfport. \$53.00. I had to pick it up at the airport about three miles from the house.

Date: Thu, 3 Mar 2011 21:06:39 -0500 (EST)
From: ToddRoberts2001@aol.com
Subject: Re: [R-390] Shipping heavy boat anchors overseas from USA

Hi, there is something about shipping to Poland that USPS requires GXG (Global Express Guaranteed) that is the most expensive way to ship. It would arrive in Poland in 3 days guaranteed. If you were shipping an item to a place like Switzerland you could use a cheaper service like Priority Mail International and the price would be half or less. Also USPS cost is cheaper if you pay online vs pay in person at the Post Office. They may have accounted for that in the \$760 price. As always you will need to pack everything securely and possibly ship the transformer and tubes separately. Shipping air freight to and from an airport sounds like the cheapest way as others have mentioned.

Date: Fri, 04 Mar 2011 09:21:34 -0600
From: Barry Williams <ba.williams@charter.net>
Subject: Re: [R-390] Shipping heavy boat anchors overseas from USA

At those prices, maybe it's worth checking into lessening the weight/price by taking out the power supply and shipping it separately.

Date: Fri, 04 Mar 2011 09:28:06 -0600
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] Shipping heavy boat anchors overseas from USA

Try UPSSCS or freightquote. UPSSCS is UPS supply chain solutions both have websites and toll free numbers. Request terminal pick up in Poland. You should use a business name for the best price. Freightquote will use UPSSCS as one of its servers at a discount. Hank KN6DI

Date: Fri, 4 Mar 2011 19:28:58 +0100
From: "Bruno Ortega" <brunieves@radiovision.es>
Subject: Re: [R-390] R-390 Digest, Vol 83, Issue 10

I have a lot experience in import Boatanchors, but from the US to Europe. If you want import from Poland, may be an EKD receiver? If yes, there is a very heavy radio (25 kgs), and in Poland, people not used to packaged well...I know by experience....A heavy radio must be packaged very well, in double box, in order to avoid damages. My two EKD's arrives damaged by blows, to a bad package.

In my experience importing heavy radios, the best way is FEDEX. You must find someone who has an account with them. So, shipping are cheaper I remember, my R-390A was shipping by a friend with account in FEDEX, cost about US\$ 400. Same cost had this year to ship a panadaptopr BD-1031C that Rick Mish sent to me in a monster box by Express Mail International (was more cheaper than FEDEX).

I don't know what companies shipping from Poland to the US, but another well option would be sending palletized, by Air Freight Cargo (UPS has a service UPS AIR FREIGHT DIRECT (This can be door-to door or airport-to airport); also
DBSchenker(<http://www.dbschenker.com/site/logistics/dbschenker/com/en/start.html>) may be AIRPORT-TO AIRPORT.

Date: Fri, 12 Jan 2007 09:31:10 -0600
From: "Cecil Acuff" <chacuff@cableone.net>
Subject: [R-390] FedEx

I learned something this morning reading the local paper that may

explain why I've seen such a disparity between the quality of service provided by FedEx across the country. Many of you have mentioned your preference for FedEx in the shipping of heavy radio gear and many have had less than positive things to say about UPS. My experience here has been for run of the mill items FedEx does a pretty good job....no better or worse than UPS or USPS for that matter. But when large heavy items are shipped I have had some real problems with FedEx. I have mentioned before the guy that came down the driveway and sidewalk to my door with a packaged boat anchor spilling parts all along the way from a tear in the side of the box. The delivery guy didn't think anything of it...just wanted a signature to verify delivery.

Learned this morning that FedEx drivers are actually contract employees. They own the trucks they drive and have them Logo'd to the FedEx standard. (sometimes). I have noticed that at times my deliveries are made in unmarked vehicles such as Chevy vans or even SUV's at times. Had one lady pull up in a Honda car and pull a package out of the trunk. Their dress is always varied as well.... All of this points to confirm the newspaper articles enlightening info about how FedEx works. The article was mainly about a driver that was arrested for making a drug delivery on his route. The delivery was not part of the contracted package delivery but was disguised as being official because he was on his route and driving a marked truck that also contained FedEx packages for delivery, so all looked like business as usual. Interesting stuff....might help explain the difference in quality of service provided by them.... I still believe the best defense is the quality of your packaging.....get that right and the rest becomes less important. Cecil....

Date: Fri, 12 Jan 2007 09:47:17 -0600
From: Dan Arney <hankarn@pacbell.net>
Subject: Re: [R-390] FedEx

You partially correct. FEDEX Ground drivers and FEDEX Home are as you say. Th real Fed EX trucks are all company owned and drivers. Fed EX Freight heavy are the former truck lines that Fed EX bought and they are mostly contract employees. UPS Supply Chain Solutions is another by out contract Company and very competitive on air, ocean and ground for over 150 pounds.

Date: Fri, 12 Jan 2007 08:19:02 -0800 (PST)
From: Don Merz <n3rht@yahoo.com>
Subject: Re: [R-390] FedEx

Yes, they are contract drivers. So in the first and last few miles of each delivery, the quality of service will vary from place to place. Rural areas suffer because they don't get high quality contractors to bid (they have to

bid) for the routes. However, all that being said, for the same quantity and quality of packaging materials, through years of experience with both UPS and FedEx, I can safely say that you will have fewer claims with FedEx. If I had to rank services by claims experience, my ranking looks like this, best to worst:

FedEx
USPS
UPS

That's my honest experience. I'm not a FedEx stockholder and have no pecuniary interest other than a desire to have no-zero-none-nada shipping claims. FedEx has done that for me over the last 9 years and 2,000 plus shipments.

Date: Tue, 13 Dec 2011 21:06:08 -0600
From: Randy and Sherry Guttery <comcents@bellsouth.net>
Subject: [R-390] OT - ART-13 info / help / parts / suggestions.

Please forgive the off topic post - but I'm hoping no one seriously minds me trying here for some good quick info about the ART-13

I recently shipped one that we'd had for some time but never did anything with it. In spite of packing very well - UPS managed to damage the case. It appears it took a very hard impact on the end such that the upper right front handle is shoved to the right such that the panel the handle is mount to is bent pretty bad. Here are some pix:

comcents.com/art1.jpg before and after from the top
comcents.com/art2.jpg before and after from the front
comcents.com/art3.pdf before overall view.

Since I've never had an ART-13 apart - I'm hoping someone can tell me what it takes to fix this - as in what parts would have to be replaced - or how practical it would be to try and straighten that aluminum out... If replacing parts is practical - how available are they - and roughly what would they cost? It kinda looks like that corner panel is replaceable without replacing the whole case - but obviously - I have no real clue.

UPS is willing to pay some reasonable amount (since it was insured and packed very well) so what would be a "reasonable" amount? (BTW the guy paid \$127.50 for the radio plus shipping). Thanks - both for any info - and for being tolerant about a thoroughly off-topic post...

> Those links didn't work - try these:
>
> <<http://www.comcents.com/art1.jpg>>
> <<http://www.comcents.com/art2.jpg>>
> <<http://www.comcents.com/art3.pdf>>

Date: Wed, 14 Dec 2011 10:40:25 -0600
From: Randy and Sherry Guttery <comcents@bellsouth.net>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions.

Your case was undoubtedly major dollars - this case is looking like \$30-40... They seem ready to pay at that level... Thanks for your thoughts...

Date: Wed, 14 Dec 2011 19:44:54 -0600
From: Barry Williams <ba.williams@charter.net>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions.

I wouldn't be so sure yet. I had a well packed scanner that I sold to a guy in Texas. The box was punctured by something sharp that cut the screen of the scanner, and there were parts rattling around inside. The buyer shipped it back to me and I contacted UPS. It took a lot of long distance phone calling just to get someone to listen to my story. I ended up talking to a regional manager in Birmingham, Al. A sarcastic inspector came out and asked if it was still under warranty, which it was. He told me to send it in for a warranty repair. The only way I got my money for the damage was my wife witnessed that statement and UPS didn't want a fraud complaint from us. They paid up but they let me know they didn't want to. As Tony Soprano would say, "whatcha gonna do?"

Date: Wed, 14 Dec 2011 22:49:43 -0500 (EST)
From: Paul Dulaff <pdulaff@embarqmail.com>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions.

FedEX did better by me.

Guy sends me a nice SP-600. Guy did a terrible pack on the set. He used a throwaway style beer cooler for packing material inside a single cardboard box. The set didn't even fit in the cooler. He just cut out parts of the corners and laid it against the set. Packed with peanuts and set was loose inside a big FedEx box. Needless to say, got here with a hole in side of the box where the set bashed its way thru the box. Wife signs for box accepting shipment(!) and delivery guy runs off. I explain to her to check shipments from for damage. Don't accept busted containers !

SP-600 chassis was trashed. Made claim and FedEx paid in full ! They

took the set, but I got all my money back. Tragedy, as the SP-600 was nice.

Date: Thu, 15 Dec 2011 11:50:55 -0500

From: "Todd, K1KKAQ" <kalkaq@gmail.com>

Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions.

I'll add my FedWrex experience as well, since it might help someone else filing a claim.

A few years back I blew the modulation transformer in one of my big AM transmitters. I hand delivered it to Gary, WZ1M at a hamfest, who rewinds them. He did a very thorough job, documented with photos, and sent it back to me. It was mounted on a wooden based, solid foam pieces all around the top and sides, boxed in a double-walled box, then all repacked in a larger box. Transformer weighs 40 lbs or so, total package weight was 50-60 lbs.

I should add too, that I was living in VT at that time, almost next door to Maine.

The box arrived looking more like a soccer ball, now visible corners and filthy black. There was a tear in the box, so opened it more and checked. All appeared well, so I accepted it. Later when I had it in the house and had time to finish opening it, I discovered that one of the cast iron frames was snapped. Probably a half inch thick or better, snapped clean through.

Long story short - I took plenty of pictures and spent hours on the phone. Since it wasn't a current piece of available technology (1952 vintage), they said it was obsolete and they didn't want to pay me, despite the fact that it was clearly their fault.

I found a 2004 catalog listing online from Peter Dahl listing the cost to rewind this particular transformer, \$450. I provided them with this info and they paid, even though it was 3-4 year old data at that point. It was a long process to get the frame welded and transformer rebuilt and tested, but it finally worked out. Chances are slim that I'd have gotten anything out of them if not for some solid way to prove value. It was insured, but that made no difference. They didn't want to pay without documentation of value, period.

Later I talked with someone with intimate knowledge of their handling processes, since he had a similar problem. Seems certain workers detest heavy boxes and therefore drop them on the floor and kick, slide, skid, or otherwise drag the package from point A to point B. It certainly explained the way my box looked, filth and all.

They all damage stuff, it's just a matter of time until it finds you. They're in business to make money, not mollycoddle packages. Proper packaging makes all the difference and takes a lot of time and material to do right. But when it's your turn, it won't matter. Forklift tine, 6 foot drop, spiteful idiot employee, overturned truck - it happens. At least in my case I had a good decade plus of shipping and receiving items without issue.

This is undoubtedly the worst time of year to ship anything, in case it's not already obvious.

Date: Thu, 15 Dec 2011 12:19:52 -0500
From: Barry <n4buq@knology.net>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions.

I'll second that. I buy coffee online and they ship FedEx. Usually no problems, but I happened to order last week. It left NJ last Thursday and made its way to just north of Atlanta. Then, instead of heading to northern Alabama, it went to a small town just south of ATL. It sat there for a day or so and then FedEx decided to give up and let USPS give it a try (something called "Smart Post"). It's supposed to be here today. Holiday traffic...

Date: Thu, 15 Dec 2011 12:17:57 -0600
From: Tisha Hayes <tisha.hayes@gmail.com>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions

Is it just the faceplate that is bent in? Has it crushed or warped the chassis or frame? In the past I had success in fixing mangled front panels by using a sheet of plywood on a concrete floor and a piece of 2" x 4" with a mallet to bang on the 2x4 to flatten out the facepiece.

Date: Thu, 15 Dec 2011 15:33:47 -0600
From: Randy and Sherry Guttery <comcents@bellsouth.net>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions

I think your method may be usable here - after a fashion... That is a "corner" piece - so it has to be "restored" to a 90 degree corner. Being aluminum - probably "doable". The buyer decided \$40.00 was enough to satisfy him - so the claim went in this AM. I've also heard from a couple of people that think that corner piece is replaceable (along with the chart holder doo-dad) - so there are "possibilities". Main thing is to make the buyer happy (and he seems to be quite reasonable about this - I've had some buyers who wouldn't have been happy with anything less than "NEW!"). thanks for the input!!!

Date: Thu, 15 Dec 2011 15:59:49 -0600
From: Tisha Hayes <tisha.hayes@gmail.com>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions

Dredging way back into my memory, the tooling that the machinists had that could have done that is called a "brake press". I never did any of the machinery work but could double check their machine alignments with a dial gauge, calipers and those little plastic pieces of string to measure gaps between metal parts when they are bolted together (I have a mental block on the commercial name of the plastic spaghetti stuff).

I was just the engineer but had to be on-hand during overhauls to make field decisions on changes. Electrical/ Electronic/ RF was my primary area but when you work in the oil industry you also need to know mechanical and chemical engineering because you never knew what sort of project they would assign to you.

Date: Thu, 15 Dec 2011 17:31:14 -0500
From: rbethman <rbethman@comcast.net>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions

That would be Plastigauge.

Use the correct color for the range desired to measure the clearance.

Date: Thu, 15 Dec 2011 19:29:11 -0500
From: "Steve & Carol" <srosenb2@nycap.rr.com>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions

Tisha I think it was called Plastie Gauge. I used it back in the day to measure the space between a chank shaft and the bearing. The value was determine by how much is spread out.

Date: Thu, 15 Dec 2011 21:12:18 -0600
From: "KA9EGW" <ka9egw@britewerkz.com>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions

Plastigage. According to Google Summt Racing has it online, but you can probably get it at the local auto parts store that deals to the trade...

Date: Fri, 16 Dec 2011 10:33:15 -0600
From: Barry Williams <ba.williams@charter.net>
Subject: Re: [R-390] OT - ART-13 info / help / parts / suggestions.

I bought a RBL-5 from a guy in L.A. for \$50. Les Locklear had steered me to the auction and I got it. After a week or so I contacted the owner. He tracked it missent to someplace like Minnesota. Told UPS it was originally addressed to me in Alabama. They sent it back to L.A., and he resent it but it ended up in Texas. More of the same communications and it was finally shipped to me. It was in UPS transit for about 3 weeks!

The box looked like the proverbial soccer ball. Rounded corners, torn corners, and signs of abuse. I dreaded opening it, but out rolled a huge ball of small pieces of foam held together with duct tape. I rolled it out on the floor and began untaping about 50-60 pieces of foam. The radio was in mint condition. Tubes were still seated well in the sockets, etc.

Date: Wed, 30 Jan 2013 22:47:28 -0500
From: "Todd, K1K1AQ" <kalkaq@gmail.com>
Subject: [R-390] Shipping Receivers Across the Pond

I'd like to tap into the vast experience of some of the members here who have shipped R-390As and other sets to our cousins across the Atlantic. It's been many years since I shipped anything bigger than tubes, and the choices have changed considerably.

At this point I am halfway through a trade with a listmember here. Last year he shipped me a beautiful Murphy B40D receiver with accessories, in a nice fiberglass container approximately 34" square with small casters. I have here for him the R-390's predecessor, a very nice R-388 receiver, matching speaker and a few other bits like connectors. The desire is to use the same container to ship it all back. How to pack it is not the issue. How to ship it is. I keep hitting dead ends which means I'm not doing something right.

It appears that I can send the receiver double boxed for somewhere in the \$200-\$300 range, but adding in the container really skews things due to the overall size plus weight formula. Fully packed the container will only be somewhere around 75-80 lbs I'd guess. Certainly not more than 100 and likely much less.

Since everything goes by air freight now, FedWrex wants somewhere are \$1200 last time I checked and UPS isn't much better. It seems like this mini container should go for under \$500.

I've got a major airport nearby with several carriers and a Customs office.

Being an individual and not a business makes it far more than just a maze
-
it makes it downright difficult to figure out.

Anyone here have recent experience with overseas air freight? Since the baby arrived in November I've been 'distracted' a bit for lack of a better word but I'd like to get Pete's radio to him before it turns to dust. And I know he'd love to have it!

Date: Wed, 30 Jan 2013 22:53:40 -0500
From: Ben <brloper@gmail.com>
Subject: Re: [R-390] Shipping Receivers Across the Pond

You should just buy a plane ticket and check it as a bag, at least you get a trip out of it

Date: Wed, 30 Jan 2013 22:49:21 -0600 (CST)
From: nryan@mchsi.com
Subject: Re: [R-390] Shipping Receivers Across the Pond

Anyone of you have experience with DHL? I myself do not, but am just throwing this in for discussion.

Date: Wed, 30 Jan 2013 23:57:29 -0500 (EST)
From: ToddRoberts2001@aol.com
Subject: Re: [R-390] Shipping Receivers Across the Pond

It appears that I can send the receiver double boxed for somewhere in the \$200-\$300 range, but adding in the container really skews things due to the overall size plus weight formula. Fully packed the container will only be somewhere around 75-80 lbs I'd guess.

Certainly not more than 100 and likely much less. I would skip using the large container then. All it does is add bulk and weight, two things you don't need when shipping an item air freight across the pond. What's wrong with double-boxing?

Date: Thu, 31 Jan 2013 00:55:42 -0500
From: "Todd, KAlKAQ" <kalkaq@gmail.com>
Subject: Re: [R-390] Shipping Receivers Across the Pond

Nothing at all. Even checked it out already just to see the cost difference. I guess I wasn't clear in my original post. The container belongs to the fellow that the R-388 is going to. He sent it to me with a receiver inside, it needs to be returned with the R-388, hence the request for air freight

experience. Sorry about that.

DHL was an option a couple years back, before they filed for bankruptcy protection or some such thing here in the states. They were still doing business overseas into the US, though. They actually cleared it through customs for me. I did see one of their vans yesterday, so perhaps things have improved. They were always a much cheaper alternative to FedEx or UPS.

Date: Thu, 31 Jan 2013 12:59:04 +0100
From: Heinz Breuer DH2FA <dh2fa@dar.c.de>
Subject: Re: [R-390] Shipping Receivers Across the Pond

Hello, years ago I had good experience with freight forwarders such as EMERY WORLDWIDE now renamed UPS SCS Supply Chain Solutions. These freight forwarders ship consolidated airfreight at largely discounted rates (they have a contract with an airline and combine individual packages with a HAWB house airway bill under an airline Master AWB). Around the year 2000 I paid little over \$1/lbs from FRA Frankfurt Germany to SFO San Francisco, CA when I delivered a 200lbs wooden crate with a 150lbs Rohde & Schwarz EK 07 receiver to the airport and the buyer picked it up in SFO and did customs clearance himself. Consolidated airfreight does take a few days, usually it is not on the next available flight.

Freight forwarders offer local pickup, delivery and customs clearance but this was more than the actual airfreight. These freight forwarders usually have offices at major airports. Check your phone book or the internet.

BTW nowadays wooden crates need to be certified bug free to enter the US and 9/11 placed some other burdens as well. vy 73 Heinz DH2FA, KM5VT

Date: Thu, 31 Jan 2013 08:16:22 -0600
From: "Francesco Ledda" <frledda@att.net>
Subject: Re: [R-390] Shipping Receivers Across the Pond

We shipped few Collins URC-93s (120lbs/each) from Italy to Virginia and Texas for about \$500 each, if I remember correctly. The freight company (Bartolini) shipped by air to their North East hub, and then by truck (Fedex) to the final destination. <http://www.brt.it/en/index.do>

The units were well packed and received no damage. My experience is that all the shipping carriers are the same; the radio will survive the shipping, if correctly packed. A R390 in a single layer carton box immersed in packing peanuts means a destroyed radio, no matter which carrier is used.

I work for a large company, and we have many engineers that design packaging solutions. A properly design package will survive a 5 ft corner drop. We test them for that.....

Date: Thu, 31 Jan 2013 09:31:27 -0800 (PST)
From: Richard Green <k7yoo@yahoo.com>
Subject: Re: [R-390] R-390 Digest, Vol 105, Issue 27

Contact Burlington Air. I know of several folks that use them. You may want to network and use a company that ships similar items to "piggyback" on their shipper discount deal. I do this at our factory and reimburse them for the charges. skip

Date: Thu, 31 Jan 2013 21:45:02 -0500
From: "Todd, KAlKAQ" <kalkaq@gmail.com>
Subject: Re: [R-390] R-390 Digest, Vol 105, Issue 27

Thanks Skip, Heinz, and others for the Freight Forwarding and similar suggestions. I also located the email this morning received from the fellow who handled the B40D for me when so I'm going to contact him for ideas locally. As well, Pete says the shipping container isn't a must-have, so that opens up more possibilities.

Date: Fri, 8 Aug 2014 15:19:40 -0500
From: Tisha Hayes <tisha.hayes@gmail.com>
Subject: Re: [R-390] R-390 Shipping Containers

>I may be shipping a couple of pristine R-390

Getting back to something that is actually On-Topic for this list can we discuss the right way to ship these radios? It seems that the topic comes up with some regularity and a good radio can be completely trashed in bad shipping. As these move about the world I doubt anyone still has the original wooden crate and double boxed way of sending things.

I had a couple of opinions on it;

1. Pull all the tubes and box them separately.
2. If you can pull some modules like the power supply, audio or IF decks, ship those separately.
3. Fill the radio with cut-to-fit foam blocks to keep things from moving around.
4. Make a frame (even a wooden one) for the edge of the front panel.
5. Double box... the right way, with the corners supported on the radio and between the double box layers.
6. Possibly do the expanding foam pour technique.

Other concerns;

- a. Do not trust UPS, Fed-Ex, shipping companies to pack for you.
- b. Dividing the weight across several boxes can keep the largest parcel at a reasonable weight to handle.

To the original author's question, shipping containers; I have seen those too.. my concern was that they only really supported the radio by the front panel. They seemed more like portable shock-mount cases and really not something to take the abuses of a shipping company.

-----Any Comments? Can we maybe keep this forum as having something to do with radios and not politics, cooking, guns, health care or two-legged hemorrhoids?

Date: Fri, 8 Aug 2014 16:13:18 -0700

From: Perry Sandeen via R-390 <r-390@mailman.qth.net>

Subject: [R-390] Packing Box Info

This is how I packed my B/A and test equip for its 2,100 mile journey from the 3rd world (TN) to the crazy world (CA). I bought a package of 15 double boxes from U-line 20 x 20 x 12. With shipping I think the price came to around \$4 a box. U-Haul and REAL Fedex stores also sell good boxes.

To reinforce the box I did the following. I obtained sheets of 4ft by 8ft 1/2 inch high density foam that is covered on both sides with aluminum foil. It was about \$11 per sheet.? It is very light weight. I then made an inner box with the foam. First I cut two pieces that matched 20 x 20. I put one sheet in the bottom of the box.

Then I cut sidewall interlocking pieces but made them 1/2 shorter than the top edge. Then I'd inset the B/A receiver minus PS and AF module to lower the weight. I used scrap pieces of foam and packing paper or small bubble wrap to shore up the sides. Since I many small objects to take, I'd wrap them and butt them in the sides. Also some of my 3 ring binder manuals would fit in the side.

When I finished stuffing the box I installed the foam top and use the Scotch brand 20X stronger to make three runs around the entire box. Each box may have had a net cost of \$10 however nothing got damaged and I was able to stack them four high in the Penske truck and sill but lots of heavy stuff on top of them.

Nothing I've opened so far was damaged. For some receivers in cabinets I used U-haul of HD wardrobe boxes. The HD boxes have thinner sides and cost less but were adequate for some large items. The U-haul wardrobe

boxes were used for several B/A's. Packed they were 3 ft high and weighted around 160 plus pounds.

I used both the foam panels and cut up used cardboard boxes for interior packing. And the 3M tape. For smaller stuff I bought 120 Home Depot bookshelf sized boxes and built inner boxes for them also. The reason for the large amount of small boxes is that no matter what was in them, I could lift them. With the uniform size we were able to pack lots of the small boxes in nooks and crannies that otherwise would have been wasted space.?

One other packing method was suggested to me but in my case was not practical. One would take the box and tape in place 6 ea or so 1/2 inch tall cardboard spacers around the bottom where the B/A edges would touch. Next the B/A was wrapped in a heavy contractor clean-up bag or builders plastic and taped very well. In the next step one would spray a small amount of expanding foam insulation in the bottom and rapidly insert the B/A into the box and align it. Then the box is sprayed with more expanding foam.? The top flaps would be closed and taped. However a 1 inch hole was previously cut in one flap by the corner to let the excess foam escape. About a day later one would cut off the excess and wallah you have a UPS proof box! It it ready to be shipped. After drying the foam sticks like super glue to anything its touched To open you have to cut all of it away. I've used this foam in some other applications. It sticks to your hands like crazy and you'll never get it out of a set of jeans or work shirt.

Date: Fri, 8 Aug 2014 21:31:33 -0700
From: Larry H <dinlarh@att.net>
Subject: Re: [R-390] R-390 Shipping Containers

Grant, I agree with removing the power supply and possibly the audio module. These are quite heavy and will reduce any possible damage during shipping. I know it's obvious to protect the stuff on the front panel, but one item that may not be so obvious is the pto. If the kc change knob is pushed in at all, it can be damaged permanently. I have heard of this happening. Also, make sure that all the important screws on all the remaining modules are at the correct tightness. Let us know how you fair.

Date: Sat, 9 Aug 2014 15:33:34 -0400 (EDT)
From: Glenn Scott via R-390 <r-390@mailman.qth.net>
Subject: [R-390] R390 Shipping boxes

I use surplus Thermodyne Shock Stop boxes I find on ebay for usually under \$75. These come in all sorts of sizes and shapes. Many already have high density foam inserts inside, though, you may need to trim some to fit an R 390 series receiver. Don't buy too large of a box or you will get into

over-sized shipping container rates and the price goes up quickly. I can ship a box with a receiver via FedEx for about \$65 to many locations in the lower 48 US states. I think I paid \$75 recently to ship a 390 to Oregon from SC. Depending on the sale, I often include the Shock Stop box in the sale so my client can return the receiver for future work/alignments. Other times, I ship a return label and have FedEx pick the box up and bring it back.

There are other companies that make these type of boxes but I use Thermodyne because of my experiences with these has been very favorable. These boxes new are very expensive, I believe they are in the \$500 range for a size that will handle a 390 receiver.

These are VERY strong boxes that the military and commercial vendors use to ship delicate equipment around the world with. They are very high-impact, hard plastic and will not shatter unless they are extremely abused. Zero damage so far after using these boxes for at least 10 years.

I have shipped receivers all over the world and never had ANY damage. As we all should know, if the receiver/item is securely snug in place and can't move with 2 inches or more of good dampening material on all sides and the outer box is of good quality, the item should travel without damage.

One Note..I tell anyone thinking about shipping a receiver to me is DON'T USE SHIPPING PEANUTS with a receiver that weighs close to 100 pounds. It only takes a little movement and these pellets pulverize allowing the receiver to move around freely and get damaged. That and the powder gets into everything. It takes a long time to clean up and I charge for every minute of my time. I had one guy who used peanuts a few years ago after I told him not to do so. His receiver front panel was poking through the box and bent with a broken meter glass and shipping peanuts all over my porch. Initially I was upset with the shipper and I am sure they contributed to the problem but ultimately the guy who put the receiver in the box and poured peanuts all over it was responsible.

With Shock Stop boxes having inserts in place, I use a jig saw and a undercut saw to cut the panels to fit a receiver. The undercut saws are the ones at the big box stores that will allow you to trim under a door or trim for carpet. Seems like I paid about \$80 for a nice one. Cutting foam does not dull the blade very much. Between the two tools I can do the trim work in less than 20 minutes.

The other option is to get an empty Shock Stop box and make a cut out frame with plywood the same size as the receiver. Then take the Shock Stop box and plywood receiver frame to one of the places that have the 2 part expendable foam and have them make a glove fit set of inserts to go

around your plywood mold. I installed several cross members inside the box to keep it rigid while the foam was settling.

I posted about these boxes a few years back and several people on the list bought up some of these for their own use.

A combination lock is provided on my boxes with a combo# that my client receives. This is probably not necessary but this protects my client and myself. I hope some of this may help someone.

Date: Sat, 9 Aug 2014 17:47:55 -0400 (EDT)
From: Glenn Scott via R-390 <r-390@mailman.qth.net>
Subject: [R-390] R390 shipping boxes Follow up

A quick look on ebay, 8/9/2014 did not provide a size suitable for shipping a 390 series receiver, The ebay inventory for these is always changing so stay tuned. The boxes that are 30 inches wide will get you into a class 1 shipping category with FedEx which will bring your shipping price up to at least 2.5 times, ~\$175, the rate for a smaller box. The boxes I look for have an INSIDE dimension of ~(24 x 14 x 20) inches which is 4 to 5 inches wider than the receiver at 19 x 10.5 x 16 inches. There are some boxes a little smaller or larger than what I look for that will work. Personally, I prefer a minimum of 2 inches of high density foam on all 6 sides.

Typically, I find these about every 4 to 5 weeks and try to keep at least 5 - 7 in stock for business. I have one box that I always have returned and it's been out over 60 times which is to and from each trip. That's 120 trips around the country and overseas a number of times. It is no less sturdy for the wear. I can't overemphasize how well these boxes work and hold up. If these are good enough for Uncle Sam to use our tax dollars for shipping delicate electronics all over the world, they should serve any 390 series receiver enthusiast or in my case, my clients!

Date: Sat, 9 Aug 2014 18:32:17 -0400
From: Bob Camp <kb8tq@nlk.org>
Subject: Re: [R-390] R390 shipping boxes Follow up

There was a full blown fiberglass shipping container sell just up the road here on eBay for under \$30 that pretty much meets your numbers. The gotcha is always that last inch of so of dimension. It's the same oversize price if it's 1 inch over or if it's several inches over.

Date: Sat, 9 Aug 2014 19:41:47 -0400 (EDT)
From: Glenn Scott via R-390 <r-390@mailman.qth.net>
Subject: [R-390] R390 shipping boxes

So far, the boxes I have bought qualify as class 3 size with FedEx making the shipping rates very reasonable. However, like you said, go over the magic size dimensions and prices go way up.

What I really like about the Thermadine Shock Stop boxes is once I have the dimensions of the inside worked out, boxing up a 390 series receiver is a 5 minute job. I no longer have to store piles of boxes and tape nor wrestle with setting a 390 series receiver down into a big cardboard box with flaps in the way. I use the plastic pouches that FedEx provides to store the shipping label which generally takes just a few minutes to generate on the computer and slap it to the side of the box; then I am done!!!! My FedEx guy picks it up, gently puts it in his truck and I sleep well at nights! I use to spend all kinds of time finding the correct size box, wrapping the receiver with bubble wrap, cutting out inserts and taping it all together. For a 390 it was taking an hour, easily, to do everything.

Oh, I use to pull the PS and audio module out to ship them separately. But as stable as the receiver is within the Stop Shock box, I am not worried about shipping damage or difficulty getting the receiver into and out of a cardboard box with flaps. Now the client un-latches the case, pulls the top half off and with a helper, lifts the receiver straight up out of the box by the handle while holding the rear panel and set it on a surface. Beyond that I recommend them to always have someone with a good back to assist. My back is shot but with an assistant, these receivers are not too bad to move.

I didn't mention this earlier but since these boxes are in 2 halves, clam shell like, once the top is removed, half of the receiver is exposed and in the clear. This makes it FAR easier for insertion and removal from Shock Stop box than a conventional box with flaps. You are not trying to lift nearly 100 pounds from the floor. If there is a table near where the receiver will reside that is clear, the Shock Stop box can be rested there getting the receiver at or above waist height. For a guy that has to ship or receive a hundred pound receiver almost every week, this makes a world of difference on my older by the minute back..Hi hi.

Anyway, these Shock Stop boxes have been great for what I do professionally, perhaps others will benefit from having these boxes as well.. BTW, I have no pecuniary interest Thermodyne nor association with any business(es) or person ,(s)pedaling these boxes. I have simply found them to be very helpful. That said, my back really appreciates having them around!!

Date: Sat, 9 Aug 2014 20:39:40 -0500

From: Raymond Cote <universal_comm@reagan.com>

Subject: Re: [R-390] R390 shipping boxes Follow up

Glenn I have a handful of various boxes like you describe. How do ensure that you

Limit all politicians to two terms.

One in office, One in prison.

It works: Detroit and Chicago already do this.

Date: Sat, 9 Aug 2014 20:40:36 -0500

From: Raymond Cote <universal_comm@reagan.com>

Subject: Re: [R-390] R390 shipping boxes Follow up

That you will get your box back? What if end user keeps it?

Date: Sat, 9 Aug 2014 22:44:23 -0400 (EDT)

From: Glenn Scott via R-390 <r-390@mailman.qth.net>

Subject: [R-390] Shipping boxes follow up..

<snip> To answer your ACTUAL question.... Usually, I get a sense of the character of the person I deal with pretty quick. If the person has been a ham for years and really likes boat anchors, I have NEVER had an issue with getting my box back. Otherwise, I charge a deposit for the box that is refunded as soon as I receive my box back. That happens probably once in 30 to 40 times, MAYBE.. I believe the fact that the case goes back together in about 1 minute and all the client has to do is slip the return address label into the pouch that his label was in takes all of the work and drudgery out of doing anything. All the client has to do is set the box out the next day and FedEx picks it up. The less aggravation required results in a smoother return process. The down side to returning the box to me is the client pays for shipping twice. However, knowing their receiver will return in perfect condition with no problems and that removal will be very easy for most folks has resulted in zero issues about the cost. Most of my clients have been great folks and I have been fortunate to meet a lot of fine people and made some good friends a long the way,

Date: Mon, 15 Sep 2014 12:58:03 -0500

From: Tisha Hayes <tisha.hayes@gmail.com>

Subject: Re: [R-390] The BFO pitch counter dial? (shipping weights)

I buy radios from overseas all the time, mostly from Israel (some PRC-174s, Harris, MOBAT, etc...). The shipping price was not too outrageous and I have yet to have to pay duties on old radios. They arrive in good shape if they have been double-boxed and the tubes pulled and boxed separately.

To keep the weight down on the R-390A you might want to consider pulling out just the power supply module and boxing that separately. That is one of the easiest modules to get to; it does not have long shafts out the front that will get bent like the RF or IF decks would. You could also pull the audio deck and ship that along with the power supply.

UPS/postal gets expensive when you cross that 40-50 pound threshold. It becomes cheaper and safer to ship 2-3 boxes at that point.

I was laughing when I considered Turkish Air's weight limit of 75 pounds vs. 50 pounds with other carriers. Can that be the weight of a pregnant goat?

Date: Mon, 15 Sep 2014 19:38:53 +0300
From: Grayson Evans <wa4gvm@gmail.com>
Subject: Re: [R-390] The BFO pitch counter dial?

Well, I will certainly look into shipping by boat and other methods. I have a while to work on it. The airlines have gotten to be a real pain in the ass about luggage and especially overweight luggage. Most international flights will limit the weight to 50 lbs. Turkish airlines is one of the few that will let you pay for 75 lbs. Anything over, you cant take. In the case of the R390, which is by far the heaviest thing I would ship, it is very feasible to remove all the modules (especially the PS) and ship the parts separately. Other stuff like the 51S-1 will make the weight cut. I go back to the US once or twice a year, so I will start taking what I can. Thanks everyone for the advice!

Date: Fri, 28 Aug 2015 19:11:42 +0000
From: Dave Merrill <r390a.urr@gmail.com>
Subject: [R-390] Heavy Duty Large FedEx Shipping Box

I was dropping something off yesterday at FedEx and noticed this behind the counter:

http://i150.photobucket.com/albums/s101/r-390a/R-390/0827151624_1.jpg

Looks large enough for an R-390, and plenty sturdy. I could not find any reference to it on the FedEx site and I forgot to get the dimensions. It is made of heavy fiberboard and held together with screws. Can be disassembled to ship flat too. Price quoted was about \$125. Anyone using one of these boxes?

Date: Fri, 28 Aug 2015 15:56:03 -0500
From: GRANT YOUNGMAN <nq5t@tx.rr.com>
Subject: Re: [R-390] Heavy Duty Large FedEx Shipping Box

It's called a Kubox (<http://www.thekubox.com>
<<http://www.thekubox.com/>>). These are really remarkable containers. I know because I own two of them. Why, you ask? Well, I bought them because I was thinking about selling some large radios (R-390, CE-100V, etc.) but they ended up being pickups. Not inexpensive though. But they are reusable; so you can ship, have the recipient disassemble them and get them shipped back to you.

Date: Fri, 28 Aug 2015 15:59:48 -0500
From: GRANT YOUNGMAN <nq5t@tx.rr.com>
Subject: Re: [R-390] Heavy Duty Large FedEx Shipping Box

\$125 is a bit much. You can purchase R-390 sized boxes direct from Kubox in Austin TX for around \$85 each if you buy two. And shipping is free.

Date: Fri, 28 Aug 2015 17:46:33 -0400
From: Charles Steinmetz <csteinmetz@yandex.com>
Subject: Re: [R-390] Heavy Duty Large FedEx Shipping Box

Looking at the photo with some structural engineering skepticism, I'm inclined to say that to properly contain a 100 lb. radio through poor but expected handling, the fasteners should be about double the diameter shown, they should have large washers under the heads, and there should be at least 4x the number shown (better, 8-10x). Also, what do the screws thread into? Are they self-tapping screws or wood screws? (No good, unless they go full-depth into a hardwood 2x2.) Tee nuts? OK if there are plenty of fasteners. Proper nuts with large washers? Of course, there is a lot we can't see from the photo, so it could be better than I surmise -- but those are my observations from many years of experience crating heavy stuff for shipment.

Date: Fri, 28 Aug 2015 17:49:45 -0500
From: GRANT YOUNGMAN <nq5t@tx.rr.com>
Subject: Re: [R-390] Heavy Duty Large FedEx Shipping Box

These things are used to ship very heavy items all over the place.

If you're talking about the pins that hold on the 8 corner connectors, they are not screws. They are plastic pins. These pins bear no load weight. Their only purpose is to hold the plastic corners (which DO bear shear

weight) in place. There is NO wood in this carton. It is 4-ply fiberboard with hard compressed paper corners. There are NO screws to be inserted or removed, and the screws that hold the 4-ply fiberboard to the compressed corners have large washers.

Instead of guessing about the engineering, perhaps a call to Kubox would answer your questions. FedEx uses these for their pack and ship service for large heavy items. These are not equivalent to a wood crate, but they are FAR better than a 2-ply cardboard or FastPack box, and a R-390 size box weighs only about 19 lbs, compared to a wood crate that weighs as much as the radio. After packing a 100V into a Medium box (with styrofoam), I would have no issues shipping an R-390 or most any other radio in one. I wouldn't drop one of these from 10 feet and wouldn't do that with a wood crate either ;)

The Medium Kubox is actually a bit large for some radios, but it is possible to order boxes with custom internal dimensions. Of course, it costs more. I have no connection to Kubox (<http://thekubox.com> <<http://thekubox.com/>>) other than being a user, but I'm pretty well impressed with the quality of the product.

Date: Fri, 28 Aug 2015 20:32:24 -0400
From: Glenn Scott via R-390 <r-390@mailman.qth.net>
Subject: [R-390] Heavy Duty Large FedEx Shipping Box

These boxes look like something I may consider buying for some of my shipments. I have 2) Thermodyne Shock Stop boxes that I lined for shipping something the size of an R390. However, FedEx Ground fees are about \$77/leg in the US. If I send one to a client who sends his unit in for restoration and I send it back to him at which time he ships it back to me is 4 legs and comes to a little over \$300. Usually the client sends his unit in via his own packing which I return. However, some people have no problem expensing the extra shipping fees to be assured of safe travel of their equipment. These Kubox boxes may be worth looking into. I would want to use one large enough to allow 1" Styrofoam panels to be placed on all 4 sides, top and bottom. However, I would find a source for a plastic banding tool to band the box tight. Anyone know a source for a plastic banding tool.

Date: Sat, 29 Aug 2015 07:59:10 -0400
From: "billriches" <bill.riches@verizon.net>
Subject: Re: [R-390] Heavy Duty Large FedEx Shipping Box

I purchase all my boxes, tape, and strap from Uline. Shipping is rough on the boxes - at least a third of the price of the boxes but they are a good quality and have packed and shipped over 80 R-390a type equipment with

no damage so far.

Date: Sat, 29 Aug 2015 15:20:28 +0000 (UTC)
From: Steve Toth via R-390 <r-390@mailman.qth.net>
Subject: Re: [R-390] Heavy Duty Large FedEx Shipping Box

Where did Dan Arney get the HD boxes he used to sell? Was it Lighthouse for the Blind?? I believe it was somewhere in Texas.? I have one of those. I have shipped R390A's across the country and back several times with no issues using hard foam sheet packing on all sides.

Date: Sat, 29 Aug 2015 08:24:51 -0700
From: Pete Lancashire <pete@petelancashire.com>
Subject: Re: [R-390] Heavy Duty Large FedEx Shipping Box

These are getting common enough to where I've acquired two medium size ones from Goodwill. One cost me \$15 and one was free. They had it next to their corrugated box crusher. The reason one cost me \$15 is I had to buy the stuff that was in it, I promptly drove to the drop off and gave them the old sleeping bags that were in it.

Date: Sat, 29 Aug 2015 14:17:53 -0500
From: Cecil <chacuff@cableone.net>
Subject: Re: [R-390] Heavy Duty Large FedEx Shipping Box

I had bought boxes from Dan when he was out in Cali. They were great but over time they weren't returned to me on a couple shipments...buyers opted to keep them. I tried to buy replacement boxes from Dan after he moved to Texas....he took my money for the boxes and what I got in return were two used computer boxes with the styro inserts that were used to ship the computers. I promptly contacted him and he informed me he could no longer get the boxes like he used to sell... Wish he had made that known up front...never did resolve that with him...pretty expensive computer boxes....I get those from work...they are a pain. So to answer your question he was having those made up in California....but not sure who he used.

Date: Sat, 29 Aug 2015 18:58:57 -0400
From: Frank Hughes <fsh396ss@gmail.com>
Subject: [R-390] FastPak boxes

Back when I was sending R-390's and "A"'s to Rick Mish, he provided something called a "FastPak" box. Multiple layers, box in box, foam, really thick cardboard. Still intact after a few trips through the FedEx system.

Date: Sat, 29 Aug 2015 18:49:15 -0500

From: Les Locklear <leslocklear@hotmail.com>
Subject: Re: [R-390] FastPak boxes

I can remember buying one of Hank Arney's boxes, it made five trips (round trips) before I retired it, it hauled SP-600's, R-390A's and 51J-4's.

Date: Fri, 30 Oct 2015 19:44:07 -0500
From: Ben Loper <brloper@gmail.com>
Subject: [R-390] Shipping R-390's overseas

Does anyone know about shipping an R-390 overseas or done it before

Date: Fri, 30 Oct 2015 21:08:33 -0400
From: Bob Camp <kb8tq@nlk.org>
Subject: Re: [R-390] Shipping R-390's overseas

Yup, done it. A *lot* depends on where it is going. Like anything I'm shipping, the radio first went into a heavy duty garbage bag. The concern there is simply keeping it dry. After that was to encase the radio in foam blocks (high density insulation foam). Next I surrounded that with 1/4" plywood. No nails or anything fancy, just a wrap process. Next that whole thing went into a tight fitting cardboard box. The whole principle was to keep it very tight in the box and to keep the box as normal looking as possible. As far as I know, none of the radios suffered unduly shipping off to here and there. Other than the large cardboard box, all the materials came from the local Home Depot.

Date: Sat, 31 Oct 2015 01:57:44 +0000 (UTC)
From: Larry H <dinlarh@att.net>
Subject: Re: [R-390] Shipping R-390's overseas

Ben, A couple more things to consider: If you're using press-on tube shields (not the original 'J' twist ons), they may come loose and bounce around. Also, of course we know that the face must be protected, but the KC change knob needs special attention. A hard sharp blow to it can push the shaft in just enough to permanently damage the PTO. Good luck and let us know how it goes.

Date: Mon, 2 Nov 2015 00:27:34 +0000 (UTC)
From: Larry H <dinlarh@att.net>
Subject: Re: [R-390] Shipping R-390's overseas

Hi Ben, There's a large write up on shipping and storage in the r-390a pearls. Have you looked through it? It has some very good info.

Date: Sun, 1 Nov 2015 19:16:44 -0600
From: Raymond Cote <bluegrassdakine@hotmail.com>
Subject: Re: [R-390] Shipping R-390's overseas

I use the hard cases with foam inserts. The purchaser pays a deposit on the expensive cases and pays the return with a complete refunded deposit. Works for me and never had a bad or damaged radio.

Date: Sun, 9 Jul 2017 04:12:20 -0400
From: Mister Mike <wlrc@near-fest.com>
Subject: Re: [R-390] R-390 Digest, Vol 159, Issue 2

The best (and safest) way to ship an R-390/390A is to remove the power supply and audio modules and ship them separately from the receiver.

Date: Thu, 7 Jun 2018 09:56:52 -0400
From: Bob kb8tq <kb8tq@n1k.org>
Subject: Re: [R-390] Free for Shipping Cost Stuff

I d also toss in that packing a BA sized gizmo is far from easy. Doing so in a way that stays *under* the magic size limits is far from simple. In some cases it just can t be done. Trigger one of the oversized package limits and you just added \$\$\$ to the shipping costs. If you ever got a 390 from Fair Radio, their packing was a work of art. Magic sized box and newspaper for padding .

Since this is the R390 list, I d toss in another comment. One way to improve the chances of one making it through shipping is to pull the power supply and ship it in another box. To me, that s a bit much, but it is done. I d bet it s another \$50 to do it that way. If you want (or anything else) shipped in a very specific fashion, I would suggest it best to put that in your first email.

It s easy to look at this or that as all profit for the seller. Unless they happen to be in business, the shipping process is a royal pain. Yes, I could be more specific, but this is a family safe list :). Anything we can do to make that process slightly less painful will encourage others to provide us with very neat stuff that we crave.

Date: Thu, 7 Jun 2018 07:13:53 -0700
From: Pete Lancashire <pete@petelancashire.com>
Subject: Re: [R-390] Free for Shipping Cost Stuff

I had a similar situation not with shipping but making something available for local pickup in exchange for selling it at about 1/4th it's value. It was a stack of equipment about 3 ft tall that comprised of a Unix

server still being manufactured by IBM. I don't know how many calls I got wanting me to break it up and let people cherry pick it apart.

I was asking \$500 or make offer not a lot of money considering its value. Eventually the last person to come look at it spent over 2 hours checking it out while I sat there pretty much in pain due to my medical condition. And at the very end offers my son who has been helping me \$400. Part of me wanted to tell him to get lost but I took the \$400 told my son not to help him load it. The guy split so fast he didn't even come back and clean up the mess it made with power cords network cables Etc. And to this day has never thanked me. And people wonder why it times I just want to call a scrap metal dealer and toss it all in a 15 yarder.

Date: Thu, 7 Jun 2018 11:37:45 -0400
From: "Robert Meadows" <rpmeadow@bellsouth.net>
Subject: Re: [R-390] Free for Shipping Cost Stuff

The very best mode of transport of R 390 and etc radios is via GREYHOUND EXPRESS. The packages are hand loaded/unloaded into their bus baggage compartments as they make their way to the destination Station. Handles on boxes are welcome, not charged for, and there is no conveyor belt auto sort banging and framming going on. If you have ever seen a package sort line, you will understand. I had the task of dismantling one, the belt could be run up to about 35 mph as the packages went round and were "sorted" with a whack to the conveyor belt for that zip code...

Date: Thu, 7 Jun 2018 12:00:06 -0400 (EDT)
From: Barry <n4buq@knology.net>
Subject: Re: [R-390] Free for Shipping Cost Stuff

Amen to that. I had one shipped that way and it works great.

Date: Thu, 7 Jun 2018 12:21:22 -0400
From: Bob kb8tq <kb8tq@n1k.org>
Subject: Re: [R-390] Free for Shipping Cost Stuff

I ll say it again, if you have unusual shipping requirements, mention it up front. For some, the Greyhound terminal is a *long* way away .. They don t stop everywhere they used to.

Date: Thu, 7 Jun 2018 09:28:02 -0700
From: Pete Lancashire <pete@petelancashire.com>
Subject: Re: [R-390] Free for Shipping Cost Stuff

I'll also add Greyhound is great and for me very convenient but alas as

it's been said Greyhound stations are getting less and less.

I've never had a single package damaged by them.

Date: Mon, 25 Feb 2019 21:51:26 +0000 (UTC)
From: Steve Toth <stoth47@yahoo.com>
Subject: [R-390] R390A Shipping boxes

Does anybody know where Dan Arney was getting the double walled cardboard boxes for shipping R390A's? I believe it was a charity group in Texas somewhere but I'm not sure and i do not have any contact info. We are packing for a move from Seattle to Montana and I have three R390A's without exterior boxes to go around any interior box I use for double boxing. Those boxes from Dan are great - I have shipped R390A's back and forth across the country to Chuck Ripple with no damage. If I can't find the boxes Dan used, what suggestions do you guys have for a good double walled exterior cardboard shipping box?

Date: Mon, 25 Feb 2019 16:56:09 -0600
From: Cecil Acuff <chacuff@cableone.net>
Subject: Re: [R-390] R390A Shipping boxes

I used Dan's boxes as well and after not having two returned after a couple radio sales I contacted him about buying two more. He took my money and about two weeks later I got two crappy Dell computer boxes in the mail. We had words and parted ways. Don't have a clue where he was getting them but I think it was some outfit out in California. A good shipping box with die cut foam form fitted inserts would be a great thing to have... I'm getting to old to hand cut packing material and lug these things to the UPS counter so I'm probably parting mine out here before long. Pretty much over big heavy radios.

Date: Mon, 25 Feb 2019 23:18:00 +0000
From: Doug Hensley <w5jv@hotmail.com>
Subject: [R-390] R390A Shipping Boxes

Steve, can you describe how those boxes were configured or constructed? I emailed that R390A service which is popular but they decline to reply. They charge \$100 for the box. I have several to ship as well and trying to come up with a game plan here

Date: Tue, 26 Feb 2019 01:12:37 +0100
From: Heinz Breuer <hbreuer@debitel.net>
Subject: Re: [R-390] R390A Shipping boxes

Hank KN6DI a former pilot (747 et al) had a crating and shipping

business in Northridge, a L.A. suburb. In the early 2000 years he probably made the boxes himself. In 2006 in his mid 70s after he was injured in a couple incidents, and his sister moved him to McKinney, TX where she lived. Hank was still in the hospital when his relatives packed his stuff. Most of his remanufactured R-390 items (top and bottom covers, Utah plate etc.) were either lost in the move, or his relatives scrapped it because they didn't know what the sheet metal stuff was.

In McKinney Hank fell for an Internet scam. He sent all his money to Nigeria for gold and a girl, but didn't get either. It's a very sad story. In 2010 Hank broke both hips and after a long recovery felt again and broke both hips again. He spent his last years in a nursing home bound to a wheelchair.

Date: Tue, 26 Feb 2019 01:28:42 +0000 (UTC)
From: "rkofler@aol.com" <rkofler@aol.com>
Subject: Re: [R-390] R390A Shipping boxes

From time to time I have seen military surplus equipment boxes that I thought could be turned into really good reusable shipping boxes with the addition of interior blocking. Not cheap however, the last ones I saw were at City Liquidators in Portland Oregon and they wanted \$99 apiece. Just a thought. Roger K7DDG

Date: Mon, 25 Feb 2019 21:46:33 -0600
From: GDM <lgdm3@charter.net>
Subject: Re: [R-390] R390A Shipping boxes

I have a very, very fuzzy memory that it was one of the Lighthouse for the Blind organizations in Texas.??Hope I am not sending you on a wild goose chase. Also seem to remember that they stopped making the boxes.

Date: Tue, 26 Feb 2019 04:00:39 +0000 (UTC)
From: Roger Ruszkowski <flowertime01@wmconnect.com>
Subject: [R-390] R390A's for sale

Fellows, A nice video. If buy them I Roger here on the R390 reflector will answer the questions as you perform a semi (twice a year on once in 20 years) annual maintenance procedure that will bring your receivers back to life.It was three hours for the Skipper and Gilligan. You are going to cold start one after 40 years.It is about 100 hours at about \$20.00 an hour to bring one of these receivers back. The resale value is not near \$2,500.00 for time and parts. This is why these are do it yourself projects. Solid state the 26Z5's, Build up and install some new plug in filter caps, learn to ground your equipment or replace the input filter with one that plays well with GFI breakers. Save your mechanical filters from your own

bad behaviors. Do the recap in the IF, Audio and RF deck modules. This is the biggest lot of receivers since the Julian Creek Massacre and these are clean machines. Respectfully, Roger

Date: Tue, 26 Feb 2019 05:52:44 +0000 (UTC)
From: Steve Toth <stoth47@yahoo.com>
Subject: Re: [R-390] R390A Shipping boxes

Yep, It was Lighthouse for the Blind in Fort Worth - one of the email replies mentioned that and it jogged my memory. And you are correct - they no longer make the boxes. I checked on their website. The size Hank Arney was selling was 24x24x16 - I went out to the garage and measured the one I have. Nobody seems to be making that size. The closest I can find in a 500# box is 24x24x24.

Date: Tue, 26 Feb 2019 06:23:13 -0600
From: kc9ieq <kc9ieq@yahoo.com>
Subject: Re: [R-390] R390A Shipping boxes

I have a friend who works for a box manufacturing company. If somebody can provide me with exact specs and a photo or two of the construction, I can see what the minimum qty and cost would be to have some made. This is of course, if they handle/can make the double-wall material in question. Regards, Chris

Date: Tue, 26 Feb 2019 10:31:42 -0600
From: Don Reaves <donreaves@gmail.com>
Subject: [R-390] FastPack Box

In 2003, I sold an R-389 to a collector in Spain; he had me ship it to Rick Mish of Miltronix for refurb before Rick shipped it on to Spain. Rick sent me one of his reusable FastPack boxes for shipping to Ohio. The fast pack was a double wall box with glued in 2 inch thick foam panels sized exactly for the R-390 series receivers. That was the inner box, the outer box was a recycled Pitney Bowes machine box, again double walled, with panels of white foam to surround the inner box. This totaled up to be 115 pounds. In 2003, that cost \$98.76 to ship from my QTH to Rick's by UPS. Today that shipping cost might approach a down payment on your own Boeing 747 freighter.

Date: Tue, 26 Feb 2019 12:06:46 -0500
From: Bob kb8tq <kb8tq@n1k.org>
Subject: Re: [R-390] FastPack Box

Having shipped a few radios to various parts of the world - one thing to watch out for is max outer dimensions. Depending on who you ship with

(and where to) the rules vary a bit. One fairly typical rule is to add up the dimensions and they need to come out under a magic number. For UPS it's length (longest dim) + 2X width + 2X height must be less than 165 inches. It looks like FedEx now is the same (they didn't used to be). DHL is happy if you are under 1.2 x 1.2 x 1.5 meters (!!!!)

If you are going to ship the power supply *in* the radio, forget about sponge rubber (= flexible) foam. It simply isn't up to the task. Some sort of rigid foam needs to be used. Foam in place is one way to go. The foam insulating boards from the big box stores work. Fair Radio used to use rolled up (as opposed to crushed) newspaper.

Date: Tue, 26 Feb 2019 11:22:25 -0600
From: Dave Merrill <r390a.urr@gmail.com>
Subject: Re: [R-390] R390A Shipping boxes

You might also consider Kubox (<http://www.thekubox.com>). FedEx sells them but they are available direct from Kubox for less. https://i150.photobucket.com/albums/s101/r-390a/R-390/0827151624_1.jpg

Date: Tue, 26 Feb 2019 11:32:00 -0600
From: SGS 126 <brloper@gmail.com>
Subject: Re: [R-390] R390A Shipping boxes

If you're interested I can give you details on how I ship them using high density foam and double wall boxes from HD, costs about \$20 and ship via Fedex

Date: Tue, 26 Feb 2019 09:43:05 -0800
From: Clay Nicolsen <clay5477@gmail.com>
Subject: [R-390] Shipping R-390A...

Excellent series of posts on shipping these beasts! I'm about to send one off to Rick Mish. I'm considering buying one of his boxes. It might just be money well spent. Here's my question: What's the best shipping service to use for a near-100 pound box? Obviously, cost is going to be high, but I'm guessing some shippers might be prohibitive. Is UPS/FedEx even an option? DHL? Or would I be better off using a trucking service?

Date: Tue, 26 Feb 2019 11:47:31 -0600
From: "Joe Koester" <jwkoest@charter.net>
Subject: Re: [R-390] FastPack Box

I have shipped a couple of heavy things, including a Hallicrafters SX-42, and a Zenith chair side radio (quite big). I found it easy to make a custom

sized box out of 1/4 inch luan plywood with 1 x 4 on all the edges. I glued the 1 x 4 to each piece of plywood and then screwed the whole thing together with drywall screws. Then went to Lowe's and got some 1 inch thick foam insulation with I put in the box. To help ensure easier handling I drilled holes in each side of the box and installed rope handles. All these items arrived safely, with one exception, the rectifier tube in the SX-42 was broken.

Also made a very large box the same way and shipped two E.H. Scott consoles and chassis and speakers to England. I just made this box and packed the items and a truck came by my home and picked it up. This also arrived without any damage at all.

Date: Tue, 26 Feb 2019 12:50:24 -0500
From: Bob kb8tq <kb8tq@n1k.org>
Subject: Re: [R-390] Shipping R-390A...
Message-ID: <682ACBBD-8E10-4FFA-8F24-BF070C57BF9D@n1k.org>

Both UPS and FedEx now claim they will ship up to 150 pound packages. Their dimensional specs are the same as well. Many years ago there were some differences between what each would handle. If you are shipping international, always check the exact details for where the box is going. The costs will always be high, but there also may be a few surprises as well. In terms of who is best, I've had them all destroy boxes. I've also had them all do a fine job delivering identical boxes on other occasions.

Date: Tue, 26 Feb 2019 11:56:07 -0600
From: Dave Merrill <r390a.urr@gmail.com>
Subject: Re: [R-390] Shipping R-390A...

FedEx Home Delivery is limited to 70 lbs 108" in length and 165" in length plus girth.

Date: Tue, 26 Feb 2019 17:57:21 +0000 (UTC)
From: Steve Toth <stoth47@yahoo.com>
Subject: [R-390] R390A shipping boxes

The box I purchased through Dan (Hank) Arney measures 24x24x16. It has an ECT (edge crush test) rating of 500lbs (71ECT). It is rated to hold 140 - 160 lbs of equipment. IT appears that size is a custom order size.

Kubox has a 22x22x16 size "square box" that is just right for a little north of \$90

After doing some extended searching on the web and looking at what is available the only double walled 500 lb / 71ECT size corrugated cardboard

box I could find that would seem to work is 24x24x24. Uline has them for ~\$23.50 each but you have to purchase 10 at a whack.

The most common heavy duty double wall boxes available are 48ECT - rating of 275 lbs edge crush with a load limit of 100 lbs.

I pack my radios using the one inch thick hard foam board from Home Depot on all four sides, top and bottom after I plastic wrap them to prevent scuffing.

Assuming I remove the power supplies and ship those separately, double box the radios and use the hard foam board, I'm thinking the 48 ECT boxes would work as the radios will weigh about 70lbs and the stiffness of the hard foam board would increase the edge crush rating of the box. I for one would be interested in hearing details from the gentleman who is using hard foam and double walled boxes from Home Depot.

Date: Tue, 26 Feb 2019 12:17:26 -0600
From: Robert Nickels <ranickel@comcast.net>
Subject: Re: [R-390] FastPack Box

Agree! The points Hank Arney used to make loud and clear included:

- Double boxing of course
- Heavy duty double wall corrugated boxes only
- Cut to fit HARD styrofoam blocking (minimum 2") on all sides
- fiber-reinforced gummed paper packing tape (the kind that is water-activated)

I suspect you could do fine with some variation on this theme but as Hank said, "do it my way and you will not be disappointed". The problem is, the right size boxes are not going to be found sitting at the curb with "Dell" printed on the side ;-). Here's a double wall 24x24x16" box from U-Line:

<https://www.uline.com/Product/Detail/S-22117/Corrugated-Boxes-Heavy-Duty/24-x-24-x-16-275-lb-Double-Wall-Corrugated-Boxes>

Problem is, no one wants to sell 1 or 2 boxes, - a minimum of 10pcs means you'd have to buy \$85 worth of boxes if you can't find a local pack and ship place that will sell boxes in small quantity. Pack it right and pay what it costs, or pay later. It's Newton's Second Law: $F=ma$. Fortunately an R-390A acts as a single mass and all you have to do is prevent it from moving inside the box and enough crush zone to withstand drops. Better yet, read the Master of Packing's own words here: http://www.r-390a.net/Pearls/storage_shipping.pdf

Date: Tue, 26 Feb 2019 18:21:29 +0000

From: Jack Rubin <j@ckrubin.us>
Subject: [R-390] Shipping costs for sending heavy boxes overseas

Not too much to add about boxes, but I sent a heavy terminal to England last year and had a local shipping service handle it for me. They did a very nice crating job, as expected, but the surprise was that they introduced me to a Fed Ex rate called "standby". Instead of shipping immediately, I was willing to have them ship anytime in the following two weeks, with the only guarantee being that it would definitely go by the 14th day. Basically, I was allowing FedEx to use their space more efficiently and got a discount in return.

As it turned out, it went almost immediately - I was shipping out of Chicago O'Hare where there is obviously lots of traffic - but I still got the promised discount. No idea if this alternate service is available everywhere and/or for domestic air shipments, but it could be worthwhile asking.

Date: Tue, 26 Feb 2019 10:48:24 -0800
From: Renee K6FSB <k6fsb.1@gmail.com>
Subject: Re: [R-390] Shipping R-390A...

What about greyhound? we used to send rigs that way...but that was a long time ago

Date: Tue, 26 Feb 2019 19:04:42 +0000 (UTC)
From: Steve Toth <stoth47@yahoo.com>
Subject: Re: [R-390] Shipping R-390A...

There is also Fastenal 3PL (Third Party Logistics)- Their freight service for shipping heavy items.? Some of my car buddies have used them to ship engine blocks and other car parts. Similar to Fed-X Standby.

I personally prefer Fed X ground for shipping radio gear as I had a very bad R390A experience with UPS due to very poor packaging by a UPS store near where the radio was sourced (the seller did not want to pack it himself and did not tell me after I specified how i wanted it packed).?-

Date: Tue, 26 Feb 2019 13:10:44 -0600
From: SGS 126 <brloper@gmail.com>
Subject: Re: [R-390] Shipping R-390A...

FedEx will ship R-390's home delivery. My box is 22x22x22 and weights 86 pounds. Shipping to CA from AL is about \$80 use a Heavy duty box from Home Depot about \$4 and I had dense foam cut to fit the box It gave me about 4 inches of foam all the way around and a sheet of the foam cost

\$28 cut, so packing material was about \$20 and FedEx shipping to CA about \$80 and I think \$46 was the minimum charge. It gets there in 2 days insured and I've never had one with any damage at all. I've shipped at least 10 that way.

Date: Tue, 26 Feb 2019 14:58:29 -0500
From: Glenn Little WB4UIV <glennmaillist@bellsouth.net>
Subject: Re: [R-390] Shipping R-390A...

Check with your bus terminal. They, at one time, were very economical transport for large packages. It was terminal to terminal service.

Date: Tue, 26 Feb 2019 14:48:30 -0600
From: Robert Nickels <ranickel@comcast.net>
Subject: Re: [R-390] Shipping R-390A...

Fastenal has branches all over the country and offers shipping services for heavy items from store to store:
<https://www.fastenal.com/en/22/3pl-third-party-logistics>

Date: Tue, 26 Feb 2019 21:31:24 +0000 (UTC)
From: Roger Ruzzkowski <flowertime01@wmconnect.com>
Subject: Re: [R-390] Shipping R-390A...

Fellows, Today it is air freight. Your take the carton to a warehouse near the airport. Off your hand truck free on the floor. Pick up is at a warehouse near the air port. Free on the floor bring your own hand truck. Hughes was paying the shipping fees. My crate went a day early and the expediter took care of me at home. On the other end we did pick up with a van and the counter crew would load the crate into the back of the van. Call air freight counter to counter price for like trade show displays in transit.
Respectfully, Roger

Date: Tue, 26 Feb 2019 22:51:23 +0000 (UTC)
From: "Tom M." <courir26@yahoo.com>
Subject: Re: [R-390] R390A Shipping boxes, Mish Box

I got a box from Rick Mish one time that seemed to be special and just right. The radio fit snugly in the box with foam surrounding it, and it had a "cover" of sorts that closed up one end. Place a call to Mish and ask him where he gets those.

Date: Wed, 27 Feb 2019 01:52:53 +0000 (UTC)
From: Perry Sandeen <sandeenpa@yahoo.com>
Subject: [R-390] Shipping Boxes

Two choices:

U-Line. They carry any size and strength one could ever need. Downside, They are usually sold in a minimum package of 10. Then there is shipping. Figure \$8 to \$10 each.

The second choice is cheaper but more messy work. Home depot sells double wall boxes for moving made out of recycled paper. One can either use one that might be quite a bit larger than you need OR you can use a skill or table saw to make one closer to what you'd like. Using a saw to make a box is a mess but when you cut the cardboard to fit tightly it is as good as any commercially made box. If you do the H-D box route, be sure to do 720 degree taping with Scotch shipping tape as there is something on the H-D box finish that after a while the tape will come loose. If one ships the *A* power supply and audio module in one of the double wall H-D 12 x 12 x 16 and the chassis in a separate box all will be well. Now that I'm moving again I bought several different double wall boxes from U-line as I have (way to much) equipment to move.

Date: Mon, 4 Mar 2019 20:47:52 +0000 (UTC)
From: Steve Toth <stoth47@yahoo.com>
Subject: [R-390] shipping the R390A - redux

My R390A's are packed for the cross country move (along with everything else). Here is what I did: 1 ea. 24x24x16 DW corrugated cardboard box from Home Depot - \$ 5; 1 ea. 4ft x 8ft 1" thick hard foam insulation sheet from Home Depot (pink or blue, not white with foil) - \$ 20
1 ea. Roll of 3M Heavy Duty packing tape - \$6 on Amazon

The hard foam sheet has pre cut creases at 16" and 8" lengthwise. With this size box it is easy to use a serrated edge knife and cut foam pieces to size to pack the R390A. If you use one 2'x2' bottom piece, one 2'x2' top piece and two inches of hard foam on all sides it will take pretty much the entire 4x8 sheet. There will be enough hard foam to cut multiple pieces for front and back (24"x22") and the sides (22"x22" and 22"x19") that will hold the radio in the box securely so it will not move. There will be enough hard foam to cut smaller pieces to slide down between the knobs on the front panel to additionally protect the front panel. Packed this way the radio will be securely packed and the hard foam will substantially increase the 275lb crush strength of the box. All seams securely taped with 3M heavy duty packing tape NOT the thin Chinese stuff.

Total cost of packing materials - \$31
Cost to ship (if you are going to ship) via Fed X Ground - ~\$85 to \$100. Tip: Use a black Sharpie marking pen and label each piece of hard foam packing material so it can be properly reassembled around the radio on the other end if the radio needs to be reshipped back to you.

Date: Mon, 4 Mar 2019 16:33:57 -0500 (EST)
From: KL7AM <w7apm@mtaonline.net>
Subject: Re: [R-390] shipping the R390A - redux

I had an experience with the hard High Density foam where it didn't provide any real shock protection. The stuff is hard as a rock to a large flat surface. I had a Henry amplifier RF deck shipped to be that obviously had some rough handling and ceramic insulators and a 3-400Z tube was broken along with bent sheetmetal although the box looked pretty good. Perhaps some of the soft white stuff on the outside of the hi density stuff to serve as a shock absorber I also once got a suggestion of using the disposable plastic water bottles as shock absorbing material.

Date: Tue, 5 Mar 2019 16:58:48 +0000 (UTC)
From: Steve Toth <stoth47@yahoo.com>
Subject: Re: [R-390] shipping the R390A - redux

I would guess it depends on the weight of the item being shipped and whether or not it has front panel edges that need protecting. I have shipped a couple of R390A's across the country and back using the packing method descibed with no problem. My main concern was the ends of the front panel and rear ends of the side panels. Tightly wadded newspaper might be a good shock absorbent along with the hard foam - it works really well by itself for lighter gear.

Date: Mon, 12 Feb 2024 19:22:32 -0600
From: Dave Merrill <r390a.urr@gmail.com>
Subject: [R-390] Cardboard shipping box

Some good ideas on how to protect a heavy item.
<https://www.ebay.com/itm/126318630320>

Date: Mon, 12 Feb 2024 21:12:30 -0600
From: Bill Blodgett <whb5k@icloud.com>
Subject: Re: [R-390] Cardboard shipping box

Dave, that's pretty cool. The good news is that it won't have an R-390/A inside. I've shipped one. To start the discussion, I'll offer some ideas. Others will surely have better ones.

First wrap the box with large-bubble bubble-wrap to attain about 2?-3? of protection all around. Next, select a shipping box size which will allow room for the bubble-wrapped old box plus at least 1? or 2? building insulation foam board lining completely around the inside of the shipping box, using only one foam piece per side, end, bottom and top, each; not a bunch of loose pieces of foam board. Though the shipping

box's size may have been customized, the result will probably still leave voids between the bubble-wrapped old box and the foam board lining. If so, stuff small segments of small-bubble bubble wrap or newsprint into those voids. A fairly tightly packed interior reinforces the exterior of a shipping box.

Date: Wed, 14 Feb 2024 00:18:50 +0000 (UTC)
From: Steve Toth <stoth47@yahoo.com>
Subject: Re: [R-390] Cardboard shipping box

On this topic: I still have an R-390A double walled shipping box I purchased from Dan Arney down in Texas a number of years ago before he sold off his huge military radio inventory. That box is a rugged double walled box that has been across country and back twice transporting R-390A's and is still very serviceable. My understanding from Dan was that he was purchasing those heavy duty shipping boxes from a charity organization that employed blind individuals to make the boxes there in Texas (not sure if my information is correct on the source, but that's what I remember Dan telling me on the phone). Would anybody happen to know the source name and contact info for the organization Dan used to source the boxes? - Steve? W7SJT
